

PROJECT DEVELOPMENT PHASE

SPRINT-1 SOURCE CODE

Date	05 November 2022
Team ID	PNT2022TMID09950
Project Name	Intelligent vehicle damage assessment & cost estimator for insurance companies.
Maximum Marks	8 Marks

Index.php

```
<?php
    session_start();

    if (isset($_SESSION['SESSION_EMAIL']))
    {
        header("Location: welcome.php");
        die();
    }

    include 'config.php';

    $msg = "";

    if (isset($_GET['verification'])) {

        if (mysqli_num_rows(mysqli_query($conn, "SELECT * FROM users1 WHERE
code='{$_GET['verification']}'")) > 0) {

            $query = mysqli_query($conn, "UPDATE users1 SET code=" WHERE
code='{$_GET['verification']}'");

            if ($query) {

                $msg = "<div class='alert alert-success'>Account verification has been successfully
completed.</div>";

            }

        } else {

            header("Location: index.php");

        }
    }
}
```

```

if (isset($_POST['submit'])) {
    $email = mysqli_real_escape_string($conn, $_POST['email']);
    $password = mysqli_real_escape_string($conn, md5($_POST['password']));

    $sql = "SELECT * FROM users1 WHERE email='{ $email}' AND password='{ $password}'";
    $result = mysqli_query($conn, $sql);

    if (mysqli_num_rows($result) === 1) {
        $row = mysqli_fetch_assoc($result);

        if (empty($row['code'])) {
            $_SESSION['SESSION_EMAIL'] = $email;
            header("Location: welcome.php");
        } else {
            $msg = "<div class='alert alert-info'>First verify your account and try again.</div>";
        }
    } else {
        $msg = "<div class='alert alert-danger'>Email or password do not match.</div>";
    }
}

?>

<!DOCTYPE html>

<html lang="zxx">

<head>

    <title>Login Form - Damage Detection</title>

    <!-- Meta tag Keywords -->
    <meta name="viewport" content="width=device-width, initial-scale=1">

```

```
<meta charset="UTF-8" />
<meta name="keywords"
content="Login Form" />
<!-- //Meta tag Keywords -->

<link href="//fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600&display=swap"
rel="stylesheet">

<!--//Style-CSS -->

<link rel="stylesheet" href="css/style.css" type="text/css" media="all" /> <!--//Style-
CSS -->

<script src="https://kit.fontawesome.com/af562a2a63.js" crossorigin="anonymous"></script>

</head>

<body>

<!-- form section start -->
<section class="w3l-mockup-form">
<div class="container">
<!-- /form -->
<div class="workinghny-form-grid">
<div class="main-mockup">
<div class="alert-close">
<span class="fa fa-close"></span>
</div>
<div class="w3l_form align-self">
<div class="left_grid_info">

</div>
```

```

</div>

<div class="content-wthree">

    <h2>Login Now</h2>

    <?php echo $msg; ?>

    <form action="" method="post">

        <input type="email" class="email" name="email" placeholder="Enter Your Email"
required>

        <input type="password" class="password" name="password" placeholder="Enter Your
Password" style="margin-bottom: 2px;" required>

        <p><a href="forgot-password.php" style="margin-bottom: 15px; display: block;
text-align: right;">Forgot Password?</a></p>

        <button name="submit" name="submit" class="btn" type="submit">Login</button>

    </form>

    <div class="social-icons">

        <p>Create Account! <a href="register.php">Register</a>.</p>

    </div>

</div>

</div>

</div>

</div>

<!-- //form -->

</div>

</section>

<!-- //form section start -->

<script src="js/jquery.min.js"></script>

<script>

$(document).ready(function (c) {

    $('.alert-close').on('click', function (c) {

        $('.main-mockup').fadeOut('slow', function (c) {
            $('.main-mockup').remove();
        });

    });

});

```

```
});  
});  
</script>
```

```
</body>
```

```
</html>
```

logout.php

```
<?php  
  
session_start();  
session_unset();  
session_destroy();  
header("Location: index.php");.php
```

Register.php

```
<?php  
//Import PHPMailer classes into the global namespace  
//These must be at the top of your script, not inside a function  
use PHPMailer\PHPMailer\PHPMailer;  
use PHPMailer\PHPMailer\SMTP;  
use PHPMailer\PHPMailer\Exception;  
  
session_start();  
if (isset($_SESSION['SESSION_EMAIL'])) {  
    header("Location: welcome.php");  
    die();  
}  
  
//Load Composer's autoloader  
require 'vendor/autoload.php';  
  
include 'config.php';  
$msg = "";  
  
if (isset($_POST['submit'])) {
```

```

$name = mysqli_real_escape_string($conn, $_POST['name']);
$email = mysqli_real_escape_string($conn, $_POST['email']);
$password = mysqli_real_escape_string($conn, md5($_POST['password']));
$confirm_password = mysqli_real_escape_string($conn, md5($_POST['confirm-password']));
$code = mysqli_real_escape_string($conn, md5(rand()));

if (mysqli_num_rows(mysqli_query($conn, "SELECT * FROM users1 WHERE email='{ $email }'")) >
0) {
    $msg = "<div class='alert alert-danger'>{ $email } - This email address has been already
exists.</div>";
} else {
    if ($password === $confirm_password) {
        $sql = "INSERT INTO users1 (name, email, password, code) VALUES ('{ $name }', '{ $email }',
'{$password}', '{$code}')";
        $result = mysqli_query($conn, $sql);

        if ($result) {
            echo "<div style='display: none;'>";
            //Create an instance; passing `true` enables exceptions
$mail = new PHPMailer(true);

            try {
                //Server settings
                $mail->SMTPDebug = SMTP::DEBUG_SERVER;           //Enable verbose debug
output
                $mail->isSMTP();           //Send using SMTP
                $mail->Host      = 'smtp.gmail.com';           //Set the SMTP server to send through
                $mail->SMTPAuth  = true;           //Enable SMTP authentication
                $mail->Username  = 'damagedetectionanalysis@gmail.com';           //SMTP username
                $mail->Password  = 'sgmdgfpxacgtinlv';           //SMTP password
                $mail->SMTPSecure = PHPMailer::ENCRYPTION_SMTPS;           //Enable implicit TLS
encryption
                $mail->Port      = 465;           //TCP port to connect to; use 587 if you have set
`SMTPSecure = PHPMailer::ENCRYPTION_STARTTLS`

                //Recipients
                $mail->setFrom('damagedetectionanalysis@gmail.com');
                $mail->addAddress($email);

                //Content
                $mail->isHTML(true);           //Set email format to HTML
                $mail->Subject = 'DAMAGE DETECTION';
                $mail->Body    = 'Here is the verification link <b><a
href="http://localhost/login1/?verification='.$code.'"> Link </a></b>';

                $mail->send();
                echo 'Message has been sent';

```

```

        } catch (Exception $e) {
            echo "Message could not be sent. Mailer Error: {$mail->ErrorInfo}";
        }
        echo "</div>";
        $msg = "<div class='alert alert-info'>We've send a verification link on your email
address.</div>";
    } else {
        $msg = "<div class='alert alert-danger'>Something wrong went.</div>";
    }
    } else {
        $msg = "<div class='alert alert-danger'>Password and Confirm Password do not match</div>";
    }
}
}
?>

```

```

<!DOCTYPE html>
<html lang="zxx">

```

```

<head>
    <title>Login Form - Damage Detection</title>
    <!-- Meta tag Keywords -->
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <meta charset="UTF-8" />
    <meta name="keywords"
content="Login Form" />    <!--
//Meta tag Keywords -->

```

```

    <link href="//fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600&display=swap"
rel="stylesheet">

```

```

    <!--/Style-CSS -->
    <link rel="stylesheet" href="css/style.css" type="text/css" media="all" />    <!--//Style-
CSS -->

```

```

    <script src="https://kit.fontawesome.com/af562a2a63.js" crossorigin="anonymous"></script>

```

```

</head>

```

```

<body>

```

```

    <!-- form section start -->
    <section class="w3l-mockup-form">
        <div class="container">
            <!-- /form -->
            <div class="workinghny-form-grid">
                <div class="main-mockup">

```

```

        <div class="alert-close">
            <span class="fa fa-close"></span>
        </div>
        <div class="w3l_form align-self">
            <div class="left_grid_info">
                
            </div>
        </div>
        <div class="content-wthree">
            <h2>Register Now</h2>
            <?php echo $msg; ?>
            <form action="" method="post">
                <input type="text" class="name" name="name" placeholder="Enter Your Name"
value="<?php if (isset($_POST['submit'])) { echo $name; } ?>" required>
                <input type="email" class="email" name="email" placeholder="Enter Your Email"
value="<?php if (isset($_POST['submit'])) { echo $email; } ?>" required>
                <input type="password" class="password" name="password" placeholder="Enter Your
Password" required>
                <input type="password" class="confirm-password" name="confirm-password"
placeholder="Enter Your Confirm Password" required>
                <button name="submit" class="btn" type="submit">Register</button>
            </form>
            <div class="social-icons">
                <p>Have an account! <a href="index.php">Login</a>.</p>
            </div>
        </div>
    </div>
</div>
<!-- //form -->
</div>
</section>
<!-- //form section start -->

<script src="js/jquery.min.js"></script>
<script>
    $(document).ready(function (c) {
        $('alert-close').on('click', function (c) {
            $('main-mockup').fadeOut('slow', function (c) {
                $('main-mockup').remove();
            });
        });
    });
</script>

</body>

</html>

```


Welcome.php

```
<?php
    session_start();

    if (!isset($_SESSION['SESSION_EMAIL'])) {
header("Location: index.php");

        die();
    }

    include 'config.php';

    $query = mysqli_query($conn, "SELECT * FROM users1 WHERE
email='{$_SESSION['SESSION_EMAIL']}'");

    if (mysqli_num_rows($query) > 0) {
        $row = mysqli_fetch_assoc($query);

        echo "Welcome " . $row['name'] . " <a href='logout.php'>Logout</a>";
    }
?>
```

Forgot password.php

```
<?php

session_start();

if (isset($_SESSION['SESSION_EMAIL'])) {
header("Location: welcome.php");

    die();
}

//Import PHPMailer classes into the global namespace
//These must be at the top of your script, not inside a function
```

use

PHPMailer\PHPMailer\PHPMailer;

use PHPMailer\PHPMailer\SMTP; use

PHPMailer\PHPMailer\Exception;

//Load Composer's autoloader

require 'vendor/autoload.php';

include 'config.php';

\$msg = "";

if (isset(\$_POST['submit'])) {

 \$email = mysqli_real_escape_string(\$conn, \$_POST['email']);

 \$code = mysqli_real_escape_string(\$conn, md5(rand()));

 if (mysqli_num_rows(mysqli_query(\$conn, "SELECT * FROM users1 WHERE email='{ \$email}'"))
>
0) {

 \$query = mysqli_query(\$conn, "UPDATE users1 SET code='{ \$code}' WHERE email='{ \$email}'");

 if (\$query) {

 echo "<div style='display: none;'>";

 //Create an instance; passing `true` enables exceptions

 \$mail = new PHPMailer(true);

 try {

 //Server settings

 \$mail->SMTPDebug = SMTP::DEBUG_SERVER; //Enable verbose debug

output

 \$mail->isSMTP(); //Send using SMTP

 \$mail->Host = 'smtp.gmail.com'; //Set the SMTP server to send through

```

$mail->SMTPAuth = true;                //Enable SMTP authentication

$mail->Username = 'damagedetectionanalysis@gmail.com';    //SMTP username
$mail->Password = 'sgmdgfpxacgtinlv';    //SMTP password

$mail->SMTPSecure = PHPMailer::ENCRYPTION_SMTPS;    //Enable implicit TLS
encryption

$mail->Port = 465;                //TCP port to connect to; use 587 if you have set
`SMTPSecure = PHPMailer::ENCRYPTION_STARTTLS`

//Recipients

$mail->setFrom('damagedetectionanalysis@gmail.com');    $mail-
>addAddress($email);

//Content

$mail->isHTML(true);                //Set email format to HTML

$mail->Subject = 'DAMAGE DETECTION';

$mail->Body = 'Here is the verification link <b><a
href="http://localhost/login1/changepassword.php?reset='.$code.'">Reset-Password</a></b>';

$mail->send();

echo 'Message has been sent';

} catch (Exception $e) {

    echo "Message could not be sent. Mailer Error: {$mail->ErrorInfo}";

}

echo "</div>";

$msg = "<div class='alert alert-info'>We've send a verification link on your email
address.</div>";

}

} else {

    $msg = "<div class='alert alert-danger'>$email - This email address do not found.</div>";

}

}

```

?>

<!DOCTYPE html>

<html lang="zxx">

<head>

<title>Login Form - Damage Detection</title>

<!-- Meta tag Keywords -->

<meta name="viewport" content="width=device-width, initial-scale=1">

<meta charset="UTF-8" />

<meta name="keywords"

content="Login Form" />

<!-- //Meta tag Keywords -->

<link href="//fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600&display=swap" rel="stylesheet">

<!--/Style-CSS -->

<link rel="stylesheet" href="css/style.css" type="text/css" media="all" /> <!--//Style-CSS -->

<script src="https://kit.fontawesome.com/af562a2a63.js" crossorigin="anonymous"></script>

</head>

<body>

<!-- form section start -->

<section class="w3l-mockup-form">

<div class="container">

<!-- /form -->

```

<div class="workinghny-form-grid">
  <div class="main-mockup">
    <div class="alert-close">
      <span class="fa fa-close"></span>
    </div>
    <div class="w3l_form align-self">
      <div class="left_grid_info">
        
      </div>
    </div>
    <div class="content-wthree">
      <h2>Forgot Password</h2>
      <?php echo $msg; ?>
      <form action="" method="post">
        <input type="email" class="email" name="email" placeholder="Enter Your Email"
required>
        <button name="submit" class="btn" type="submit">Send Reset Link</button>
      </form>
      <div class="social-icons">
        <p>Back to! <a href="index.php">Login</a>.</p>
      </div>
    </div>
  </div>
</div>
</div>
</div>
<!-- //form -->
</div>
</section>
<!-- //form section start -->

<script src="js/jquery.min.js"></script>
<script>

```

```

$(document).ready(function (c) {

    $('alert-close').on('click', function (c) {

        $('main-mockup').fadeOut('slow', function (c) {

            $('main-mockup').remove();

        });

    });

});

});

</script>

```

```

</body>

```

```

</html>

```

Change Password

```

<?php

```

```

$msg = "";

```

```

include 'config.php';

```

```

if (isset($_GET['reset'])) {
    if (mysqli_num_rows(mysqli_query($conn, "SELECT * FROM users1 WHERE
code='{$_GET['reset']}'") > 0) {        if (isset($_POST['submit'])) {
        $password = mysqli_real_escape_string($conn, md5($_POST['password']));
        $confirm_password = mysqli_real_escape_string($conn, md5($_POST['confirm-password']));

        if ($password === $confirm_password) {
            $query = mysqli_query($conn, "UPDATE users1 SET password='{ $password}', code=" WHERE
code='{$_GET['reset']}'");

            if ($query) {
                header("Location: index.php");
            }
        } else {
            $msg = "<div class='alert alert-danger'>Password and Confirm Password do not match.</div>";
        }
    }
} else {
    $msg = "<div class='alert alert-danger'>Reset Link do not match.</div>";
}
}

```

```

} else {
    header("Location: forgot-password.php");
}

```

?

```
<!DOCTYPE html>
<html lang="zxx">
```

```
<head>
  <title>DAMAGE DETECTION</title>
  <!-- Meta tag Keywords -->
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <meta charset="UTF-8" />
<meta name="keywords"
content="Login Form" />  <!--
//Meta tag Keywords -->
```

```
<link href="//fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600&display=swap"
rel="stylesheet">
```

```
<!--/Style-CSS -->
<link rel="stylesheet" href="css/style.css" type="text/css" media="all" /> <!--//Style-
CSS -->
```

<script src="https://kit.fontawesome.com/af562a2a63.js" crossorigin="anonymous"></script>

</head>

<body>

```
<!-- form section start -->
<section class="w3l-mockup-form">
  <div class="container">
    <!-- /form -->
    <div class="workinghny-form-grid">
      <div class="main-mockup">
        <div class="alert-close">
          <span class="fa fa-close"></span>
        </div>
        <div class="w3l_form align-self">
          <div class="left_grid_info">
            
          </div>
        </div>
        <div class="content-wthree">
          <h2>Change Password</h2>
```

```

        <?php echo $msg; ?>
        <form action="" method="post">
            <input type="password" class="password" name="password" placeholder="Enter Your
Password" required>
            <input type="password" class="confirm-password" name="confirm-password"
placeholder="Enter Your Confirm Password" required>
            <button name="submit" class="btn" type="submit">Change Password</button>
        </form>
        <div class="social-icons">
            <p>Back to! <a href="index.php">Login</a>.</p>
        </div>
    </div>
</div>
</div>
<!-- //form -->
</div>
</section>
<!-- //form section start -->

<script src="js/jquery.min.js"></script>
<script>
    $(document).ready(function (c) {
        $('.alert-close').on('click', function (c) {
            $('.main-mockup').fadeOut('slow', function (c) {
                $('.main-mockup').remove();
            });
        });
    });
</script>

</body>

</html>

```

Style.css

```

html {
    scroll-behavior: smooth;
}

body, html {
    margin: 0;
    padding: 0;
    font-family: 'Poppins', sans-serif;
}

```



```
* {  
  box-sizing: border-box;  
}
```

```
.d-grid {  
display: grid; }
```

```
.d-flex {  display:  
flex;  display: -  
webkit-flex;  
}
```

```
.text-center {  text-  
align: center;  
}
```

```
.text-left {  text-  
align: left;  
}
```

```
.text-right {  text-  
align: right;  
}
```

```
button, input, select {  -webkit-  
appearance: none;  outline: none;  
font-family: 'Poppins', sans-serif;  
}
```

```
button, .btn,  
select {  cursor:  
pointer;  
}
```

```
a {  text-decoration:  
none;  
}
```

```
img {  max-width:  
100%;  
}
```

```
ul {  
margin: 0;  
padding: 0  
}
```

```
h1, h2,  
h3, h4,  
h5, h6,  
p {  
margin:  
0;  
padding:  
0 }
```

```
p { color: #666;  
font-size: 16px;  
line-height: 25px;  
opacity: .6;  
}
```

```
.p-relative {  
position: relative;  
}
```

```
.p-absolute {  
position: absolute;  
}
```

```
.p-fixed {  
position: fixed;  
}
```

```
.p-sticky {  
position: sticky;  
}
```

```
.btn, button, .actionbg, input {  
border-radius: 4px; -  
webkit-border-radius: 4px;  
-moz-border-radius: 4px;  
-o-border-radius: 4px;  
-ms-border-radius: 4px;  
}
```

```
.btn:hover, button:hover {  
transition: 0.5s ease; -  
webkit-transition: 0.5s ease;  
-o-transition: 0.5s ease;  
-ms-transition: 0.5s ease;  
-moz-transition: 0.5s ease;  
}
```

```
/*-- wrapper start --*/
```

```
.wrapper {  
  width: 100%; padding-  
    right: 15px;  
  padding-left: 15px; margin-  
right: auto; margin-left: auto;  
}
```

```
@media (min-width: 576px) {  
.wrapper { max-width:  
540px;  
}  
}
```

```
@media (min-width: 768px) {  
.wrapper { max-width:  
720px;  
}  
}
```

```
@media (min-width: 992px) {  
.wrapper { max-width:  
960px;  
}  
}
```

```
@media (min-width: 1200px) {  
.wrapper { max-width:  
1140px;  
}  
}
```

```
.wrapper-full {  
width: 100%;  
padding-right: 15px;  
padding-left: 15px;  
margin-right: auto;  
margin-left: auto;  
}
```

```
/*-- //wrapper start --*/
```

```
/*-- form styling --*/ .w3l-mockup-form  
{  
  position: relative; min-height:  
100vh; z-index: 0; background:  
rgba(99, 194, 110, 0.1); padding:  
40px 40px;  
}
```

```
.container {  
    max-width: 890px;  
    margin: 0 auto;  
}
```

```
.w3l_form {    padding: 0px;  
flex-basis: 50%;    -webkit-flex-  
basis: 50%;  
background:#007ac1;    padding:  
100px 50px;    border-top-left-  
radius: 8px;    border-bottom-  
left-radius: 8px;  
    display: flex;    justify-  
content: center;    align-items:  
center;  
}
```

```
.content-wthree {    flex-  
basis: 60%;    -webkit-flex-  
basis: 60%;    box-sizing:  
border-box;    padding:  
3em 3.5em;    background:  
#fff;  
    box-shadow: 2px 9px 49px -17px rgba(0, 0, 0, 0.1);  
    border-top-right-radius: 8px;    border-bottom-right-  
radius: 8px;  
}
```

```
.w3l-workinghny-form .logo {    text-  
align: center;  
}
```

```
.w3l-mockup-form .main-mockup {  
position: relative;    display: -  
webkit-box;    display: -moz-box;  
display: -ms-flexbox;    display: -  
webkit-flex;    display: flex;  
margin: 40px 0;  
}
```

```
.w3l-mockup-form .alert-close {  
cursor: pointer;    height: 35px;  
width: 35px;    line-height:  
35px;    position: absolute;  
right: -5px;  
    top: -5px;  
background: #005fc1;
```

```
border-radius: 50px;
color: #fff;
    text-align: center;
}
```

```
.w3l-mockup-form form {
margin-top: 30px;    margin-bottom:
30px;
}
```

```
.social-icons {    text-
align: center;
}
```

```
.w3l-mockup-form h1 {
    text-align: center;
font-size: 40px;    font-
weight: 500;    color:
#3b3663;
}
```

```
.w3l-mockup-form h2 {
display: inline-block;
font-size: 25px;    line-
height: 35px;    margin-
bottom: 5px;    font-
weight: 600;    color:
#3b3663;
}
```

```
.w3l-mockup-form input {
outline: none;    margin-
bottom: 15px;    font-size:
16px;    color: #999;    text-
align: left;    padding: 14px
20px;    width: 100%;
display: inline-block;    box-
sizing: border-box;
border: none;    outline:
none;    background:
transparent;    border: 1px
solid #e5e5e5;    transition:
0.3s all ease;
}
```

```
.w3l-mockup-form input:focus {    border-
color: #005fc1;
}
```

```
.w3l-mockup-form button {  
font-size: 18px; color: #fff;  
width: 100%;  
background:#0056c1;  
border: none; padding:  
14px 15px; font-weight:  
500; transition: .3s ease;  
-webkit-transition: .3s ease;  
-moz-transition: .3s ease;  
-ms-transition: .3s ease;  
-o-transition: .3s ease;  
}
```

```
.w3l-mockup-form button:hover {  
background: #005fc1;  
}
```

```
.w3l-mockup-form .social-icons ul li {  
list-style: none;  
display: inline-block;  
}
```

```
.w3l-mockup-form .social-icons ul li a {  
padding: 8px;  
}
```

```
.w3l-mockup-form .social-icons ul li a:hover {  
opacity: 0.8; transition:  
0.5s ease; -webkit-transition:  
0.5s ease;  
-o-transition: 0.5s ease;  
-ms-transition: 0.5s ease;  
-moz-transition: 0.5s ease;  
}
```

```
.w3l-mockup-form .social-icons ul span.fa {  
color: #696687; font-  
size: 18px; opacity: .8;  
}
```

```
.w3l-mockup-form .social-icons ul li a.facebook span {  
color: #3b5998;  
}
```

```
.w3l-mockup-form .social-icons ul li a.twitter span {  
color: #007ac1;  
}
```

```
.w3l-mockup-form .social-icons ul li a.pinterest span {  
color: #e60023;  
}
```

```
.copyright p { text-align: center; font-size: 17px; line-height: 26px; color: #607863; opacity: 1;  
}
```

```
p.copy-footer-29 a {  
color: #517856;  
}
```

```
p.copy-footer-29 a:hover {  
color: #005fc1; transition: 0.5s ease; -webkit-transition: 0.5s ease;  
-o-transition: 0.5s ease;  
-ms-transition: 0.5s ease;  
-moz-transition: 0.5s ease;  
}
```

```
.alert { padding: 1rem; border-radius: 5px; color: white; margin: 1rem 0;  
}
```

```
.alert-success { background-color: #007ac1;  
}
```

```
.alert-danger { background-color: #fc5555;  
}
```

```
.alert-info {  
background-color: #2E9AFE;  
}
```

```
.alert-warning { background-color: #ff9966;  
}
```

```

/*-- responsive design --*/
@media (max-width:736px) {  .w3l-mockup-
form .main-mockup {
    flex-direction: column;
    }

    .w3l_form {      order: 2;
padding: 50px;      border-radius:
0;      border-bottom-left-radius:
8px;
    border-bottom-right-radius: 8px;
    }

    .content-wthree {      order:
1;      border-radius: 0;
border-top-left-radius: 8px;
border-top-right-radius: 8px;
    }
}

@media (max-width:568px) {
.w3l-mockup-form h1 {      font-
size: 30px;
    }

.w3l-mockup-form .main-mockup {
    margin: 30px 0;
    }

.content-wthree {
    padding: 2.5em;
    } }

@media (max-width: 415px) {  .w3l-mockup-
form {
    padding: 40px 30px;
    }

}

@media (max-width:384px) {  .w3l-mockup-
form {
    padding: 30px 15px;
    }

.content-wthree {
    padding: 2em;
    }
}

```



```

.w3l-mockup-form h1 {
font-size: 28px;
}

.w3l-mockup-form h2 {
font-size: 22px;
    line-height: 32px;
}

.copyright p {
font-size: 16px;
}
}

/*-- //responsive design --*/
/*-- //form styling --*/

```

login.sql

```

SET SQL_MODE = "NO_AUTO_VALUE_ON_ZERO";

START TRANSACTION;

SET time_zone = "+00:00";

```

```

/*!40101 SET
@OLD_CHARACTER_SET_CLIENT=@@CHARACTER_SET_CLIENT */;

/*!40101 SET
@OLD_CHARACTER_SET_RESULTS=@@CHARACTER_SET_RESULTS */;

/*!40101 SET
@OLD_COLLATION_CONNECTION=@@COLLATION_CONNECTION */;

/*!40101 SET NAMES utf8mb4 */;

--

-- Database: `login1`

--

```

-- -----

--

-- Table structure for table `users1`

--

```
CREATE TABLE `users1` (  
  `id` int(11) NOT NULL,  
  `name` varchar(255) NOT NULL,  
  `email` varchar(255) NOT NULL,  
  `password` varchar(255) NOT NULL,  
  `code` text NOT NULL  
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;
```

--

-- Indexes for dumped tables

--

--

-- Indexes for table `users1`

--

```
ALTER TABLE `users1`  
  ADD PRIMARY KEY (`id`);
```

--

-- AUTO_INCREMENT for dumped tables

--

--

```
-- AUTO_INCREMENT for table `users1`
```

```
--
```

```
ALTER TABLE `users1`
```

```
  MODIFY `id` int(11) NOT NULL AUTO_INCREMENT;
```

```
COMMIT;
```

```
/*!40101 SET
```

```
CHARACTER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT */;
```

```
/*!40101 SET
```

```
CHARACTER_SET_RESULTS=@OLD_CHARACTER_SET_RESULTS */;
```

```
/*!40101 SET
```

```
COLLATION_CONNECTION=@OLD_COLLATION_CONNECTION */;
```