Delivery of Sprint –II

PROJECT TITLE :

IoT Based Safety Gadget for Child Safety Monitoring and Notification

TEAM ID : PNT2022TMID42176
TEAM LEADER : SAMEERA N
TEAM MEMBER 1 : MYTHILI T
TEAM MEMBER 2 : YOGESHWARI V
TEAM MEMBER 3 : SOWMIYA S

Create Database In Cloudant DB:

Logged in to IBM Cloud Account

Navigate to “\resources”

Clicked on the “create resource+”button

Searched for “cloudant”

Clicked on “create”

The cloudant database resource was created successfully

Clicked on the launched dashboard

Clicked on “Create Database” . Entered “meowman” na the database the “non partitioned ‘option

The data base “meowman” was created successfully




IBM Cloud
Search resources and products...
Catalog
Manage
M sakthi's Account
Resource list /
node-red-yjkbr-2022--cloudant-1668657844781
Active
Add tags
Details
Actions...
Manage
Service credentials
Plan
Connections
Overview
Capacity
Docs
Launch Dashboard
CRN
Location
London
External endpoint
External endpoint (preferred)
Authentication methods
IBM Cloud IAM and Cloudant credentials
Migrate to IAM Only
Activity Tracker event types
Management
Save
Disk encryption
Yes. Automatically generated disk encryption key.


sample
All Documents
Query
Permissions
Changes
Design Documents
Log Out
Document ID
Options
JSON
Tabls
Metadata
JSON
Create Document
id
key
value
2d67edf58c879709bbf1d91ae8f94523
2d67edf58c879709bbf1d91ae8f94523
{"rev":"1-4dbd80ab6e655d7ba1af92...
Showing document 1 - 1.
Documents per page:
20


Databases
Database name
Create Database
{ } JSON
Your Databases
Name
Size
# of Docs
Partitioned
noderedyjkbr20221117
16.8 KB
4
No
Create Database
sample
Partitioning
Non-partitioned - recommended for most workloads
Partitioned
Which should I choose?
Cancel
Create
Log Out


Databases
Database name
Create Database
{ } JSON
Your Databases
Name
Size
# of Docs
Partitioned
Actions
noderedyjkbr20221117
16.8 KB
4
No
sample
14 bytes
1
No
Showing 1–2 of 2 databases.
Databases per page
20
Log Out


Resource list - IBM Cloud
Cloudant Dashboard - _all_d
Cloudant | IBM Cloud API Do
Welcome to Project Delight
IBM
cloud.ibm.com/apidocs/cloudant#getsearchanalyze
Update
Gmail
YouTube
Maps
Translate
IBM
Cloud
Products
Solutions
Pricing
Docs
Support
Explore more
Console
Cloudant
Overview
Introduction
Endpoint URLs
Authentication
Auditing
Event tracking
Error handling
Additional headers
Rate limits
Related APIs
Methods
Server
Databases
Request
Path Parameters
db
Required *
string
Path parameter to specify the database name.
Possible values: length ≤ 238, Value must match regular expression
^_dbs$|^_global_changes$|^_metadata$|^_nodes$|^_replicator$|^_users$|^[a-z][a-z0-9_$()+/-]*$
Request Body
Required *
AllDocsQuery
HTTP request body for postAllDocs and postPartitionAllDocs.
Examples: AllDocsQuery
att_encoding_info
boolean
Parameter to specify whether to include the encoding information in attachment stubs if the particular attachment is compressed.
Default: false
attachments
boolean
Parameter to specify whether to include attachments bodies in a response.
Curl
Java
Node
Python
Go
Example request
curl -H "Authorization: Bearer $API_BEARER_TOKEN"
-X POST "$SERVICE_URL/users/_design_docs" -H
"Content-Type: application/json" --data '{
"attachments": true
}'
Feedback