| Assignment Date   | 3 OCTOBER 2022 |
|-------------------|----------------|
| Student Name      | ARUN R         |
| Student Roll Name | 721219104007   |
| Maximum Marks     | 2Marks         |

```
from flask import Flask,redirect,url_for,render_template,request
import ibm_boto3
from ibm_botocore.client import Config, ClientError
COS_ENDPOINT="https://s3.jp-tok.cloud-object-storage.appdomain.cloud"
COS_API_KEY_ID="erYOo-lq7dwN0LigQFZUw9ZhSjUSZPeUrZl8VaIOZwoC"
COS_INSTANCE_CRN="crn:v1:bluemix:public:cloud-object-
storage:global:a/11d1eefda09948f1a3075e4fab8e60f6:712106a7-5039-4a5e-8c83-c72c3638249a::"
# Create resource https://s3.ap.cloud-object-storage.appdomain.cloud
cos = ibm_boto3.resource("s3",
  ibm_api_key_id=COS_API_KEY_ID,
  ibm_service_instance_id=COS_INSTANCE_CRN,
  config=Config(signature_version="oauth"),
  endpoint_url=COS_ENDPOINT
)
app=Flask(__name__)
```

```
def get_item(bucket_name, item_name):
  print("Retrieving item from bucket: {0}, key: {1}".format(bucket_name, item_name))
  try:
    file = cos.Object(bucket_name, item_name).get()
    print("File Contents: {0}".format(file["Body"].read()))
  except ClientError as be:
    print("CLIENT ERROR: {0}\n".format(be))
  except Exception as e:
    print("Unable to retrieve file contents: {0}".format(e))
def get_bucket_contents(bucket_name):
  print("Retrieving bucket contents from: {0}".format(bucket_name))
  try:
    files = cos.Bucket(bucket_name).objects.all()
    files_names = []
    for file in files:
      files_names.append(file.key)
      print("Item: {0} ({1} bytes).".format(file.key, file.size))
    return files_names
  except ClientError as be:
    print("CLIENT ERROR: {0}\n".format(be))
  except Exception as e:
    print("Unable to retrieve bucket contents: {0}".format(e))
```

```
def delete_item(bucket_name, object_name):
  try:
    cos.delete_object(Bucket=bucket_name, Key=object_name)
    print("Item: {0} deleted!\n".format(object_name))
  except ClientError as be:
    print("CLIENT ERROR: {0}\n".format(be))
  except Exception as e:
    print("Unable to delete object: {0}".format(e))
def multi_part_upload(bucket_name, item_name, file_path):
  try:
    print("Starting file transfer for {0} to bucket: {1}\n".format(item_name, bucket_name))
    # set 5 MB chunks
    part_size = 1024 * 1024 * 5
    # set threadhold to 15 MB
    file_threshold = 1024 * 1024 * 15
    # set the transfer threshold and chunk size
    transfer_config = ibm_boto3.s3.transfer.TransferConfig(
      multipart_threshold=file_threshold,
```

```
multipart_chunksize=part_size
    )
    # the upload_fileobj method will automatically execute a multi-part upload
    # in 5 MB chunks for all files over 15 MB
    with open(file_path, "rb") as file_data:
      cos.Object(bucket_name, item_name).upload_fileobj(
        Fileobj=file_data,
        Config=transfer_config
      )
    print("Transfer for {0} Complete!\n".format(item_name))
  except ClientError as be:
    print("CLIENT ERROR: {0}\n".format(be))
  except Exception as e:
    print("Unable to complete multi-part upload: {0}".format(e))
@app.route('/')
def index():
  files = get_bucket_contents('flaskbucket')
  return render_template('index.html', files = files)
@app.route('/deletefile', methods = ['GET', 'POST'])
def deletefile():
```

```
if request.method == 'POST':
   bucket=request.form['bucket']
   name_file=request.form['filename']
   delete_item(bucket,name_file)
   return 'file deleted successfully'
 if request.method == 'GET':
   return render_template('delete.html')
@app.route('/uploader', methods = ['GET', 'POST'])
def upload():
 if request.method == 'POST':
   bucket=request.form['bucket']
   name_file=request.form['filename']
   f = request.files['file']
   multi_part_upload(bucket,name_file,f.filename)
   return 'file uploaded successfully <a href="/">GO to Home</a>'
 if request.method == 'GET':
   return render_template('upload.html')
if __name__=='__main___':
```

```
app.run(host='0.0.0.0',port=8080,debug=True)
Upload.html
<!DOCTYPE html>
<html lang="en">
<head>
       <meta charset="UTF-8">
       <meta http-equiv="X-UA-Compatible" content="IE=edge">
       <meta name="viewport" content="width=device-width, initial-scale=1.0">
       <title>Upload Files</title>
       <link rel="stylesheet" href="{{url_for('static',filename='css/style.css')}}">
</head>
```

<body>

```
<div class="section">
      <div class="menu">
              <a href="{{url_for('index')}}">Index</a>
                     <a href="{{url_for('upload')}}">Upload</a>
                     <a href="{{url_for('deletefile')}}">Delete</a>
              </div>
      <h1>IBM Upload File</h1>
      <form action="/uploader" method="POST" enctype="multipart/form-data">
              <input type="text" placeholder="Enter bucket name" name="bucket" />
              <br>
              <br>
              <input type="text" placeholder="Enter file name" name="filename" />
              <br>
              <br>
              <input class="file-inp" type="file" name="file" />
              <br>
              <br>
              <input class="btn-submit" type="submit" />
      </form>
</div>
```

```
</body>
</html>
Index.html
<!DOCTYPE html>
<html lang="en">
<head>
 <meta charset="UTF-8">
 <meta http-equiv="X-UA-Compatible" content="IE=edge">
 <meta name="viewport" content="width=device-width, initial-scale=1.0">
 <title>Home</title>
 <link rel="stylesheet" href="{{url_for('static',filename='css/style.css')}}">
</head>
<body>
 <div class="section">
  <div class="menu">
    <a href="{{url_for('index')}}">Index</a>
     <a href="{{url_for('upload')}}">Upload</a>
     <a href="{{url_for('deletefile')}}">Delete</a>
    </div>
```

```
<h1>IBM Object Storage</h1>
   <h2>{% for row in files %}</h2>
   <div class="content">
    <h3>Filename : {{row}} </h3>
    <img src="https://bucket-03.s3.jp-tok.cloud-object-storage.appdomain.cloud/{{row}}"</pre>
width="150px">
   </div>
   {% endfor %}
 </div>
</body>
</html>
Delete.html
<!DOCTYPE html>
<html lang="en">
<head>
       <meta charset="UTF-8">
       <meta http-equiv="X-UA-Compatible" content="IE=edge">
       <meta name="viewport" content="width=device-width, initial-scale=1.0">
       <title>Delete File</title>
       <link rel="stylesheet" href="{{url_for('static',filename='css/style.css')}}">
</head>
```

<hr>

```
<body>
       <div class="section">
             <div class="menu">
                     <a href="{{url_for('index')}}">Index</a>
                           <a href="{{url_for('upload')}}">Upload</a>
                           <a href="{{url_for('deletefile')}}">Delete</a>
                     </div>
             <hr>
             <h1>IBM Object Storage</h1>
             <form action="/deletefile" method="POST">
                     <input type="text" placeholder="Enter bucket name" name="bucket" />
                     <br>
                     <br>
                    <input type="text" placeholder="Enter file name" name="filename" />
                     <br>
                     <br>
                     <input class="btn-submit" type="submit" />
             </form>
```

</div>

```
</body>
</html>
Style.css
* {
  margin: 0;
  padding: 0;
  color: white;
  font-family: Arial, Helvetica, sans-serif;
}
html {
  width: 100%;
  height: 100vh;
}
body {
  width: 100%;
  height: 100%;
  background-color: rgb(8, 82, 124);
  display: flex;
  justify-content: center;
}
```

```
.section {
  width: 30%;
  height: fit-content;
  display: flex;
  flex-direction: column;
  /* border: 1px solid #fff; */
  box-shadow: 2px 2px 1px 2px rgba(167, 167, 167, 0.644);
  border-radius: 2rem;
  border-left: 1px solid rgba(255, 255, 255, 0.3);
  border-top: 1px solid rgba(255, 255, 255, 0.3);
  align-items: center;
  padding-bottom: 5rem;
  margin-top: 5rem;
}
a {
  text-decoration: none;
}
.menu {
  margin-top: 2rem;
  width: 100%;
  height: 3rem;
```

```
display: flex;
  align-items: center;
 /* background-color: bisque; */
 justify-content: center;
  border-bottom: 2px solid rgba(255, 255, 255, 0.555);
  padding-bottom: 2rem;
}
.menu-list {
  width: 100%;
 list-style-type: none;
  text-transform: uppercase;
  display: flex;
}
.menu-list li {
  width: 100%;
  display: flex;
 justify-content: space-around;
}
a {
  box-shadow: 1px 1px 2px 2px rgba(167, 167, 167, 0.4);
```

```
padding: 1rem 1.4rem;
  border-radius: 1rem;
}
h1 {
  /* padding-left: 2rem; */
  margin-top: 1rem;
}
h2 {
  margin-top: 1rem;
}
.content {
  /* margin-left: 2rem; */
  margin-top: 2rem;
}
form {
  /* margin-left: 2rem; */
  margin-top: 1rem;
}
input {
  height: 2.6rem;
  width: 18rem;
```

```
padding-left: .6rem;
  border: none;
  border-radius: .4rem;
  color: #000;
}
. btn\text{-}submit \, \{
  width: 5rem;
  padding: .2rem;
  height: 2rem;
  color: rgb(104, 104, 104);
  text-transform: uppercase;
}
.file-inp {
  width: 15rem;
  height: 2rem;
  border: none;
}
. btn-submit: hover \, \{ \,
  color: #000;
}
```