

EMERGINGMETHODSFOREARLYD TECTIONOFFOREST FIRES

VideoAnalysis

SendingAlertMessage

Date	06November2022
TeamID	PNT2022TMID30386
ProjectName	EmergingMethodsforEarlyDetectionof ForestFires

ImportingTheImageDataGeneratorLibrary

```
importkeras  
fromkeras.preprocessing.imageimportImageDataGenerator
```

Definetheparameters/argumentsforImageDataGeneratorclass

```
train_datagen=ImageDataGenerator(rescale=1./255, shear_range=0.2, rotation_range=  
180, zoom_range=0.2,  
horizontal_flip=True) test_datagen=ImageDataGenerator(rescale=1./255)
```

ApplyingImageDataGeneratorfunctionalitytotrainset

```
x_train=train_datagen.flow_from_directory(r'/content/drive/MyDrive/Dataset/train_set', target_size=  
(128,128), batch_size=32, class_mode='binary')
```

Found436imagesbelongingto2classes.

Applying ImageDataGenerator functionality to test set

```
x_test=test_datagen.flow_from_directory(r'/content/drive/MyDrive/Dataset/test_set',target_size=(128,128),batch_size=32, class_mode='binary')
```

Found 121 images belonging to 2 classes.

Import model building libraries

```
#To define Linear initialisation import Sequential
from keras.models import Sequential
#To add layers import Dense
from keras.layers import Dense
#To create Convolution kernel import Convolution2D
from keras.layers import Convolution2D
#import Max pooling layer
from keras.layers import MaxPooling2D
#import flatten layer
from keras.layers import Flatten
import warnings
warnings.filterwarnings('ignore')
```

Initializing the model

```
model=Sequential()
```

Add CNN Layer

```
model.add(Convolution2D(32,
(3,3),input_shape=(128,128,3),activation='relu'))#add max pooling layer
model.add(MaxPooling2D(pool_size=(2,2)))#
add flatten layer
model.add(Flatten())
```

Add Dense Layer

```
#add hidden
layermodel.add(Dense(150,activation='relu'))#add output
layermodel.add(Dense(1,activation='sigmoid'))
```

Configure the learning process

```
model.compile(loss='binary_crossentropy',optimizer='adam',metrics=['accuracy'])
```

Train the model

```
model.fit_generator(x_train,steps_per_epoch=14,epochs=10,validation_data=x_test,validation_steps=4)
Epoch1/10
14/14[=====]-205s15s/step-loss:2.7344-
accuracy: 0.7454 - val_loss: 0.2016 - val_accuracy:
0.9256Epoch2/10
14/14[=====]-20s1s/step-loss:accuracy:0.8945-
val_loss:0.2290-
val_accuracy:0.9339Epoch3/10
14/14[=====]-20s1s/step-loss:accuracy:0.8922-
val_loss:0.0524-
val_accuracy:0.9835Epoch4/10
14/14[=====]-20s1s/step-loss:accuracy:0.9174-
val_loss:0.1570-
val_accuracy:0.9421Epoch5/10
14/14[=====]-20s1s/step-loss:accuracy:0.9083-
val_loss:0.0767-
val_accuracy:0.9752Epoch6/10
14/14[=====]-20s1s/step-loss:accuracy:0.9335-
val_loss:0.0749-
val_accuracy:0.9752Epoch7/10
14/14[=====]-20s1s/step-loss:accuracy:0.9312-
val_loss:0.1264-
val_accuracy:0.9421Epoch8/10
14/14[=====]-20s1s/step-loss:accuracy:0.9266-
val_loss:0.0652-
val_accuracy:0.9835Epoch9/10
14/14[=====]-20s1s/step-loss:accuracy:0.9358-
val_loss:0.0567-
val_accuracy:0.9835Epoch10/10
14/14[=====]-20s1s/step-loss:accuracy:0.9404-
val_loss:0.0448-val_accuracy:0.9917
0.3267-
0.2991-
0.2418-
0.1984-
0.1643-
0.1538-
0.1732-
0.1514-
0.1445-
<keras.callbacks.Historyat0x7f51fdf33610>
```

SaveTheModel

```
model.save("forest1.h5")
```

Predictions

```
#importload_modelfromkeras.model

fromkeras.modelsimportload_model#i

importimageclassfromkeras
from tensorflow.keras.preprocessing import image #import numpy import numpy
asnp
#import
cv2importc
v2

#loadthesavedmodel
model=load_model("forest1.h5")

img=image.load_img(r'/content/drive/MyDrive/Dataset/test_set/forest/0.48
007200_1530881924_final_forest.jpg')x=image.img_to_array(img)
res=cv2.resize(x,dsize=(128,128),interpolation=cv2.INTER_CUBIC)#expandtheimages
hape

x=np.expand_dims(res,axis=0)pred
=model.predict(x)
1/1[=====]-0s94ms/steppred
array([[0.]],dtype=float32)
```

OpenCVForVideoProcessing

```
pipinstalltwilio
Lookinginindexes:https://pypi.org/simple,https://us-
python.pkg.dev/colab-
wheels/public/simple/Collectingtwilio
Downloadingtwilio-7.15.1-py2.py3-none-any.whl(1.4MB)
entalreadysatisfied:pytzin/usr/local/lib/python3.7/dist-packages(fromtwilio)(2022.5)
CollectingPyJWT<3.0.0,>=2.0.0
DownloadingPyJWT-2.6.0-py3-none-any.whl(20kB)
Requirement already satisfied: requests>=2.0.0 in /usr/local/lib/python3.7/dist-
packages(fromtwilio)(2.23.0)Requirementalreadysatisfied:chardet<4,>=3.0.2in
/usr/local/lib/python3.7/dist-packages (from requests>=2.0.0->twilio)
(3.0.4)Requirementalreadysatisfied:idna<3,>=2.5in/usr/local/lib/python3.7/dist-
packages(fromrequests>=2.0.0->twilio)
(2.10)
Requirementalreadysatisfied:certifi>=2017.4.17in/usr/local/lib/python3.7/dist-
```

```

packages(fromrequests>=2.0.0->twilio)(2022.9.24)
Requirement already satisfied: urllib3!=1.25.0,!<1.25.1,<1.26,>=1.21.1 in
/usr/local/lib/python3.7/dist-packages (from requests>=2.0.0->twilio)
(1.24.3)Installing collected packages:PyJWT, twilio
Successfully installed PyJWT-2.6.0twilio-
7.15.1pip install playsound
Looking in indexes:https://pypi.org/simple,https://us-
python.pkg.dev/colab-
wheels/public/simple/Collecting playsound
Downloading playsound-
1.3.0.tar.gz(7.7kB)Building wheels for collected packages:playsound
Building wheel for playsound (setup.py) ... e=playsound-1.3.0-py3- none-
any.whlsize=7035sha256=e7e96c774a98522e182b59b7b292f0f932097658d8bfce86
c922c363f862b0e2
Stored in directory:
/root/.cache/pip/wheels/ba/f8/bb/ea57c0146b664dca3a0ada4199b0ecb5f9dfcb7b
7e22b65ba2
Successfully built playsound
Installing collected packages:playsoundSuccessfully
sfully installed playsound-
1.3.0#import opencv library
import
cv2#import numpy
import numpy as np
#import image function from
keras from keras.preprocessing import image
#import load_model from keras
from keras.models import load_model
#import client from twilio API
from twilio.rest import Client
#import playsound package
from playsound import playsound
WARNING:playsound:playsound is relying on another python subprocess.Please use`pip
install pygobject` if you want playsound to run more efficiently.
#load the saved model
model=load_model("forest1.h5") #define video video=cv2.VideoCapture(0)
#define the features name=['forest','with fire']

```

Creating An Account In Twilio Service

```

account_sid='ACfb4e6d0e7b0d25def63044919f1b96e3'
auth_token='f9ae4fc4a617a527da8672e97eefb2d8'cli
ent=Client(account_sid,auth_token)message=client.m
essages\
.create(
    body='Forest Fire is detected, stay alert',

```

```

        from_='+13022484366',
        to='+919940012164'
    )
    print(message.sid)SM4aa5a4751b7bcec159dc4c695752

```

293d

SendingAlertMessage

```

while(1):
    sucess, frame=
    video.read()cv2.imwrite("image.jpg",fra
    me)
    img=image.load_img("image.jpg",target_size=(64,64))x=image.img_to_array(img)x=np.ex
    pand_dims(x,axis=0)
    pred=model.predict_classes(x)p=pre
    d[0]
    print(pred)
    cv2.putText(frame,"predictedclass="+str(name[p]),(100,100),

    cv2.FONT_HERSHEY_SIMPLEX,1,(0,0,0),1)pred=model.predict_classes(x)ifpred[0]=
    =1:

    account_sid='ACfb4e6d0e7b0d25def63044919f1b96e3'auth_token='f9ae4fc
    4a617a527da8672e97eefb2d8'client=Client(account_sid,auth_token)message=c
    lient.messages\

    .create(
    body='Forest Fire is detected, stay alert', from_='+1 302 248
    4366',to='+9199400 12164'

    )
    print(message.sid)print('FireDetected')print('SMSsent!')

    else:
    print('NoDanger')cv2.imshow("image",frame)i
    f cv2.waitKey(1) & 0xFF == ord('a'):
    breakvideo.release()cv2.destroyAllWindows()

```