

Project Development Phase

SPRINT-1

Date	4 November 2022
Team ID	PNT2022TMID13941
Project Name	Project-Smart crop protection system using IoT

✓ REGISTRATION:

HTML:

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
  <meta charset="UTF-8">
```

```
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
```

```
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
  <link rel="stylesheet" href="/css/login.css">
```

```
  <title>Sign Up</title>
```

```
  <script> if (window.location.hostname !==
```

```
    "localhost") { if (location.protocol !== "https:")
```

```
    { location.replace(
```

```
      `https:${location.href.substring(
```

```
        location.protocol.length
```

```
      )}`
```

```
    )
```

```
  }
```

```
}
```

```
</script>
```

```
<script src="/localforage.js"></script>
```

```
</head>
```

```
<body>
```

```
  <div class="wrapper">
```

```
    <div class="loginContainer">
```

```
      <span>Login to Continue</span>
```

```
      <div class="traditionalLoginContainer">
```

```
        <form class="signupForm" action="/" method="post">
```

```
          <input type="text" name="firstName" placeholder="First Name" id="firstName">
```

```
          <input type="text" name="lastName" placeholder="Last Name" id="lastName">
```

```
          <input type="text" name="username" placeholder="User Name" id="username">
```

```

        <input type="email" name="email" placeholder="Email" id="email">
        <input type="password" name="password" placeholder="Password" id="password">
        <input class="loginButton" type="submit" value="Sign Up">
    </form>
</div>
<div class="loginWithFireContainer">
    <button type="button" class="fire" title="Login with SAFETY" id="fire">Login with
SAFETY</button>
</div>
    <a class="hyperLink" href="/login">Already have an Account? Login ↗ </a>
</div>
</div>
<script>
    // Necessary for Fire OAuth to Function const fireBroadcastingChannel = new
BroadcastChannel('fireOAuthChannel');
    fireBroadcastingChannel.addEventListener('message', async event => {

        let data = event.data
        /**
         * @typedef {Object<string, any>} Data
         * @property {boolean} success - Whether the login was successful
         * @property {string} token - The data returned from the login i.e. Fire Token
         */

        // data.token is the message sent from the fireOAuthChannel after verification
        // data.success is a boolean that indicates whether the verification was successful
        // data.token is the fire token
        // What to do with the Fire Token?

        // * Fire Token is an unique token which uniquely identifies the user who authorized your login attempt
        with Fire

        // * You can use this token ONLY ONCE as it will be destroyed after the first use
        // 1. Send the fire token to the Fire Server to verify the user

        // - You can do that client sided or server sided
        // - You need to send a POST Request to the Fire Server with the fire token
        //   at the URL: http://localhost:3003/api/tokens/verify
        // - The Fire Server will verify the fire token and return a response

        // - If the verification was successful - CODE (200), the Fire Server will return a response with the
        user's data

        // - If the verification was unsuccessful - CODE (400) or CODE (401), the Fire Server will return a
        response with an error 'message'

        // - You can use the data returned from the Fire Server to create a new user in your database

```

```

// This example will send the token to Fire Servers and console.log the response console.log("%c"
+ `Fire Token: ${data.token}`, `color: #f1c40f; font-weight: bold;`); const response = await
fetch('https://fire.adaptable.app/api/tokens/verify', { method: 'POST',
  headers: {
    'Content-Type': 'application/json'
  },
  body: JSON.stringify({
    token: data.token
  })
})
// get the response
const responseData = await response.json()
// console.log the response
console.log(responseData)
await localStorage.setItem('userData', {...responseData, isFire: true})
// Adding the user data to the user Database
let database = await localStorage.getItem("userDatabase")
if (database == null) {
  database = []
}
database.push(responseData)
await localStorage.setItem("userDatabase", database)
// redirect to the home page
window.location.href = '/'
})

function popupwindow(url, title, w, h) {
  var left = (screen.width/2)-(w/2);
  var top = (screen.height/2)-(h/2);

  return window.open(url, title, 'toolbar=no, location=no, directories=no, status=no, menubar=no,
scrollbars=no, resizable=no, copyhistory=no, width='+w+', height='+h+', top='+top+', left='+left);
}

document.getElementById("fire").addEventListener("click", function() { popupwindow("/fireoauth.html",
  "Fire OAuth", 450, 600)
})
</script>
<script>

// this.Website's Scripts / App Logic
document.querySelector(".signupForm").addEventListener("submit" , async (e) =>
  { e.preventDefault() let firstName = document.getElementById("firstName").value

```

```

    let lastName = document.getElementById("lastName").value let username =
    document.getElementById("username").value


    let email = document.getElementById("email").value let
    password = document.getElementById("password").value

    let profilePic = `https://avatars.dicebear.com/api/adventurer-
    neutral/${firstName}${lastName}.svg?backgroundColor=variant03` let data = {
    firstName, lastName, username, email, password, profilePic } await
    localStorage.setItem("userData", data) let database = await
    localStorage.getItem("userDatabase") if (database == null) {
        database = []
    }
    database.push(data) await
    localStorage.setItem("userDatabase", database)

    window.location.href = "/"

    })
</script>
</body>
</html>

```



✓ CONFIRMATION EMAIL:

INDEX:

```
<!DOCTYPE html>
```

```
<html lang="en" style="height: 100%; margin: 0;">
```

```
<head>
```

```
<meta charset="UTF-8" />
```

```

<meta name="description" content="The Home Page after Logged In" />
<meta name="viewport" content="width=device-width, initial-scale=1.0" />

<title>IOT Based Safety Gadget for Child Safety Monitoring and Notification</title>

<script src="/localforage.js"></script>

<script>
    if (window.location.hostname !== "localhost") {
        if (location.protocol !== "https:") {
            location.replace(
                `https:${location.href.substring(
                    location.protocol.length
                )}`
            )
        }
    }
}

    async function check() {
        let data = localforage.getItem("userData") if
        (data == null) {
            window.location.href = "/login"
        }
    }
check()

</script>

</head>

<body
    style="
height: 100%;
margin: 0;
font-weight: 300;

font-family: -apple-system, BlinkMacSystemFont, 'Segoe UI', Roboto,
Oxygen, Ubuntu, Cantarell, 'Open Sans', 'Helvetica Neue',
sans-serif;

"
>

<div
    class="wrapper"
    style="
height: 90%; display:
flex;    flex-direction:

```

```

        column; align-items:
        center; justify-
        content: center;

text-align: center;

"

>

<div

class="details"

style="

display: flex;

flex-direction: column;

align-items: center;

gap: 20px; padding:

1rem; border-radius:

5px;

box-shadow: 0 0 8px 0px #44444444;

max-width: 80%;

"

>

<h1 class="name" style="margin: 0"></h1>

<div

class="imageContainer"

style="padding: 10px; height: 10rem; width: 10rem"

>

<img class="image" alt="profile picture" />

</div>

<h2 class="email" style="margin: 0"></h2>

<a style="text-decoration: none;text-align: center;font-size: 1.2rem;color: #0070f3;font-weight:
400;" href="/dashboard">Go to Dashboard ↗ </a>

</div>

</div>

<script>

async function main() {

let name = document.querySelector(".name") let

image = document.querySelector(".image") let email

= document.querySelector(".email") let userData =

```

```

        await localforage.getItem("userData") if(userData ==
        null) { window.location.href = "/login"
        }

        name.innerHTML = `Welcome ${userData.firstName} ${userData.lastName}!`

        image.src = userData.profilePic

        email.innerHTML = `Your email is: <a style="text-decoration: none;color: #0072B5;"
href="mailto:${userData.email}">${userData.email}</a>`


    }
    main()

</script>

</body>

</html>

```



LOCALFORAGE:

```

/*!
  localForage -- Offline Storage, Improved
  Version 1.10.0
  https://localforage.github.io/localForage
  (c) 2013-2017 Mozilla, Apache License 2.0
*/

!function(a)

{if("object"==typeof exports&&"undefined"!=typeof module)module.exports=a(); else
if("function"==typeof define&&define.amd)define([],a);
else{var b;

    b="undefined"!=typeof window?window:"undefined"!=typeof global?global:"undefined"!=typeof
self?self:this,b.localforage=a()}}(function(){

    return function a(b,c,d){

```

```

function e(g,h){if(!c[g]){if(!b[g]){
    var i="function"==typeof require&&require;
    if(!h&&i)return i(g,!0);if(f)return f(g,!0);
    var j=new Error("Cannot find module '"+g+"'");
    throw j.code="MODULE_NOT_FOUND",j}var k=c[g]={exports:{}};
        b[g][0].call(k.exports,function(a){            var
            c=b[g][1][a];return e(c||a)},k,k.exports,a,b,c,d)}    return
        c[g].exports}
for(var f="function"==typeof require&&require,g=0;g<d.length;g++)e(d[g]);
return e}({1:[function(a,b,c){(function(a){"use strict";
    function c(){k=!0;for(var a,b,c=l.length;c;){ for(b=l,l=[],a=-
        1;++a<c;)b[a]();c=l.length}k=!1}
    function d(a){1!==l.push(a)||k||e()}var
    e,f=a.MutationObserver||a.WebKitMutationObserver;
if(f){var g=0,h=new
    f(c),i=a.document.createTextNode("");h.observe(i,{characterData:!0}),e=function(){i.data=g=++g%2}}
        else if(a.setImmediate||void 0===a.MessageChannel)e="document"in
a&&"onreadystatechange"in a.document.createElement("script"?function(){var
b=a.document.createElement("script");b.onreadystatechange=function(){c(),b.onreadystatechange=null,b.pa
rentNode.removeChild(b),b=null},a=document.documentElement.appendChild(b)};function(){setTimeout(c,0)}
; else{var j=new a.MessageChannel;j.port1.onmessage=c,e=function(){j.port2.postMessage(0)}}var
k,l=[];b.exports=d}).call(this,"undefined"!=typeof global?global:"undefined"!=typeof
self?self:"undefined"!=typeof window?window:{}),{}},2:[function(a,b,c){"use strict";function d(){function
e(a){if("function"!=typeof a)throw new TypeError("resolver must be a
function");this.state=s,this.queue=[],this.outcome=void 0,a!:=d&&i(this,a)}function
f(a,b,c){this.promise=a,"function"==typeof
b&&(this.onFulfilled=b,this.callFulfilled=this.otherCallFulfilled),"function"==typeof
c&&(this.onRejected=c,this.callRejected=this.otherCallRejected)}function g(a,b,c){o(function(){var
d;try{d=b(c)}catch(b){return p.reject(a,b)}d===a?p.reject(a,new TypeError("Cannot resolve promise with
itself")):p.resolve(a,d))}function h(a){var b=a&&a.then;if(a&&("object"==typeof a||"function"==typeof
a)&&"function"==typeof b)return function(){b.apply(a,arguments)}}function i(a,b){function
c(b){f||(f=!0,p.reject(a,b))}function d(b){f||(f=!0,p.resolve(a,b))}function e(){b(d,c)}var
f=!1,g=j(e);"error"===g.status&&c(g.value)}function j(a,b){var
c={};try{c.value=a(b),c.status="success"}catch(a){c.status="error",c.value=a}return c}function k(a){return a
instanceof this?a.p.resolve(new this(d),a)}function l(a){var b=new this(d);return p.reject(b,a)}function
m(a){function b(a,b){function
d(a){g[b]=a,++h!=e||f||(f=!0,p.resolve(j,g))}c.resolve(a).then(d,function(a){f||(f=!0,p.reject(j,a))})}var
c=this;if("[object Array]"!==Object.prototype.toString.call(a))return this.reject(new TypeError("must be an
array"));var e=a.length,f=!1;if(!e)return this.resolve([]);for(var g=new Array(e),h=0,i=-1,j=new
this(d);++i<e;)b(a[i],i);return j}function n(a){function
b(a){c.resolve(a).then(function(a){f||(f=!0,p.resolve(h,a))},function(a){f||(f=!0,p.reject(h,a))})}var
c=this;if("[object Array]"!==Object.prototype.toString.call(a))return this.reject(new TypeError("must be an
array"));var e=a.length,f=!1;if(!e)return this.resolve([]);for(var g=-1,h=new this(d);++g<e;)b(a[g]);return h}var
o=a(1),p={},q=["REJECTED"],r=["FULFILLED"],s=["PENDING"];b.exports=e,e.prototype.catch=function(a){ret
urn this.then(null,a)},e.prototype.then=function(a,b){if("function"!=typeof
a&&this.state===r||"function"!=typeof b&&this.state===q)return this;var c=new
this.constructor(d);if(this.state===s){g(c,this.state===r?a:b,this.outcome)}else this.queue.push(new
f(c,a,b));return
c},f.prototype.callFulfilled=function(a){p.resolve(this.promise,a)},f.prototype.otherCallFulfilled=function(a){g(
this.promise,this.onFulfilled,a)},f.prototype.callRejected=function(a){p.reject(this.promise,a)},f.prototype.oth
erCallRejected=function(a){g(this.promise,this.onRejected,a)},p.resolve=function(a,b){var
c=j(h,b);if("error"===c.status)return p.reject(a,c.value);var
d=c.value;if(d)i(a,d);else{a.state=r,a.outcome=b;for(var e=-
1,f=a.queue.length;++e<f;)a.queue[e].callFulfilled(b)}return
a},p.reject=function(a,b){a.state=q,a.outcome=b;for(var c=-
1,d=a.queue.length;++c<d;)a.queue[c].callRejected(b);return
a},e.resolve=k,e.reject=l,e.all=m,e.race=n},{1:1}],3:[function(a,b,c){(function(b){"use strict";"function"!=typeof
b.Promise&&(b.Promise=a(2))}).call(this,"undefined"!=typeof global?global:"undefined"!=typeof
self?self:"undefined"!=typeof window?window:{}),{2:2}],4:[function(a,b,c){"use strict";function d(a,b){if(!(a

```



```

instanceof b))throw new TypeError("Cannot call a class as a function"))function
e(){try{if("undefined"!==typeof indexedDB)return indexedDB;if("undefined"!==typeof webkitIndexedDB)return
webkitIndexedDB;if("undefined"!==typeof mozIndexedDB)return mozIndexedDB;if("undefined"!==typeof
OIndexedDB)return OIndexedDB;if("undefined"!==typeof msIndexedDB)return
msIndexedDB}catch(a){return}}function f(){try{if(!ua||!ua.open)return!1;var a="undefined"!==typeof
openDatabase&&/(Safari|iPhone|iPad|iPod)/.test(navigator.userAgent)&&!/Chrome/.test(navigator.userAgent)
&&!/BlackBerry/.test(navigator.platform),b="function"===typeof fetch&&-1!==fetch.toString().indexOf("[native
code]");return(!a||b)&&"undefined"!==typeof indexedDB&&"undefined"!==typeof
IDBKeyRange}catch(a){return!1}}function g(a,b){a=a||[],b=b||{};try{return new
Blob(a,b)}catch(f){if("TypeError"!==f.name)throw f;for(var c="undefined"!==typeof
BlobBuilder?BlobBuilder:"undefined"!==typeof MSBlobBuilder?MSBlobBuilder:"undefined"!==typeof
MozBlobBuilder?MozBlobBuilder:WebKitBlobBuilder,d=new c,e=0;e<a.length;e+=1)d.append(a[e]);return
d.getBlob(b.type)}}function h(a,b){b&&a.then(function(a){b(null,a)},function(a){b(a)})}function
i(a,b,c){"function"===typeof b&&a.then(b),"function"===typeof c&&a.catch(c)}function
j(a){return"string"!==typeof a&&(console.warn(a+" used as a key, but it is not a
string."),a=String(a)),a}function k(){if(arguments.length&&"function"===typeof arguments[arguments.length-
1])return arguments[arguments.length-1]}function l(a){for(var b=a.length,c=new ArrayBuffer(b),d=new
Uint8Array(c),e=0;e<b;e++)d[e]=a.charCodeAtAt(e);return c}function m(a){return new va(function(b){var
c=a.transaction(wa,Ba),d=g([""]);c.objectStore(wa).put(d,"key"),c.onabort=function(a){a.preventDefault(),a.st
opPropagation(),b(!1)},c.oncomplete=function(a){var
a=navigator.userAgent.match(/ChromeV(\d+)/),c=navigator.userAgent.match(/EdgeV/);b(c||a||parseInt(a[1],10
)>=43))}.catch(function(a){return!1})}}function n(a){return"boolean"===typeof
xa?va.resolve(xa):m(a).then(function(a){return xa=a})}function o(a){var b=ya[a.name],c={};c.promise=new
va(function(a,b){c.resolve=a,c.reject=b}),b.deferredOperations.push(c),b.dbReady?b.dbReady=b.dbReady.th
en(function(){return c.promise}):b.dbReady=c.promise}function p(a){var
b=ya[a.name],c=b.deferredOperations.pop(),if(c)return c.resolve(),c.promise}function q(a,b){var
c=ya[a.name],d=c.deferredOperations.pop(),if(d)return d.reject(b),d.promise}function r(a,b){return new
va(function(c,d){if(ya[a.name]=ya[a.name]||B(),a.db){if(!b)return c(a.db);o(a),a.db.close()}var
e=[a.name];b&&e.push(a.version);var f=ua.open.apply(ua,e);b&&(f.onupgradeneeded=function(b){var
c=f.result;try{c.createObjectStore(a.storeName),b.oldVersion<=1&&c.createObjectStore(wa)}catch(c){if("Con
straintError"!==c.name)throw c;console.warn("The database "+a.name+" has been upgraded from version
'+b.oldVersion+' to version '"+b.newVersion+', but the storage '"+a.storeName+' already
exists.'))},f.onerror=function(a){a.preventDefault(),d(f.error)},f.onsuccess=function(){var
b=f.result;b.onversionchange=function(a){a.target.close(),c(b),p(a)}})}function s(a){return r(a,!1)}function
t(a){return r(a,!0)}function u(a,b){if(!a.db)return!0;var
c=!a.db.objectStoreNames.contains(a.storeName),d=a.version<a.db.version,e=a.version>a.db.version;if(d&&
(a.version!==b&&console.warn("The database "+a.name+" can't be downgraded from version
'+a.db.version+' to version '"+a.version+'."),a.version=a.db.version),e||c){if(c){var
f=a.db.version+1;f>a.version&&(a.version=f)}return!0}return!1}function v(a){return new va(function(b,c){var
d=new FileReader;d.onerror=c,d.onloadend=function(c){var
d=btoa(c.target.result||"");b({
local_forage_encoded_blob:!0,data:d,type:a.type}),d.readAsBinaryString(a))}}function w(a){return
g([l(atob(a.data))],{type:a.type})}function x(a){return a&&a._local_forage_encoded_blob}function y(a){var
b=this,c=b._initReady(),then(function(){var a=ya[b._dbName.name];if(a&&a.dbReady)return
a.dbReady});return i(c,a,a,c)}function z(a){o(a);for(var b=ya[a.name],c=b.forages,d=0;d<c.length;d++){var
e=c[d];e._dbName.db&&(e._dbName.db.close(),e._dbName.db=null)}return a.db=null,s(a).then(function(b){return
a.db=b,u(a)?t(a):b}).then(function(d){a.db=b.db=d;for(var
e=0;e<c.length;e++)c[e]._dbName.db=d}).catch(function(b){throw q(a,b,b)})}function A(a,b,c,d){void
0===d&&(d=1);try{var
e=a.db.transaction(a.storeName,b);c(null,e)}catch(e){if(d>0&&(!a.db||"InvalidStateError"===e.name||"NotFou
ndError"===e.name))return
va.resolve().then(function(){if(!a.db||"NotFou
ndError"===e.name&&!a.db.objectStoreNames.contains(a.store
Name)&&a.version<=a.db.version)return a.db&&(a.version=a.db.version+1),t(a)).then(function(){return
z(a).then(function(){A(a,b,c,d-1))}).catch(c);c(e))}function
B(){return{forages:[],db:null,dbReady:null,deferredOperations:[]}}function C(a){function b(){return
va.resolve()}var c=this,d={db:null};if(a)for(var e in a)d[e]=a[e];var
f=ya[d.name];f||(f=B(),ya[d.name]=f),f.forages.push(c),c._initReady||(c._initReady=c.ready,c.ready=y);for(var
g=[],h=0;h<f.forages.length;h++){var i=f.forages[h];!c&&g.push(i._initReady().catch(b))}var
j=f.forages.slice(0);return va.all(g).then(function(){return d.db=f.db,s(d)}).then(function(a){return
d.db=a,u(d,c._defaultConfig.version)?t(d):a}).then(function(a){d.db=f.db=a,c._dbName=d;for(var
b=0;b<j.length;b++){var e=j[b];e===c&&(e._dbName.db=d.db,e._dbName.version=d.version)}})}function
D(a,b){var c=this;a=j(a);var d=new
va(function(b,d){c.ready().then(function(){A(c._dbName,Aa,function(e,f){if(e)return d(e);try{var
g=f.objectStore(c._dbName.storeName),h=g.get(a);h.onsuccess=function(){var a=h.result;void
0===a&&(a=null),x(a)&&(a=w(a)),b(a)},h.onerror=function(){d(h.error)}catch(a){d(a)}}}).catch(d)});return
h(d,b,d)}function E(a,b){var c=this,d=new
va(function(b,d){c.ready().then(function(){A(c._dbName,Aa,function(e,f){if(e)return
d(e);try{var
g=f.objectStore(c._dbName.storeName),h=g.openCursor(),i=1;h.onsuccess=function(){var c=h.result;if(c){var
d=c.value;x(d)&&(d=w(d));var e=a(d,c.key,i++);void 0!==e?b(e):c.continue()}else

```

```

b()),h.onerror=function(){d(h.error)}}catch(a){d(a)}}).catch(d));return h(d,b),d}function F(a,b,c){var
d=this;a=j(a);var e=new va(function(c,e){var f;d.ready().then(function(){return f=d._dbName,"[object
Blob]"===za.call(b)?n(f.db).then(function(a){return
a?b:v(b)}):b}).then(function(b){A(d._dbName,Ba,function(f,g){if(f)return e(f);try{var
h=g.objectStore(d._dbName.storeName);null===b&&(b=void 0);var i=h.put(b,a);g.oncomplete=function(){void
0===b&&(b=null),c(b)},g.onabort=g.onerror=function(){var
a=i.error?i.error:i.transaction.error;e(a)}}catch(a){e(a)}})).catch(e));return h(e,c,e)}function G(a,b){var
c=this;a=j(a);var d=new va(function(b,d){c.ready().then(function(){A(c._dbName,Ba,function(e,f){if(e)return
d(e);try{var
g=f.objectStore(c._dbName.storeName),h=g.delete(a);f.oncomplete=function(){b()},f.onerror=function(){d(h.err
or)},f.onabort=function(){var a=h.error?h.error:h.transaction.error;d(a)}}catch(a){d(a)}}).catch(d));return
h(d,b),d}function H(a){var b=this,c=new
va(function(a,c){b.ready().then(function(){A(b._dbName,Ba,function(d,e){if(d)return c(d);try{var
f=e.objectStore(b._dbName.storeName),g=f.clear();e.oncomplete=function(){a()},e.onabort=e.onerror=function(
){var a=g.error?g.error:g.transaction.error;c(a)}}catch(a){c(a)}})).catch(c));return h(c,a,c)}function I(a){var
b=this,c=new va(function(a,c){b.ready().then(function(){A(b._dbName,Aa,function(d,e){if(d)return c(d);try{var
f=e.objectStore(b._dbName.storeName),g=f.count();g.onsuccess=function(){a(g.result)},g.onerror=function(){c(
g.error)}}catch(a){c(a)}})).catch(c));return h(c,a,c)}function J(a,b){var c=this,d=new
va(function(b,d){if(a<0)return void b(null);c.ready().then(function(){A(c._dbName,Aa,function(e,f){if(e)return
d(e);try{var g=f.objectStore(c._dbName.storeName),h=!1,i=g.openKeyCursor();i.onsuccess=function(){var
c=i.result;if(!c)return void
b(null);0===a?b(c.key):h?b(c.key):(h=!0,c.advance(a)),i.onerror=function(){d(i.error)}}catch(a){d(a)}})).catch(
d));return h(d,b),d}function K(a){var b=this,c=new
va(function(a,c){b.ready().then(function(){A(b._dbName,Aa,function(d,e){if(d)return c(d);try{var
f=e.objectStore(b._dbName.storeName),g=f.openKeyCursor(),h=[];g.onsuccess=function(){var
b=g.result;if(!b)return void
a(h);h.push(b.key),b.continue(),g.onerror=function(){c(g.error)}}catch(a){c(a)}})).catch(c));return
h(c,a,c)}function L(a,b){b=k.apply(this,arguments);var c=this.config();a="function"!=typeof
a&&a||{};a.name||(a.name=a.name||c.name,a.storeName=a.storeName||c.storeName);var
d,e=this;if(a.name){var
f=a.name===c.name&&e._dbName.db,g=f?va.resolve(e._dbName.db):s(a).then(function(b){var
c=ya[a.name],d=c.forages;c.db=b;for(var e=0;e<d.length;e++)d[e]._dbName.db=b;return
b});d=a.storeName?g.then(function(b){if(b.objectStoreNames.contains(a.storeName)){var
c=b.version+1;o(a);var d=ya[a.name],e=d.forages;b.close();for(var f=0;f<e.length;f++){var
g=e[f];g._dbName.db=null,g._dbName.version=c}return new va(function(b,d){var
e=ua.open(a.name,c);e.onerror=function(a){e.result.close(),d(a)},e.onupgradeneeded=function(){e.result.delet
eObjectStore(a.storeName)},e.onsuccess=function(){var
a=e.result;a.close(),b(a)}}).then(function(a){d.db=a;for(var b=0;b<e.length;b++){var
c=e[b];c._dbName.db=a,p(c._dbName)}}).catch(function(b){throw(q(a,b)||va.resolve()).catch(function(){},b)}});g.t
hen(function(b){o(a);var c=ya[a.name],d=c.forages;b.close();for(var
e=0;e<d.length;e++){d[e]._dbName.db=null}return new va(function(b,c){var
d=ua.deleteDatabase(a.name);d.onerror=function(){var
a=d.result;a&&a.close(),c(d.error)},d.onblocked=function(){console.warn('dropInstance blocked for database
'+a.name+' until all open connections are closed')},d.onsuccess=function(){var
a=d.result;a&&a.close(),b(a)}}).then(function(a){c.db=a;for(var
b=0;b<d.length;b++){p(d[b]._dbName)}}).catch(function(b){throw(q(a,b)||va.resolve()).catch(function(){},b)}});els
e
d=va.reject("Invalid arguments");return h(d,b),d}function M(){return"function"===typeof
openDatabase}function N(a){var b,c,d,e,f,g=.75*a.length,h=a.length,i=0;"==="a[a.length-1]&&(g--
,"==="a[a.length-2]&&(g--);var j=new ArrayBuffer(g),k=new
Uint8Array(j);for(b=0;b<h;b+=4)c=Da.indexOf(a[b]),d=Da.indexOf(a[b+1]),e=Da.indexOf(a[b+2]),f=Da.indexOf(
a[b+3]),k[i++]<c<2?d>>4,k[i++]=(15&d)<<4|e>>2,k[i++]=(3&e)<<6|63&f;return j}function O(a){var b,c=new
Uint8Array(a),d="";for(b=0;b<c.length;b+=3)d+=Da[c[b]>>2],d+=Da[(3&c[b])<<4|c[b+1]>>4],d+=Da[(15&c[b+1])
<<2|c[b+2]>>6],d+=Da[63&c[b+2]];return c.length%3==2?d=d.substring(0,d.length-
1)+"=":c.length%3==1&&(d=d.substring(0,d.length-2)+"="),d}function P(a,b){var
c="";if(a&&(c=Ua.call(a)),a&&("[object ArrayBuffer]"===c||a.buffer&&"[object
ArrayBuffer]"===Ua.call(a.buffer))){var d,e=Ga;a instanceof ArrayBuffer?(d=a,e+=la):(d=a.buffer,"[object
Int8Array]"===c?e+=Ka:"[object Uint8Array]"===c?e+=La:"[object Uint8ClampedArray]"===c?e+=Ma:"[object
Int16Array]"===c?e+=Na:"[object Uint16Array]"===c?e+=Pa:"[object Int32Array]"===c?e+=Oa:"[object
Uint32Array]"===c?e+=Qa:"[object Float32Array]"===c?e+=Ra:"[object Float64Array]"===c?e+=Sa:b(new
Error("Failed to get type for BinaryArray"))),b(e+O(d))}else if("[object Blob]"===c){var f=new
FileReader,f.onload=function(){var c=Ea+a.type+"~"+O(this.result);b(Ga+Ja+c),f.readAsArrayBuffer(a)}else
try{b(JSON.stringify(a))}catch(c){console.error("Couldn't convert value into a JSON string:
",a),b(null,c)}function Q(a){if(a.substring(0,Ha)===Ga)return JSON.parse(a);var
b,c=a.substring(Ta),d=a.substring(Ha,Ta);if(d===Ja&&Fa.test(c)){var
e=c.match(Fa);b=e[1],c=c.substring(e[0].length)}var f=N(c);switch(d){case la:return f;case Ja:return
g([f,{type:b}]);case Ka:return new Int8Array(f);case La:return new Uint8Array(f);case Ma:return new
Uint8ClampedArray(f);case Na:return new Int16Array(f);case Pa:return new Uint16Array(f);case Oa:return
new Int32Array(f);case Qa:return new Uint32Array(f);case Ra:return new Float32Array(f);case Sa:return new
Float64Array(f);default:throw new Error("Unknow type: "+d)}}function R(a,b,c,d){a.executeSql("CREATE

```

```

TABLE IF NOT EXISTS "+b.storeName+" (id INTEGER PRIMARY KEY, key unique, value)" [,c,d)]function
S(a){var b=this,c={db:null};if(a)for(var d in a)c[d]="string"!=typeof a[d]?a[d].toString():a[d];var e=new
va(function(a,d){try{c.db=openDatabase(c.name,String(c.version),c.description,c.size)}catch(a){return
d(a)}c.db.transaction(function(e){R(e,c,function(){b._dbInfo=c,a(),function(a,b){d(b)}),d)});return
c.serializer=Va,e}function
T(a,b,c,d,e,f){a.executeSql(c,d,e,function(a,g){g.code===g.SYNTAX_ERR?a.executeSql("SELECT name FROM
sqlite_master WHERE type='table' AND name
=?",[b.storeName],function(a,h){h.rows.length?f(a,g):R(a,b,function(){a.executeSql(c,d,e,f),f):f(a,g),f})}function
U(a,b){var c=this;a=j(a);var d=new va(function(b,d){c.ready().then(function(){var
e=c._dbInfo;e.db.transaction(function(c){T(c,e,"SELECT * FROM "+e.storeName+" WHERE key = ? LIMIT
1",[a],function(a,c){var
d=c.rows.length?c.rows.item(0).value:null;d&&d=e.serializer.deserialize(d)),b(d)},function(a,b){d(b)})))).catch
h(d)});return h(d,b,d)}function V(a,b){var c=this,d=new va(function(b,d){c.ready().then(function(){var
e=c._dbInfo;e.db.transaction(function(c){T(c,e,"SELECT * FROM "+e.storeName,[],function(c,d){for(var
f=d.rows,g=f.length,h=0;h<g;h++){var i=f.item(h),j=i.value;if(j&&(j=e.serializer.deserialize(j)),void
0!==(j=a(j,i.key,h+1)))return void b(j)}b(),function(a,b){d(b)})))).catch(d)});return h(d,b,d)}function
W(a,b,c,d){var e=this;a=j(a);var f=new va(function(f,g){e.ready().then(function(){void 0===b&&(b=null);var
h=b,i=e._dbInfo;i.serializer.serialize(b,function(b,j){j?g(j):i.db.transaction(function(c){T(c,i,"INSERT OR
REPLACE INTO "+i.storeName+" (key, value) VALUES
(?, ?)",[a,b],function(){f(h)},function(a,b){g(b)}),function(b){if(b.code===b.QUOTA_ERR){if(d>0)return void
f(W.apply(e,[a,h,c,d-1]));g(b)})))).catch(g)});return h(f,c,f)}function X(a,b,c){return
W.apply(this,[a,b,c,1])}function Y(a,b){var c=this;a=j(a);var d=new
va(function(b,d){c.ready().then(function(){var e=c._dbInfo;e.db.transaction(function(c){T(c,e,"DELETE FROM
"+e.storeName+" WHERE key = ?",[a],function(){b(),function(a,b){d(b)})))).catch(d)});return
h(d,b,d)}function
Z(a){var b=this,c=new va(function(a,c){b.ready().then(function(){var
d=b._dbInfo;d.db.transaction(function(b){T(b,d,"DELETE FROM
"+d.storeName,[],function(){a(),function(a,b){c(b)})))).catch(c)});return h(c,a,c)}function $(a){var
b=this,c=new va(function(a,c){b.ready().then(function(){var
d=b._dbInfo;d.db.transaction(function(b){T(b,d,"SELECT COUNT(key) as c FROM
"+d.storeName,[],function(b,c){var d=c.rows.item(0).c;a(d)},function(a,b){c(b)})))).catch(c)});return
h(c,a,c)}function _(a,b){var c=this,d=new va(function(b,d){c.ready().then(function(){var
e=c._dbInfo;e.db.transaction(function(c){T(c,e,"SELECT key FROM "+e.storeName+" WHERE id = ? LIMIT
1",[a+1],function(a,c){var
d=c.rows.length?c.rows.item(0).key:null;b(d)},function(a,b){d(b)})))).catch(d)});return h(d,b,d)}function
aa(a){var b=this,c=new va(function(a,c){b.ready().then(function(){var
d=b._dbInfo;d.db.transaction(function(b){T(b,d,"SELECT key FROM "+d.storeName,[],function(b,c){for(var
d=[],e=0;e<c.rows.length;e++)d.push(c.rows.item(e).key);a(d)},function(a,b){c(b)})))).catch(c)});return
h(c,a,c)}function ba(a){return new va(function(b,c){a.transaction(function(d){d.executeSql("SELECT name
FROM sqlite_master WHERE type='table' AND name <>
'WebKitDatabaseInfoTable'",[],function(c,d){for(var
e=[],f=0;f<d.rows.length;f++)e.push(d.rows.item(f).name;b({db:a.storeNames:e}),function(a,b){c(b)}),funct
io n(a){c(a)}))}function ca(a,b){b=k.apply(this,arguments);var c=this.config();a="function"!=typeof
a&&a||[],a.name||(a.name=a.name||c.name,a.storeName=a.storeName||c.storeName);var d,e=this;return
d=a.name?new va(function(b){var
d;d=a.name===c.name?e._dbInfo.db:openDatabase(a.name,"", "",0),b(a.storeName?{db:d,storeNames:[a.stor
eName]}:ba(d))).then(function(a){return new va(function(b,c){a.db.transaction(function(d){function
e(a){return new va(function(b,c){d.executeSql("DROP TABLE IF EXISTS
"+a,[],function(){b(),function(a,b){c(b)})))).catch(c)}for(var
f=[],g=0,h=a.storeNames.length;g<h;g++)f.push(e(a.storeNames[g]));va.all(f).then(function(){b(),function
on(a){c(a)}),function(a){c(a)})))).catch(c)});va.reject("Invalid arguments"),h(d,b,d)}function
da(){try{return"undefined"!=typeof localStorage&&"setItem"in
localStorage&&!!localStorage.setItem}catch(a){return!1}}function ea(a,b){var c=a.name+"/";return
a.storeName!==b.storeName&&(c+=a.storeName+"/"),c}function fa(){var
a="_localforage_support_test";try{return
localStorage.setItem(a,!0),localStorage.removeItem(a,!1)}catch(a){return!0}}function
ga(){return!fa()||localStorage.length>0}function ha(a){var b=this,c={};if(a)for(var d in a)c[d]=a[d];return
c.keyPrefix=ea(a,b._defaultConfig),ga()?(b._dbInfo=c,c.serializer=Va,va.resolve():va.reject())function
ia(a){var b=this,c=b.ready().then(function(){for(var a=b._dbInfo.keyPrefix,c=localStorage.length-1;c>=0;c--
){var d=localStorage.key(c);0===d.indexOf(a)&&localStorage.removeItem(d)});return h(c,a,c)}function
ja(a,b){var c=this;a=j(a);var d=c.ready().then(function(){var
b=c._dbInfo,d=localStorage.getItem(b.keyPrefix+a);return d&&(d=b.serializer.deserialize(d)),d)};return
h(d,b,d)}function ka(a,b){var c=this,d=c.ready().then(function(){for(var
b=c._dbInfo,d=b.keyPrefix,e=d.length,f=localStorage.length,g=1,h=0;h<f;h++){var
i=localStorage.key(h);if(0===i.indexOf(d)){var j=localStorage.getItem(i);if(j&&(j=b.serializer.deserialize(j)),void
0!==(j=a(j,i.substring(e,g+1))))return j}};return h(d,b,d)}function la(a,b){var
c=this,d=c.ready().then(function(){var b,d=c._dbInfo;try{b=localStorage.key(a)}catch(a){b=null}return
b&&(b=b.substring(d.keyPrefix.length)),b)};return h(d,b,d)}function ma(a){var
b=this,c=b.ready().then(function(){for(var a=b._dbInfo,c=localStorage.length,d=[],e=0;e<c;e++){var
f=localStorage.key(e);0===f.indexOf(a.keyPrefix)&&d.push(f.substring(a.keyPrefix.length))}return d)};return

```

```

h(c,a),c}function na(a){var b=this,c=b.keys().then(function(a){return a.length});return h(c,a),c}function
oa(a,b){var c=this;a=j(a);var d=c.ready().then(function(){var
b=c._dbInfo;localStorage.removeItem(b.keyPrefix+a));return h(d,b),d}function pa(a,b,c){var d=this;a=j(a);var
e=d.ready().then(function(){void 0===b&&(b=null);var c=b;return new va(function(e,f){var
g=d._dbInfo;g.serializer.serialize(b,function(b,d){if(d)f(d);else
try{localStorage.setItem(g.keyPrefix+a,b,e(c))}catch(a){if(a.name&&"NS_ERROR_DOM_QUOTA_REACHED"!=a.name&&f(a,f(a))}}));return
h(e,c),e}function
qa(a,b){if(b=k.apply(this,arguments),a="function"!=typeof a&&a||{,la.name){var
c=this.config();a.name=a.name||c.name,a.storeName=a.storeName||c.storeName;var d,e=this;return
d=a.name?new va(function(b){b(a.storeName?ea(a,e._defaultConfig):a.name+"/")}).then(function(a){for(var
b=localStorage.length-1;b>=0;b--){var
c=localStorage.key(b);0===c.indexOf(a)&&localStorage.removeItem(c))}:va.reject("Invalid
arguments"),h(d,b),d}function ra(a,b){a[b]=function(){var c=arguments;return a.ready().then(function(){return
a[b].apply(a,c))}}function sa(){for(var a=1;a<arguments.length;a++){var b=arguments[a];if(b)for(var c in
b)b.hasOwnProperty(c)&&($a(b[c])?arguments[0][c]=b[c].slice():arguments[0][c]=b[c])}return
arguments[0]}var ta="function"==typeof Symbol&&"symbol"==typeof Symbol.iterator?function(a){return
typeof a}:function(a){return a&&"function"==typeof
Symbol&&a.constructor===Symbol&&a!==Symbol.prototype?"symbol":typeof a},ua=e();"undefined"==typeof
Promise&&a(3);var va=Promise,wa="local-forage-detect-blob-support",xa=void
0,ya={},za=Object.prototype.toString,Aa="readonly",Ba="readwrite",Ca={_driver:"asyncStorage",_initStorage
:
C,_support:f(),iterate:E,getItem:D,setItem:F,removeItem:G,clear:H,length:I,key:J,keys:K,dropInstance:L,Da=
"ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789+/",Ea="~~local_forage_type
~~",Fa="/~local_forage_type~([^-]+)~/",Ga="_ifsc:",Ha=Ga.length,la="arbf",Ja="blob",Ka="si08",La="ui08",
Ma="uic8",Na="si16",Oa="si32",Pa="ur16",Qa="ui32",Ra="fl32",Sa="fl64",Ta=Ha+la.length,Ua=Object.protot
y
pe.toString,Va={serialize:P,deserialize:Q,stringToBuffer:N,bufferToString:O},Wa={_driver:"webSQLStorage",
_initStorage:S,_support:M(),iterate:V,getItem:U,setItem:X,removeItem:Y,clear:Z,length:$,key:_keys:aa,dropl
n
stance:ca},Xa={_driver:"localStorageWrapper",_initStorage:ha,_support:da(),iterate:ka,getItem:ja,setItem:pa,
removeItem:oa,clear:ia,length:na,key:la,keys:ma,dropInstance:qa},Ya=function(a,b){return
a===b||"number"==typeof a&&"number"==typeof b&&isNaN(a)&&isNaN(b)},Za=function(a,b){for(var
c=a.length,d=0;d<c;){if(Ya(a[d],b))return!0;d++}return!1},$a=Array.isArray||function(a){return"[object
Array]"===Object.prototype.toString.call(a)},_a=f,ab={},bb={INDEXEDDB:Ca,WEBSQL:Wa,LOCALSTORAGE:
Xa},cb=[bb.INDEXEDDB._driver,bb.WEBSQL._driver,bb.LOCALSTORAGE._driver],db=["dropInstance"],eb=["
clear","getItem","iterate","key","keys","length","removeItem","setItem"].concat(db),fb={description:"",driver
:cb.slice(),name:"localforage",size:4980736,storeName:"keyvaluepairs",version:1},gb=function(){function
a(b){d(this,a);for(var c in bb)if(bb.hasOwnProperty(c)){var
e=bb[c],f=e._driver;this[c]=f,_a[f]||this.defineDriver(e)}this._defaultConfig=sa({},fb),this._config=sa({},this._de
faultConfig,b),this._driverSet=null,this._initDriver=null,this._ready=!1,this._dbInfo=null,this._wrapLibraryMet
hodsWithReady(),this.setDriver(this._config.driver).catch(function(){}))return
a.prototype.config=function(a){if("object"===void 0===a?"undefined":ta(a))if(this._ready)return new
Error("Can't call config() after localforage has been used.");for(var b in
a){if("storeName"===b&&(a[b]=a[b].replace(/W/g,"_")),"version"===b&&"number"!=typeof a[b])return new
Error("Database version must be a number.");this._config[b]=a[b]}return!("driver"in
a&&a.driver)||this.setDriver(this._config.driver)}return"string"==typeof
a?this._config[a]:this._config,a.prototype.defineDriver=function(a,b,c){var d=new va(function(b,c){try{var
d=a._driver,e=new Error("Custom driver not compliant; see
https://mozilla.github.io/localForage/#definedriver");if(!a._driver)return void c(e);for(var
f=eb.concat("_initStorage"),g=0,i=f.length;g<i;g++){var
j=f[g];if(!Za(db,j)||a[j])&&"function"!=typeof
a[j])return void c(e)}function(){for(var b=function(a){return function(){var b=new Error("Method "+a+" is not
implemented by the current driver"),c=va.reject(b);return h(c,arguments[arguments.length-
1]),c},c=0,d=db.length;c<d;c++){var e=db[c];a[e]||(a[e]=b(e))}}();var
k=function(c){_a[d]&&console.info("Redefining LocalForage driver: "+d),_a[d]=a,ab[d]=c,b());}_support"in
a?a._support&&"function"==typeof
a._support?a._support().then(k,c):k(!a._support):k(!0)}catch(a){c(a)});return
i(d,b,c,d),a.prototype.driver=function(){return this._driver||null},a.prototype.getDriver=function(a,b,c){var
d=_a[a]?va.resolve(_a[a]):va.reject(new Error("Driver not found."));return
i(d,b,c,d),a.prototype.getSerializer=function(a){var b=va.resolve(Va);return
i(b,a,b),a.prototype.ready=function(a){var b=this,c=b._driverSet.then(function(){return
null===b._ready&&(b._ready=b._initDriver()),b._ready});return
i(c,a,a,c),a.prototype.setDriver=function(a,b,c){function d(){g._config.driver=g.driver()}function e(a){return
g._extend(a,d),g._ready=g._initStorage(g._config,g._ready)}function f(a){return function(){function
b(){for(c<a.length;){var f=a[c];return c++,g._dbInfo=null,g._ready=null,g.getDriver(f).then(e).catch(b)}d();var
h=new Error("No available storage method found.");return g._driverSet=va.reject(h),g._driverSet}var
c=0;return b()}}var g=this;$a(a)||a=[a];var
h=this._getSupportedDrivers(a),j=null!=this._driverSet?this._driverSet.catch(function(){return
va.resolve()}):va.resolve();return this._driverSet=j.then(function(){var a=h[0];return
g._dbInfo=null,g._ready=null,g.getDriver(a).then(function(a){g._driver=a._driver,d(),g._wrapLibraryMethodsW
ithReady(),g._initDriver=f(h)})).catch(function(){d();var a=new Error("No available storage method
found.");return

```

```

g._driverSet=va.reject(a),g._driverSet}},i(this._driverSet,b,c),this._driverSet},a.prototype.supports=function(a
)
{return!!ab[a]},a.prototype._extend=function(a){sa(this,a)},a.prototype._getSupportedDrivers=function(a){for(
var b=[],c=0,d=a.length;c<d;c++){var e=a[c];this.supports(e)&&b.push(e)}return
b},a.prototype._wrapLibraryMethodsWithReady=function(){for(var
a=0,b=eb.length;a<b;a++)ra(this,eb[a]),a.prototype.createInstance=function(b){return new a(b)},a(),hb=new
gb;b.exports=hb},{3:3}},{},[4])(4));

```

✓ AUTHENTICATION:

FIREOAUTH:

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
<meta charset="UTF-8">
```

```
<meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
<link rel="stylesheet" href="/css/fireoauth.css">
```

```
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/nprogress/0.2.0/nprogress.min.css">
```

```
<link rel="shortcut icon" href="https://raw.githubusercontent.com/tharunoptimus-
pd/firepwa/main/favicon.ico?token=GHSAT0AAAAAABR46HVJ5M5L3QGFRZRQXOISYUJUWAA"
type="image/x-icon">
```

```
<style>
```

```
html,
```

```
body {
```

```
height: 100%;
```

```
margin: 0;
```

```
font-family: -apple-system, BlinkMacSystemFont, "Segoe UI", Roboto, Oxygen,
```

```
Ubuntu, Cantarell, "Open Sans", "Helvetica Neue", sans-serif;
```

```
font-weight: 300;
```

```
}
```

```
a {
```

```
text-decoration: none;
```

```
color: #007bff;
```

```
font-weight: 500;
```

```
font-size: 1.2rem;
```

```
}
```

```
h3 {
```

```
font-size: 1.4rem;
```

```
}
```

```
h3, h4 {
```

```
margin: 0;
```

padding: 0.3rem 0;

}

.wrapper { display:

flex; flex-

direction:

column; align-

items: center;

justify-content:

center; height:

100%;

text-align: center;

}

.oneClickSignin { padding:

0.5rem; border: 1px solid

#44444444; border-radius:

5px;

box-shadow: 0 0 3px 0px #44444444;

opacity: 0.2;

pointer-events: none;

}

.qrcode {

opacity: 0.1;

}

.learnAboutFire { padding-

top: 1.25em;

}

.qrHolder {

display: none; margin-

top: 3rem;

}

.qrContainer {

align-items: center;

display: flex; justify-

content: center;

padding: 8px;

margin: 2rem auto;

```

        box-shadow: 0 0px 6px 1px rgb(0 0 0 /
        16%); border: 1px solid #444444444; border-
        radius: 6px; width: 200px;
        height: 200px;
    }
</style>
<title>Fire OAuth</title>
<script>
    if (window.location.hostname !== "localhost") {
        if (location.protocol !== "https:") {
            location.replace(
                `https:${location.href.substring(
                    location.protocol.length
                )}`
            )
        }
    }
</script>
</head>
<body>
    <div class="wrapper">
        <h3 class="pageTitle">Login with SAFETY</h3>

        <div class="qrAuthorize">
            <h4 class="subTitle">Scan QR from your Fire OAuth App </h4>

            <div class="qrContainer">
                <canvas id="qr-code" class="qrcode"></canvas>
            </div>
        </div>

        <div class="oneClickSignin">
            <h4>Have Fire PWA on this device?</h4>

            <a target="_blank" id="authorizeOverLink" href="https://firepwa.netlify.app/authorize?sessionId"
            rel="noopener">Click to Authorize </a>
        </div>
    </div>

```

```

<div class="learnAboutFire">

  <a target="_blank" href="https://fireoauth.netlify.app" rel="noopener">Learn More about SAFETY</a>

</div>

</div>

<script src="https://cdnjs.cloudflare.com/ajax/libs/nprogress/0.2.0/nprogress.min.js"></script>
<script src="https://cdnjs.cloudflare.com/ajax/libs/qrious/4.0.2/qrious.min.js"></script>

<script src="https://cdnjs.cloudflare.com/ajax/libs/socket.io/4.2.0/socket.io.js"></script>

<script>

  const FIRE_API_KEY = "635b790a3bcc6b59c4b772d0"

  const FIRE_ENDPOINT = "https://fire.adaptable.app/api/apis/generate"

  const CHANNEL_NAME = "fireOAuthChannel" const
  broadcastingChannel = new BroadcastChannel(CHANNEL_NAME) const
  FIRE_SERVER_SOCKET_ENDPOINT = "https://fire.adaptable.app" let
  socket = io(FIRE_SERVER_SOCKET_ENDPOINT)

  let qr

  let qrCode = document.querySelector(".qrCode")

  let oneClickSignin = document.querySelector(".oneClickSignin")

  let pageTitle = document.querySelector(".pageTitle")

  let subTitle = document.querySelector(".subTitle")

  function setOpacity(opacity) { oneClickSignin.style.opacity = opacity
    oneClickSignin.style.pointerEvents = opacity === "1" ? "auto" :
    "none" qrCode.style.opacity = opacity
  }

  async function getSessionID() {
    let response
    try {
      response = await fetch(`${FIRE_ENDPOINT}/${FIRE_API_KEY}`, {
        method: "GET",
        headers: {
          "Content-Type": "application/json",
        }
      })
    }
  })

```



```

    } catch (error) {

        console.log(error)

        return null

    }

    let data = await response.json()
    let { sessionId, chatRoomId } = data

    return { sessionId, chatRoomId }

}

function generateQR(value) {

    (qr      =      new      QRious({      element:

        document.getElementById("qr-code"),      size:

        200, level: 'M', value: value,

    )))

}

function changeHREF ({sessionId, chatRoomId}) {
let firePwaUrlHostname = "https://firepwa.netlify.app"
let originURL = encodeURIComponent(window.location.origin)

    let url =
`${firePwaUrlHostname}/authorize.html?sessionId=${sessionId}&chatRoomId=${chatRoomId}&url=${originU
RL}`

    let a = document.getElementById("authorizeOverLink")

    a.href = url

}

async function fire() {

    NProgress.set(0.4)

    let { sessionId, chatRoomId } = await getSessionID()

    if(sessionId === undefined || chatRoomId === undefined || sessionId === null || chatRoomId === null) {

        pageTitle.innerHTML = "Something went wrong "

        subTitle.innerHTML = "Please try again later "

return

    }

    setOpacity("1")

    NProgress.done()

```

```

    let data = {
      sessionId, url:
      encodeURIComponent(
        window.location.origin)

    }

    data = JSON.stringify(data)
    generateQR(data)
    changeHREF({sessionId, chatRoomId})
    socket.emit("join room", sessionId)
  }

  fire()

  socket.on("trusted token", (token) => {

    let data = {}
    data.success = true
    data.token = token

    broadCastingChannel.postMessage(data)

    window.close()
  })
</script>
</body>
</html>

```

✓ LOGIN:

HTML:

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="stylesheet" href="/css/login.css">

```

```

<title>Sign Up</title>

<script>

  if (window.location.hostname !== "localhost") {

    if (location.protocol !== "https:") {

      location.replace(

        `https:${location.href.substring(
          location.protocol.length
        )}`

      )

    }

  }

</script>

<script src="./localforage.js"></script>

</head>

<body>

  <div class="wrapper">

    <div class="loginContainer">

      <span>SignUp To Continue</span>

      <div class="traditionalLoginContainer">

        <form class="signupForm" action="/" method="post">

          <input type="email" name="email" placeholder="Email" id="email">

          <input type="password" name="password" placeholder="Password" id="password">

          <input class="loginButton" type="submit" value="Login">

        </form>

      </div>

      <div class="loginWithFireContainer">

        <button type="button" class="fire" title="Login with Safety" id="fire">Login with Safety</button>

      </div>

      <a class="hyperLink" href="/register">Don't have an Account? Register ↗ </a>

    </div>

  </div>

  <script>

    // Necessary for Fire OAuth to Function

    const fireBroadcastingChannel = new BroadcastChannel('fireOAuthChannel');

    fireBroadcastingChannel.addEventListener('message', async event => {

```

```

let data = event.data

/**
 * @typedef {Object<string, any>} Data
 * @property {boolean} success - Whether the login was successful
 * @property {string} token - The data returned from the login i.e. Fire Token
 */

// data.token is the message sent from the fireOAuthChannel after verification

// data.success is a boolean that indicates whether the verification was successful

// data.token is the fire token
// What to do with the Fire Token?

// * Fire Token is an unique token which uniquely identifies the user who authorized your login attempt
with Fire

// * You can use this token ONLY ONCE as it will be destroyed after the first use

// 1. Send the fire token to the Fire Server to verify the user

// - You can do that client sided or server sided

// - You need to send a POST Request to the Fire Server with the fire token

//   at the URL: http://localhost:3003/api/tokens/verify

// - The Fire Server will verify the fire token and return a response

// - If the verification was successful - CODE (200), the Fire Server will return a response with the
user's data

// - If the verification was unsuccessful - CODE (400) or CODE (401), the Fire Server will return a
response with an error 'message'

// - You can use the data returned from the Fire Server to create a new user in your database

// This example will send the token to Fire Servers and console.log the response
console.log("%c" + `Fire Token: ${data.token}`, `color: #f1c40f; font-weight: bold;`);
const response = await fetch('https://fire.adaptable.app/api/tokens/verify', { method:
'POST', headers: {
  'Content-Type': 'application/json'
},
body: JSON.stringify({
token: data.token
})
})

// get the response
const responseData = await response.json()

// console.log the response
console.log(responseData)

await localforage.setItem('userData', {...responseData, isFire: true})

// Adding the user data to the user Database

```

```

        let database = await localforage.getItem("userDatabase")

        if (database == null) {

            database = []

        }
        database.push(responseData)
        await localforage.setItem("userDatabase", database)

        // redirect to the home page

        window.location.href = '/'

    })
    function popupwindow(url, title, w, h) {

        var left = (screen.width/2)-(w/2);

        var top = (screen.height/2)-(h/2);

        return window.open(url, title, 'toolbar=no, location=no, directories=no, status=no, menubar=no,
        scrollbars=no, resizable=no, copyhistory=no, width='+w+', height='+h+', top='+top+', left='+left);

    }

    document.getElementById("fire").addEventListener("click", function() { popupwindow("/fireoauth.html",
        "Fire OAuth", 450, 600)

    })

</script>

<script>

    // this.Website's Scripts / App Logic

    document.querySelector(".signupForm").addEventListener("submit" , async (e) => {

        e.preventDefault()

        let email = document.getElementById("email").value

        let password = document.getElementById("password").value

        let flag = false let userData = await

        localforage.getItem("userDatabase") if(userData) {

            userData.forEach(e => { if(e.email === email) {

                if(e.password === password || e.isFire === true) {

                    localforage.setItem("userData", e)

                        flag = true
                }
            })

            window.location.href = "/"

        }

        })

        } else {
        alert("User Not Found")

        }

        if(!flag) {

```

```
alert("Invalid Credentials")
```


```
}
```

```
})
```

```
</script>
```

```
</body>
```

```
</html>
```



CSS:

```
html,
```

```
body {
```

```
    height: 100%;
```

```
    margin: 0;
```

```
    font-weight: 300;
```

```
    font-family: -apple-system, BlinkMacSystemFont, "Segoe UI", Roboto, Oxygen,
```

```
                Ubuntu, Cantarell, "Open Sans", "Helvetica Neue", sans-serif;
```

```
}
```

```
.wrapper {
```

```
    height: 100%;
```

```
    display: flex;
```

```
    align-items: center;
```

```
    justify-content: center;
```

```
}
```

```
.loginContainer {
```

```
display: flex;
```

```

flex-direction: column; gap:
1rem; min-width: 25rem;
padding: 1rem 3rem; border:
1px solid #44444444; box-
shadow: 0px 3px 2px 1px
#44444444; border-radius:
8px;
}

```

```

.loginContainer span {
text-align:
center; font-size:
3rem; font-
weight: 500;
margin: 1rem 1rem 3rem;
}

```

```

.traditionalLoginContainer form {
display: flex; flex-
direction: column;
align-items: center;
justify-content: center;
}

```

```

.traditionalLoginContainer :is(input[type="text"], input[type="password"], input[type="email"])
{ margin: 0.3rem; padding: 0.3em 0.5em; border: 1px solid #44444444; border-radius:
5px; outline: none; min-width: 200px;
font-size: 1.3rem;
}

```

```

.traditionalLoginContainer .loginButton
{ background-color: #0070f3;
font-size: 1.6rem; padding:
0.2em 0.8em; color: white;
margin: 0.4rem; border: none;
border-radius: 5px;
cursor: pointer;
margin-top: 2rem;
}

```

```
.traditionalLoginContainer .loginButton:hover {  
    background-color: #0071f3d6;  
}
```

```
.loginWithFireContainer {  
    display: grid;  
    display: -ms-grid;  
    place-items:  
        center;  
}
```

```
.fire {  
    background-color: #f8f9fa;  
    border: 1px solid #3c404321;  
    border-radius: 4px;  
    color:  
        #3c4043;  
font-family: arial, sans-serif;
```

```
    margin: 11px 4px;  
    padding: 0.4em 0.8em;  
    line-height: 27px;
```

```
    min-width: 54px; text-  
    align: center; cursor:  
    pointer; user-select:  
    none; font-size: 1.3rem;  
    font-weight: 500;
```


```
}
```

```
.hyperLink {  
    text-decoration: none;  
    text-align: center; font-size:  
    1.2rem; color: #0070f3;  
    font-weight: 400;  
}
```

```
@media screen and (max-width: 480px) { .loginContainer { border: none; box-shadow: none; min-width: fit-  
content; min-width: -moz-fit-content; min-width: -webkit-fill-available; padding: 1rem;
```

```
}
```

```
}
```

✓ DASHBOARD:

HTML:

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
  <meta charset="UTF-8">
```

```
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
```

```
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
  <link rel="stylesheet" href="/css/dashboard.css">
```

```
  <title>Dashboard</title>
```

```
  <script src="/localforage.js"></script>
```

```
</head>
```

```
<body>
```

```
  <div class="wrapper">
```

```
    <div class="header">
```

```
      <span class="heading">Dashboard</span>
```

```
      <span class="right">
```

```

        <span class="username">Hello User</span>

        <span>
            
        </span>
    </span>
</div>

<div class="actionCenter">
    <div class="action">
        <span>Create Child Card</span>
    </div>
    <div class="action">
        <span class="logout">Log out</span>
    </div>
</div>

<div class="childCardContainer">
    <div class="childCard">
        <div class="childCardHeader">
            <span>Child Name</span>
            <span>Age 12</span>
        </div>
        <div class="actions">
            <span>View</span>
            <span>GeoFence</span>
        </div>
    </div>
</div>
</div>

<script>
    async function main() {
        let userData = await localStorage.getItem('userData')

        if(userData == null) {
            window.location.href = "/login"
        }
    }

```

```

        document.querySelector(".username").innerHTML = `Hello ${userData.firstName}`

        document.querySelector(".profilePic").src = userData.profilePic
    }
main()

    document.querySelector(".logout").addEventListener("click", async () => {

        await localStorage.setItem('userData', null)

        window.location.href = "/login"


    })

</script>

</body>

</html>

```



CSS:

html, body { margin:

0;

padding: 0;

font-family: system-ui, -apple-system, BlinkMacSystemFont, 'Segoe UI', Roboto, Oxygen, Ubuntu, Cantarell, 'Open Sans', 'Helvetica Neue', sans-serif;

}

.wrapper { display: flex;

flex-direction: column;

height: 100vh; margin:

0 auto;

}

```
.header { display: flex; justify-
  content: space-between; align-
  items: center;
  padding: 1rem;
  background-color: #f1f1f1;
}

.heading {
  font-size: 1.3rem;
}

.right {
  display: flex;
  align-items: center;
  gap: 0.5rem;
}

.actionCenter { display:
  flex;    justify-content:
  flex-end;  align-items:
  center;  gap: 1rem;
  padding: 0.5rem 0;
}

.actionCenter .action { padding:
  0.5rem 0.8rem; border: 1px
  solid #44444444; border-
  radius: 12px; margin-right:
  0.5rem; cursor: pointer;
}

.actionCenter .action:hover {
  background-color: #0070f3;
  color: white;
}

.childCardContainer {
  display: flex; flex-
  wrap: wrap; padding:
  0.5rem 1rem;
}

.childCardContainer .childCard {
  display: flex; flex-direction:
```

```
column; border: 1px solid
#44444444; border-radius:
12px;
max-width: 300px;
font-size: 1.4rem;
}
```

```
.childCardContainer .childCard .childCardHeader { display:
flex;
gap: 3rem;
margin: 0.1rem 0.1rem 0.8rem;
padding: 1rem 0.8rem 0;
}
```

```
.childCardContainer .childCard .actions {
background-color: #0070f3; padding:
2rem 0.5rem 1rem; color: white;
display: flex;
justify-content: space-around; border-
radius: 12px;
border-top-left-radius: 0;
border-top-right-radius: 0;
}
```

```
.childCardContainer .childCard .actions span {
border: 1px solid #0070f3; background-
color: white; color: #0070f3; padding: 0.3rem
0.9rem; border-radius: 12px;
cursor: pointer;
}
```

      Language HTML,JS,C  

```
index.html
75     margin: 0.1rem 0.1rem 0.8rem;
76     padding: 1rem 0.8rem 0;
77 }
78
```

input

```
html, body { margin: 0; padding: 0; font-family: system-ui, -apple-system, BlinkMacSystemFont, 'Segoe UI', Roboto, Oxygen, Ubuntu, Cantarell, 'Open Sans', 'Helvetica Neue', sans-serif; }
.wrapper { display: flex; flex-direction: column; height: 100vh; margin: 0 auto; }
.header { display: flex; justify-content: space-between; align-items: center; padding: 1rem; background-color: #f1f1f1; }
.heading { font-size: 1.3rem; }
.right { display: flex; align-items: center; gap: 0.5rem; }
.actionCenter { display: flex; justify-content: flex-end; align-items: center; gap: 1rem; padding: 0.5rem 0; }
.actionCenter .action { padding: 0.5rem 0.8rem; border: 1px solid #44444444; border-radius: 12px; margin-right: 0.5rem; cursor: pointer; }
.actionCenter .actionhover { background-color: #0070f3; color: white; }
.childCardContainer { display: flex; flex-wrap: wrap; padding: 0.5rem 1rem; }
.childCardContainer .childCard { display: flex; flex-direction: column; border: 1px solid #44444444; border-radius: 12px; max-width: 300px; font-size: 1.4rem; }
.childCardContainer .childCard .childCardHeader { display: flex; gap: 3rem; margin: 0.1rem 0.1rem 0.8rem; padding: 1rem 0.8rem 0; }
.childCardContainer .childCard .actions { background-color: #0070f3; padding: 2rem 0.5rem 1rem; color: white; display: flex; justify-content: space-around; border-radius: 12px; border-top-left-radius: 0; border-top-right-radius: 0; }
.childCardContainer .childCard .actions span { border: 1px solid #0070f3; background-color: white; color: #0070f3; padding: 0.3rem 0.9rem; border-radius: 12px; cursor: pointer; }
```