

## PROJECT DEVELOPMENT PHASE

### SPRINT 3

Date	15 November 2022
Team ID	PNT2022TMID34419
Project Name	Inventory Management System for Retailers

### SEARCH PRODUCT:

#### Search Product.html

```
<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="UTF-8">
  <title> Inventory Managment System - Search Product </title>
  <link rel="stylesheet" href="{{ url_for('static',filename='search.css')
  }}">
  <script src="https://kit.fontawesome.com/b99e675b6e.js"></script>
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-
  beta3/dist/css/bootstrap.min.css" rel="stylesheet" />

  <link rel="stylesheet"
  href="https://cdnjs.cloudflare.com/ajax/libs/font-
  awesome/5.15.3/css/all.min.css" />
  <link rel="stylesheet" href="{{ url_for('static',filename='dash.css')
  }}" />
</head>

<body>

  <div class="d-flex" id="wrapper">
    <!-- Sidebar -->
    <div class="bg-white" id="sidebar-wrapper">
      <div class="sidebar-heading text-center py-4 primary-text fs-4
  fw-bold text-uppercase border-bottom"><i
  class="fas fa-shopping-bag"></i> &nbsp; Fruit
  Shop</div>
      <div class="list-group list-group-flush my-3">
        <div>
          <a href="{{ url_for('dashboard') }}" class="list-
  group-item list-group-item-action bg-transparent second-text "><i
  class="fas fa-tachometer-alt me-
  2"></i>Dashboard</a>
          <a href="{{ url_for('addproduct') }}"
  class="list-group-item list-group-item-action bg-
  transparent second-text fw-bold"><i
```

```

class="fas fa-project-diagram me-2"></i>Add
Product</a>
    <a href="{{ url_for('searchproduct') }}"class="list-
group-item list-group-item-action bg-transparent second-text fw-bold
active"><i
class="fas fa-chart-line me-2"></i>Search
Product</a>
    <a href="{{ url_for('minimum') }}" class="list-group-
item list-group-item-action bg-transparent second-text fw-bold"><i
class="fas fa-paperclip me-2"></i>Minimun
Quantity</a>
    <a href="{{ url_for('billing') }}"
class="list-group-item list-group-item-action bg-
transparent second-text fw-bold"><i
class="fas fa-gift me-2"></i>Generate Bill</a>
    <a href="{{ url_for('viewbill') }}"
class="list-group-item list-group-item-action bg-
transparent second-text fw-bold"><i
class="fas fa-gift me-2"></i>View Bill</a>
</div>
<div>
    <a href="{{ url_for('home') }}"
class="list-group-item list-group-item-action
bg-transparent text-danger fw-bold "><i
class="fas fa-power-off me-
2"></i>Logout</a>
</div>
</div>
<!-- /#sidebar-wrapper -->

<!-- Page Content -->
<div id="page-content-wrapper">
    <nav class="navbar navbar-expand-lg navbar-light bg-transparent
py-4 px-4">
        <div class="d-flex align-items-center">
            <i class="fas fa-align-left primary-text fs-4 me-3"
id="menu-toggle"></i>
            <h2 class="fs-2 m-0"></h2>
        </div>

        <button class="navbar-toggler" type="button" data-bs-
toggle="collapse"
            data-bs-target="#navbarSupportedContent" aria-
controls="navbarSupportedContent"
            aria-expanded="false" aria-label="Toggle navigation">
            <span class="navbar-toggler-icon"></span>
        </button>

        <div class="collapse navbar-collapse"
id="navbarSupportedContent">

            </div>
        </nav>

        <div class="container mt-5">
            <form method="POST" action="">
                <div class="search_box w-50 m-auto">
                    <button class="search_btn" type="submit"><i class="fas
fa-search"></i></button>

```

```
        <input type="text" class="input_search" name="search"
placeholder="search product?">
```

```
    </div>
```

```
</form>
```

```
    <div class="row my-5 card">
```

```
        <h3 class="mt-3 mb-5 text-center">Product</h3>
```

```
        <table class="table bg-white rounded shadow-sm table-
hover text-center" cellspacing="0" width="100%">
```

```
            <thead>
```

```
                <tr>
```

```
                    <th scope="col">Product</th>
```

```
                    <th scope="col">Quantity<small>
&nbsp;   (kg)</small></th>
```

```
                </tr>
```

```
            </thead>
```

```
            <tbody>
```

```
                {% if product %}
```

```
                <tr>
```

```
                    <td>{{product['PRODUCT']}}</td>
```

```
                    <td>{{product['STOCK']}}</td>
```

```
                </tr>
```

```
                {% else %}
```

```
                <tr>
```

```
                    <td colspan='2'>no data</td>
```

```
                </tr>
```

```
                {% endif %}
```

```
            </tbody>
```

```
        </table>
```

```
    </div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-
beta3/dist/js/bootstrap.bundle.min.js"></script>
```

```
<script>
```

```
    var el = document.getElementById("wrapper");
```

```
    var toggleButton = document.getElementById("menu-toggle");
```

```
    toggleButton.onclick = function () {
```

```
        el.classList.toggle("toggled");
```

```
    };
```

```
</script>

</body>

</html>
```

## Search Product.css

```
@import
url('https://fonts.googleapis.com/css2?family=Poppins:wght@200;300;400;500;
600;700&display=swap');

*{
    margin: 0;
    padding: 0;
    box-sizing: border-box;
    font-family: 'Montserrat', sans-serif;
}

body{
    background: #e0dbef;
}

.search_box{
    background: #ffffff;
    position: relative;
    padding: 15px;
    border-radius: 50px;
    display: flex;
}

.search_box .search_btn{
    width: 50px;
    height: 50px;
    border-radius: 50%;
    background: linear-gradient(135deg, #71b7e6, #9b59b6);
    display: flex;
    justify-content: center;
    align-items: center;
    color: #fff;
    margin-right: 15px;
    cursor: pointer;
}

.search_box .input_search{
    outline: none;
    border: 0;
    background: linear-gradient(135deg, #71b7e6, #9b59b6);
    border-radius: 50px;
    padding: 15px 20px;
    width: 500px;
    height: 50px;
    color: #fff;
}

::placeholder {
```

```

    color: #fff;
}

::-webkit-input-placeholder {
    color: #fff;
}

:-ms-input-placeholder {
    color: #fff;
}

table{
    width: 400px;
}
th{
    text-align: center;
}
table, th, td{
    border: 1px solid #000;
}

.centre{
    margin-left: auto;
    margin-right: auto;
    text-align: center;
}

#sidebar-wrapper {
    min-height: 100vh;
    margin-left: -15rem;
    -webkit-transition: margin 0.25s ease-out;
    -moz-transition: margin 0.25s ease-out;
    -o-transition: margin 0.25s ease-out;
    transition: margin 0.25s ease-out;
}

#sidebar-wrapper .sidebar-heading {
    padding: 0.875rem 1.25rem;
    font-size: 1.2rem;
}

#sidebar-wrapper .list-group {
    width: 15rem;
}

#page-content-wrapper {
    min-width: 100vw;
}

#wrapper.toggled #sidebar-wrapper {
    margin-left: 0;
}

#menu-toggle {
    cursor: pointer;
}

.list-group-item {
    border: none;
}

```

```

padding: 20px 30px;
}

.list-group-item.active {
background-color: transparent;
color: var(--main-text-color);
font-weight: bold;
border: none;
}


@media (min-width: 768px) {
#sidebar-wrapper {
margin-left: 0;
}

#page-content-wrapper {
min-width: 0;
width: 100%;
}

#wrapper.toggled #sidebar-wrapper {
margin-left: -15rem;
}
}

```

## OUTPUT SCREENSHOT



## MINIMUM QUALITY LIST

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title> Inventory Managment System - Minimum Quantity </title>

  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-
beta3/dist/css/bootstrap.min.css" rel="stylesheet" />
  <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-
beta3/dist/css/bootstrap.min.css" rel="stylesheet" />
  <link rel="stylesheet" href="{{ url_for('static',filename='dash.css')
}}" />
</head>
<body>

  <div class="d-flex" id="wrapper">
    <!-- Sidebar -->
    <div class="bg-white" id="sidebar-wrapper">
      <div class="sidebar-heading text-center py-4 primary-text fs-4
fw-bold text-uppercase border-bottom"><i
class="fas fa-shopping-bag"></i> &nbsp; Fruit
Shop</div>
      <div class="list-group list-group-flush my-3">
        <div>
          <a href="{{ url_for('dashboard') }}" class="list-
group-item list-group-item-action bg-transparent second-text "><i
class="fas fa-tachometer-alt me-
2"></i>Dashboard</a>
          <a href="{{ url_for('addproduct') }}"
class="list-group-item list-group-item-action bg-
transparent second-text fw-bold"><i
class="fas fa-project-diagram me-2"></i>Add
Product</a>
          <a href="{{ url_for('searchproduct') }}"class="list-
group-item list-group-item-action bg-transparent second-text fw-bold"><i
class="fas fa-chart-line me-2"></i>Search
Product</a>
          <a href="{{ url_for('minimum') }}" class="list-group-
item list-group-item-action bg-transparent second-text fw-bold active"><i
class="fas fa-paperclip me-2"></i>Minimun
Quantity</a>
          <a href="{{ url_for('billing') }}"
class="list-group-item list-group-item-action bg-
transparent second-text fw-bold"><i
class="fas fa-gift me-2"></i>Generate Bill</a>
          <a href="{{ url_for('viewbill') }}"
class="list-group-item list-group-item-action bg-
transparent second-text fw-bold"><i
class="fas fa-gift me-2"></i>View Bill</a>
        </div>
        <div>
          <a href="{{ url_for('home') }}"
class="list-group-item list-group-item-action
bg-transparent text-danger fw-bold "><i
```

```

                class="fas fa-power-off me-
2"></i>Logout</a>
            </div>
        </div>
    </div>
    <!-- /#sidebar-wrapper -->

    <!-- Page Content -->
    <div id="page-content-wrapper">
        <nav class="navbar navbar-expand-lg navbar-light bg-transparent
py-4 px-4">
            <div class="d-flex align-items-center">
                <i class="fas fa-align-left primary-text fs-4 me-3"
id="menu-toggle"></i>
            </div>

            <button class="navbar-toggler" type="button" data-bs-
toggle="collapse"
                data-bs-target="#navbarSupportedContent" aria-
controls="navbarSupportedContent"
                aria-expanded="false" aria-label="Toggle navigation">
                <span class="navbar-toggler-icon"></span>
            </button>

            <div class="collapse navbar-collapse"
id="navbarSupportedContent">

                </div>
            </nav>

            <div class="container">
                <div class="card p-3 row my-5">
                    <h3 class="fs-4 mb-3 text-center">Minimum Quantity
List</h3>
                    <div class="col">
                        <table class="table bg-white rounded shadow-sm
table-hover table-bordered text-center">
                            <thead>
                                <tr>

                                    <th scope="col">Product</th>
                                    <th scope="col">Min. Quantity</th>
                                    <th scope="col">Present Quantity</th>

                                </tr>
                            </thead>
                            <tbody>
                                {% for i in datas %}
                                <tr>

                                    <td>{{i['product']}}</td>
                                    <td>{{i['alert']}}</td>
                                    <td>{{i['stock']}}</td>

                                </tr>

                                {% endfor %}

                            </tbody>
                        </table>

```



```

        </div>
    </div>
</div>
</div>
</div>
<!-- /#page-content-wrapper -->


<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-
beta3/dist/js/bootstrap.bundle.min.js"></script>
<script>
    var el = document.getElementById("wrapper");
    var toggleButton = document.getElementById("menu-toggle");

    toggleButton.onclick = function () {
        el.classList.toggle("toggled");
    };
</script>

</body>
</html>

```

## OUTPUT SCREENSHOT



#	Product	Min. Quantity	Present Quantity
1	pomegranate	5	5
2	papaya	5	2
3	dragon fruit	5	5
4	orange	5	4
5	pineapple	5	1