
ASSIGNMENT-3

1. Create a Bucket in IBM object storage.



2.Upload an 5 images to ibm object storage and make it public. write html code to displaying all the 5 images.

```
HTML CODE:
<doctype html>
<html lang="en">
 <head>
  <!-- Required meta tags -->
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width,</pre>
initial-scale=1, shrink-to-fit=no">
  <!-- Bootstrap CSS -->
  link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@4.3.1/dist/css/bo
otstrap.min.css" integrity="sha384-
ggOyR0iXCbMQv3Xipma34MD+dH/1fQ784/j6cY/iJTQUOh
cWr7x9JvoRxT2MZw1T" crossorigin="anonymous">
  <title>Bucket Images</title>
 </head>
 <body>
  <div class="bd-example">
```

```
<div id="carouselExampleCaptions" class="carousel</pre>
slide" data-ride="carousel">

    class="carousel-indicators">

      slide-to="0" class="active">
      slide-to="1">
      slide-to="2">
     </01>
     <div class="carousel-inner">
      <div class="carousel-item active">
       <img src="https://cloud-object-bucket.s3.us-</pre>
south.cloud-object-storage.appdomain.cloud/pexels-aidan-
roof-2449600.jpg" class="d-block w-100" alt="...">
       <div class="carousel-caption d-none d-md-block">
        <h3>First image from Bucket</h3>
       </div>
      </div>
      <div class="carousel-item">
       <img src="https://cloud-object-bucket.s3.us-</pre>
south.cloud-object-storage.appdomain.cloud/pexels-emre-
keskinol-1718345.jpg" class="d-block w-100" alt="...">
       <div class="carousel-caption d-none d-md-block">
        <h3>Second image from Bucket</h3>
```

```
</div>
       </div>
       <div class="carousel-item">
        <img src="https://cloud-object-bucket.s3.us-</pre>
south.cloud-object-storage.appdomain.cloud/pexels-kaique-
rocha-116021.jpg" class="d-block w-100" alt="...">
        <div class="carousel-caption d-none d-md-block">
         <h3>Third image from Bucket</h3>
        </div>
       </div>
       <div class="carousel-item">
          <img src="https://cloud-object-bucket.s3.us-</pre>
south.cloud-object-storage.appdomain.cloud/pexels-pixabay-
268533.jpg" class="d-block w-100" alt="...">
          <div class="carousel-caption d-none d-md-block">
           <h3>Fourth image from Bucket</h3>
          </div>
        </div>
        <div class="carousel-item">
          <img src="https://cloud-object-bucket.s3.us-</pre>
south.cloud-object-storage.appdomain.cloud/pexels-vishnu-r-
nair-1105666.jpg" class="d-block w-100" alt="...">
```

```
<div class="carousel-caption d-none d-md-block">
           <h3>Fifth image from Bucket</h3>
         </div>
        </div>
      </div>
      <a class="carousel-control-prev"
href="#carouselExampleCaptions" role="button" data-
slide="prev">
       <span class="carousel-control-prev-icon" aria-</pre>
hidden="true"></span>
       <span class="sr-only">Previous</span>
      </a>
      <a class="carousel-control-next"
href="#carouselExampleCaptions" role="button" data-
slide="next">
       <span class="carousel-control-next-icon" aria-</pre>
hidden="true"></span>
       <span class="sr-only">Next</span>
      </a>
     </div>
   </div>
<!-- Optional JavaScript -->
  <!-- jQuery first, then Popper.js, then Bootstrap JS -->
```

<script src="https://code.jquery.com/jquery-</pre>

3.3.1.slim.min.js" integrity="sha384-

q8i/X+965DzO0rT7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abtTE1Pi6jizo" crossorigin="anonymous"></script>

<script

src="https://cdn.jsdelivr.net/npm/popper.js@1.14.7/dist/umd/popper.min.js" integrity="sha384-

UO2eT0CpHqdSJQ6hJty5KVphtPhzWj9WO1clHTMGa3JDZwrnQq4sF86dIHNDz0W1"

crossorigin="anonymous"></script>


<script

src="https://cdn.jsdelivr.net/npm/bootstrap@4.3.1/dist/js/bootstrap.min.js" integrity="sha384-


JjSmVgyd0p3pXB1rRibZUAYoIIy6OrQ6VrjIEaFf/nJGzIxF Dsf4x0xIM+B07jRM" crossorigin="anonymous"></script>

</body>

</html>



3. Upload a css page to the object storage and use the same page in your HTML code



Html code:

doctype html>

<html lang="en">

<head>

<!-- Required meta tags -->

<meta charset="utf-8">

<meta name="viewport" content="width=device-width,
initial-scale=1, shrink-to-fit=no">

<!-- Bootstrap CSS -->

k rel="stylesheet"

href="https://cdn.jsdelivr.net/npm/bootstrap@4.3.1/dist/css/bootstrap.min.css" integrity="sha384-

ggOyR0iXCbMQv3Xipma34MD+dH/1fQ784/j6cY/iJTQUOh cWr7x9JvoRxT2MZw1T" crossorigin="anonymous">

```
<title>Bucket Images</title>
 </head>
 <body>
 <div class="bd-example">
   <div id="carouselExampleCaptions" class="carousel</pre>
slide" data-ride="carousel">

    class="carousel-indicators">

     slide-to="0" class="active">
     slide-to="1">
     slide-to="2">
    </01>
    <div class="carousel-inner">
     <div class="carousel-item active">
      <img src="https://cloud-object-bucket.s3.us-</pre>
south.cloud-object-storage.appdomain.cloud/pexels-aidan-
roof-2449600.jpg" class="d-block w-100" alt="...">
      <div class="carousel-caption d-none d-md-block">
       <h3>First image from Bucket</h3>
```

```
</div>
       </div>
       <div class="carousel-item">
        <img src="https://cloud-object-bucket.s3.us-</pre>
south.cloud-object-storage.appdomain.cloud/pexels-emre-
keskinol-1718345.jpg" class="d-block w-100" alt="...">
        <div class="carousel-caption d-none d-md-block">
         <h3>Second image from Bucket</h3>
        </div>
       </div>
       <div class="carousel-item">
        <img src="https://cloud-object-bucket.s3.us-</pre>
south.cloud-object-storage.appdomain.cloud/pexels-kaique-
rocha-116021.jpg" class="d-block w-100" alt="...">
        <div class="carousel-caption d-none d-md-block">
         <h3>Third image from Bucket</h3>
        </div>
       </div>
       <div class="carousel-item">
         <img src="https://cloud-object-bucket.s3.us-</pre>
south.cloud-object-storage.appdomain.cloud/pexels-pixabay-
268533.jpg" class="d-block w-100" alt="...">
         <div class="carousel-caption d-none d-md-block">
           <h3>Fourth image from Bucket</h3>
```

```
</div>
        </div>
        <div class="carousel-item">
          <img src="https://cloud-object-bucket.s3.us-</pre>
south.cloud-object-storage.appdomain.cloud/pexels-vishnu-r-
nair-1105666.jpg" class="d-block w-100" alt="...">
          <div class="carousel-caption d-none d-md-block">
           <h3>Fifth image from Bucket</h3>
          </div>
        </div>
      </div>
      <a class="carousel-control-prev"
href="#carouselExampleCaptions" role="button" data-
slide="prev">
       <span class="carousel-control-prev-icon" aria-</pre>
hidden="true"></span>
       <span class="sr-only">Previous</span>
      </a>
      <a class="carousel-control-next"
href="#carouselExampleCaptions" role="button" data-
slide="next">
       <span class="carousel-control-next-icon" aria-</pre>
hidden="true"></span>
```

```
<span class="sr-only">Next</span>
     </a>
    </div>
   </div>
  <!-- Optional JavaScript -->
  <!-- ¡Query first, then Popper.js, then Bootstrap JS -->
  <script src="https://code.jquery.com/jquery-</pre>
3.3.1.slim.min.js" integrity="sha384-
q8i/X+965DzO0rT7abK41JStQIAqVgRVzpbzo5smXKp4Yf
RvH+8abtTE1Pi6jizo" crossorigin="anonymous"></script>
  <script
src="https://cdn.jsdelivr.net/npm/popper.js@1.14.7/dist/umd/
popper.min.js" integrity="sha384-
UO2eT0CpHqdSJQ6hJty5KVphtPhzWj9WO1clHTMGa3JD
ZwrnQq4sF86dIHNDz0W1"
crossorigin="anonymous"></script>
  <script
src="https://cdn.jsdelivr.net/npm/bootstrap@4.3.1/dist/js/boot
strap.min.js" integrity="sha384-
JjSmVgyd0p3pXB1rRibZUAYoIIy6OrQ6VrjIEaFf/nJGzIxF
Dsf4x0xIM+B07jRM" crossorigin="anonymous"></script>
 </body></html>
```

4. Design a chatbot using IBM Watson assistant for hospital.

```
Watson.html:
<script>
 window.watsonAssistantChatOptions = {
  integrationID: "9d0a5f39-0354-4b53-bb6a-9f613f1e1a47",
// The ID of this integration.
  region: "us-south", // The region your integration is hosted
in.
  serviceInstanceID: "a07c6916-e370-43e1-b0cc-
0b1bd2d22e0c", // The ID of your service instance.
  onLoad: function(instance) { instance.render(); }
 };
 setTimeout(function(){
  const t=document.createElement('script');
  t.src="https://web-
chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest')
+ "/WatsonAssistantChatEntry.js";
  document.head.appendChild(t);
 });
</script>
```

Watson assistant:

https://web-

<u>chat.global.assistant.watson.appdomain.cloud/preview.html?backgroundImageURL=https%3A%2F%2Fus-</u>


<u>south.assistant.watson.cloud.ibm.com%2Fpublic%2Fimages</u> %2Fupx-a07c6916-e370-43e1-b0cc-

0b1bd2d22e0c%3A%3Ab336f054-71d2-4454-b3ad-

<u>eb199de62b98&integrationID=47eded34-7935-45d5-b453-</u>

1758eaacceb7®ion=us-

south&serviceInstanceID=a07c6916-e370-43e1-b0cc-0b1bd2d22e0c



5. Create Watson assistant service and Load that script in HTML page.

```
<script>
 window.watsonAssistantChatOptions = {
  integrationID: "9d0a5f39-0354-4b53-bb6a-9f613f1e1a47",
// The ID of this integration.
  region: "us-south", // The region your integration is hosted
in.
  serviceInstanceID: "a07c6916-e370-43e1-b0cc-
0b1bd2d22e0c", // The ID of your service instance.
  onLoad: function(instance) { instance.render(); }
 };
 setTimeout(function(){
  const t=document.createElement('script');
  t.src="https://web-
chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest')
+ "/WatsonAssistantChatEntry.js";
  document.head.appendChild(t);
 });
</script>
```

