



CREATING NODE-RED SERVICE

DATE	15 NOVEMBER 2022
TEAM ID	PNT2022TMID486664
PROJECT NAME	Personal Assistances for Senior Citizen Who Are Self-Reliant
MAX MARK	2 Marks





12:26

✕

IBM App Develop...
cloud.ibm.com

IBM Cloud

Q Catalog Manage

Resource list / App details /

Node RED EFCVO 2022-11-14 Add tags

Actions...

Warning
Only one instance of a Lite plan per service is allowed. To create a new service instance, either delete your existing Lite plan service instance, or select a paid plan before continuing. You can also use your existing Lite plan service instance with the application. Incident ID: f3c6176f-af26-437f-ab28-0f53a730c7d3

✕

Details

App URL

You must deploy your app first

Source

<https://us-south.git.cloud.ibm.com/christiya60/NodeREDFCVO2022-11-14>

Resource group

Default

Deployment target

You must deploy your app first

Created

14/11/2022

Services

Cloudant
[Open dashboard](#) [Documentation](#) [API reference](#)
Credentials

Connect existing services

Create service

Deployment Automation

Name

NodeREDFCVO2022-11-14

Location

Dallas

Tool integrations

Delivery Pipelines

Name

pr-pipeline

Status

No stages detected

Name

ci-pipeline

Status

In progress

Getting started quickly

Configuring your app
To connect services and DevOps toolchains to your app:

1. Use the **Services** card to connect a service to your app. Select an existing service instance, or create a new one. [Learn more.](#)
2. If you want to view the code before your app is deployed, click **Download code** to obtain the .zip file.
3. Click **Deploy your app** in the **Deployment Automation** card to select the deployment target and configure the Continuous Delivery service. The deployment begins automatically.
4. After the deployment begins, you can view the status of the deployment, modify your app, view your repo, or view the app's URL.
5. If you make any changes to your app, be sure to deploy it again.

Building, running, and deploying your app locally
To build and run your app locally:

1. Run the `ibmcloud dev code <APPNAME>` command from the IBM Cloud CLI.
[Learn more.](#)
2. Run the following commands in a local development container from the app directory:

```
ibmcloud dev build  
ibmcloud dev run  
ibmcloud dev deploy
```

ASK A QUESTION

12:35

IBM App Develop...
cloud.ibm.com

IBM Cloud

Q Catalog Manage

Resource list / App details /

Node RED EFCVO 2022-11-14 Add tags

Actions...

Warning
Only one instance of a Lite plan per service is allowed. To create a new service instance, either delete your existing Lite plan service instance, or select a paid plan before continuing. You can also use your existing Lite plan service instance with the application. Incident ID: f3c6176f-af26-437f-ab28-0f53a730c7d3

Details

App URL

You must deploy your app first

Source

<https://us-south.git.cloud.ibm.com/christiya60/NodeREDEFCVO2022-11-14>

Resource group

Default

Deployment target

You must deploy your app first

Created

14/11/2022

Services

Cloudant

[Open dashboard](#) [Documentation](#) [API reference](#)

Credentials

Connect existing services

Create service

Deployment Automation

Getting started quickly

Name

NodeREDEFCVO2022-11-14

Location

Dallas

Tool integrations

Delivery Pipelines

Name

pr-pipeline [Link](#)

Status

No stages detected [Link](#)

Name

ci-pipeline [Link](#)

Status

Success [Link](#)

Configuring your app
To connect services and DevOps toolchains to your app:


1. Use the **Services** card to connect a service to your app. Select an existing service instance, or create a new one. [Learn more.](#) [Link](#)
2. If you want to view the code before your app is deployed, click **Download code** to obtain the .zip file.
3. Click **Deploy your app** in the **Deployment Automation** card to select the deployment target and configure the Continuous Delivery service. The deployment begins automatically.
4. After the deployment begins, you can view the status of the deployment, modify your app, view your repo, or view the app's URL.
5. If you make any changes to your app, be sure to deploy it again.

Building, running, and deploying your app locally
To build and run your app locally:

1. Run the `ibmcloud dev code <APPNAME>` command from the IBM Cloud CLI. [Learn more.](#) [Link](#)
2. Run the following commands in a local development container from the app directory:

```
ibmcloud dev build  
ibmcloud dev run  
ibmcloud dev deploy
```

ASK A QUESTION



12:37

Resource list - IB...
cloud.ibm.com


IBM Cloud

Q Catalog Manage

Resource list

Create resource +

Name	Group	Location	Product	Status
Filter by name or IP address... Filter by group or type... Filter... Filter... Filter...				
Compute (0)				
Containers (2)				
febkugskszqlfmxdkmkzg...	Default	Dallas	Container Registry	—
mycluster-free	Default	Frankfurt	Kubernetes Service	Normal
Networking (0)				
Storage (0)				
AI / Machine Learning (0)				
Analytics (0)				
Blockchain (0)				
Databases (1)				
node-red-qplkx-2022---clo...	Default	London	Cloudant	Active
Developer tools (8)				
Continuous Delivery	Default	Dallas	Continuous Delivery	Active
Node RED AEYMU 2022-11...	Default	Global	Cloud Application	—
Node RED EFCVO 2022-11...	Default	Global	Cloud Application	—
Node RED EVAFR 2022-11...	Default	Global	Cloud Application	—
Node RED QPLKX 2022-1...	Default	Global	Cloud Application	—
Node RED ZMSMD 2022-1...	Default	Global	Cloud Application	—
NodeREDEFCVO2022-11-...	Default	Dallas	Toolchain	—
NodeREDQPLKX2022-11-...	Default	Dallas	Toolchain	—
Logging and monitoring (0)				
Migration (0)				
Integration (0+)				
Internet of Things (0)				
Security (0)				
Mobile (0)				
Other (0+)				



We created Node red service service.