## **ASSIGNMENT-1**

Assignment Date	01-11-2022
Student Name	JANA SHRUTHI M
Student Roll Number	7117191043034
Team ID	PNT2022TMID31596

1. Create registration page in html with username, email and phone number and by using POST method display it in the next html page.

## Program:

```
App.py
from flask import Flask, redirect, url for, request
app=Flask(_name_)
@app.route('/success/<string:name>/<string:ml>/<string:pnm>') def
success(name,ml,pnm):
 return "Welcome" + name +" !! <br><br> Your mail id is "+ml+" <br>>Your phonenumber is
"+pnm
@app.route('/login',methods=['POST'])def
login():
 if request.method=='POST':
   user=request.form['username']
   mailid=request.form['email']
   phnum=request.form['pn']
 return redirect(url for('success',name=user,ml=mailid,pnm=phnum))
if___name__=='__main___':
 app.run(debug=True)
Login.html
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <meta http-equiv="X-UA-Compatible" content="ie=edge">
  <title>Welcome </title>
  <link rel="stylesheet" href="index.css">
  <style>
</style>
</head>
<body>
     <div class="box">
          <h2>Sign in</h2>
          <br>
```


```
<form action="http://127.0.0.1:5000/login" method="POST">
```

```
<label>User Name :</label>
                                              <input type="text" name="username"/>
                                              <br><br><
                                             <label>Email Id:</label>
                                             <input type="email" name="email"/>
                                              <br><br><
                                             <a href="mailto:</a> <a href="mailto:label">label</a> <a href="mailto:label">Phone Number:</a> <a href="mailto:label">label</a> <a href="mailto:label">Phone Number:</a> <a href="mailto:label">label</a> <a href="mailto:label">label<
                                             <input type="pn" name="pn"/>
                                              <br><br>>
                                              <input type="submit" value="submit">
                                    </form>
                                </div>
</body>
</html>
  Style.css
  body {
           margin: 0;
           padding: 0;
           background-size: cover;
           font-family: sans-serif;
  }
  .box {
           position: absolute;
           top: 50%;
           left: 50%;
           transform: translate(-50%, -50%);
           width: 25rem;
           padding: 2.5rem;
           box-sizing: border-box;
           border: 1px solid #eb8e15;
           -webkit-border-radius: 8px;
           border-radius: 8px;
  }
  .box h2 {
           margin: 0px 0 -0.125rem;
           padding: 0;
           color: rgb(245, 190, 9);
           text-align: center;
           color: #f1ac15;
           font-family: 'Google Sans', 'Noto Sans Myanmar UI', arial, sans-serif;
           font-size: 24px;
           font-weight: 400;
  }
  .box p {
```

```
font-size: 16px;
  font-weight: 400;
  color: #f1ac15;
  letter-spacing: .1px;
  line-height: 1.5;
  margin-bottom: 25px;
  text-align: center;
}
.box .inputBox
  { position:
  relative;
}
.box .inputBox input
  {width: 93%;
  padding: 0.625rem 10px;
  font-size: 1rem;
  letter-spacing: 0.062rem;
  margin-bottom: 1.875rem;
  border: 1px solid rgb(204, 204, 204);
  background: transparent;
  border-radius: 4px;
}
.box .inputBox label
             position:
  absolute;top: 0;
  left: 10px;
  padding: 0.625rem 0;
  font-size: 1rem;
  color: rgb(243, 157, 28);
  pointer-events: none;
  transition: 0.5s;
}
.box .inputBox input:focus~label,
.box .inputBox input:valid~label,
.box .inputBox input:not([value=""])~label
  {top: -1.125rem;
  left: 10px;
  color: #e8a01a;
  font-size: 0.75rem;
  background-color: white;
  height: 10px;
  padding-left: 5px;
  padding-right: 5px;
}
.box .inputBox input:focus
  {outline: none;
  border: 2px solid #e87e1a;
}
.box input[type="submit"] {
```

```
border: none;
outline: none;
color: #fff;
background-color: #e8961a;
padding: 0.625rem 1.25rem;
cursor: pointer;
border-radius: 0.312rem;
font-size: 1rem;
float: right;
}

.box input[type="submit"]:hover
{background-color: #eccc13;
box-shadow: 0 1px 1px 0 rgba(66, 133, 244, 0.45), 0 1px 3px 1px rgba(66, 133, 244, 0.3);
}
```



## 2.Develop a flask program which should contain at least 5 packages used from pypi.org

```
index.html:
<!DOCTYPEhtml>
<html>
<head>
<title>PageTitle</title>
{%blockhead%}{% endblock%}
linkhref="https://cdn.jsdelivr.net/npm/bootstrap@5.2.1/dist/css/bootstrap.
min.css"
rel="stylesheet" integrity="sha384-
iYQeCzEYFbKjA/T2uDLTpkwGzCiq6soy8tYal1GyVh/UjpbCx/TYkiZhlZB6+fzT"cro
ssorigin="anonymous">
<scriptsrc="https://cdn.jsdelivr.net/npm/bootstrap@5.2.1/dist/js/bootstrap.b</pre>
undle.min.js"
integrity="sha384-
u1OknCvxWvY5kfmNBILK2hRnQC3Pr17a+RTT6rlHI7NnikvbZlHgTPOOmMi4
66C8"crossorigin="anonymous">
</script>
</head>
<body><ahref="/">HOME</a>
<ahref="/Blog">BLOG</a>
<ahref="/Signin">SIGNIN</a>
<ahref="/Signup">SIGNUP</a>
<hr><br>
<divclass="container">
{%blockbody%}{%endblock%}
</div>
</body>
</html>
blog.html:
{%extends'base.html'%}
{%blockhead%}
<title>BlogPage</title>
```

```
{%endblock%}
{%blockbody%}
<h1>ThisisSamleBlog</h1>
<h2>Hello,fromMr.X</h2>
{%endblock%}
index.html:
{%extends'base.html'%}
{%blockhead%}
<title>HomePage</title>
{%endblock%}
{%blockbody%}
<h1>Helloeveryone,</h1>
<divclass="p-5mb-4bg-lightrounded-3">
<divclass="container-fluidpy-5">
<h1class="dispay-5fw-bold">WIFITECHNOLOGY<h1>
<pclass="col-md-8fs-4">Kubernetes (also known as k8s or "kube") is an open source
container orchestration platform that automates many of the manual processes involved in
deploying, managing, and scaling containerized applications. 
</div></div>
{%endblock%}
signup.html:
{%extends'base.html'%}
{%blockhead%}
<title>SignupPage</title>
{%endblock%}
{%blockbody%}
<h1>SignupPage</h1>
<formaction="Signup"method="POST">
<label>Name</label><br>
<inputtype="text"name="name"><br><br>
<label>Email</label><br>
<inputtype="email"name="email"><br><br>
<label>Phone</label><br>
<inputtype="text"name="phone"><br><br>
```

<label>Password</label><br>

```
<inputtype="password"name="name"><br><br>
<label>RetypePassword/label><br>
<inputtype="password"name="name"><br><br><br>
<inputtype="submit"class="btnbtn-primary">
</form>
{%endblock%}
signin.html:
{%extends'base.html'%}
{%blockhead%}
<title>SigninPage</title>
{%endblock%}
{%blockbody%}
<h1>SigninPage</h1>
<formaction="/Signin"method="POST">
<label>Email</label><br><inputtype="email"name="email"><br><br></ri>
<label>password</label><br>
<inputtype="password"name="name"><br><br>
 <inputtype="submit"class="btnbtn-primary">
</form>
{%endblock%}
app.py:
from flask import Flask, render_template
app = Flask(__name__)
@app.route('/',methods=["GET","POST"])
def index():
   return render_template('index.html')
@app.route('/Blog')
def blog():
   return render_template('blog.html')
 @app.route('/Signup')
```

```
def signup():
    return render_template('signup.html')
@app.route('/Signin')
def signin():
    return render_template('signin.html')
if __name__=='__main__':
    app.run(debug=True)
```