

Assignment -3

Assignment Date	01-11-2022
Student Name	MUKESHWARAN D
Student Roll Number	711719104306
Team ID	PNT2022TMID31596

Create a bucket in IBM object storage:

The screenshot displays the IBM Cloud Object Storage management console. The left sidebar shows the navigation menu with 'Buckets' selected. The main panel shows the 'Buckets' page with a table of existing buckets. One bucket, 'assignment3ibmcloudobject', is listed with public access, located in 'us-east' using 'Smart Tier' storage class, created on 2022-11-07 at 4:03 PM. Below this, the 'Objects' tab is active, showing a warning that all objects have public view access. A list of objects is displayed, including 'business-... i2_1920.jpg', 'cookie-the-pom...qs-unsplash.jpg', 'erick-cerritos-...YA-unsplash.jpg', 'joshua-woronie...z9c-unsplash.jpg', and 'office-g8... 4_1920.jpg'. Each object entry shows its size and last modified date.

Name	Public access	Location	Storage class	Created
assignment3ibmcloudobject	Yes	us-east	Smart Tier	2022-11-07 4:03 PM

Object name	Archived	Size	Last modified
business-... i2_1920.jpg		385.6 KB	2022-11-07 4:05 PM
cookie-the-pom...qs-unsplash.jpg		1.1 MB	2022-11-07 4:05 PM
erick-cerritos-...YA-unsplash.jpg		1.5 MB	2022-11-07 4:05 PM
joshua-woronie...z9c-unsplash.jpg		1.4 MB	2022-11-07 4:06 PM
office-g8... 4_1920.jpg		296.7 KB	2022-11-07 4:05 PM

Index.html:

```
<!DOCTYPE html>
<html>
```

```
<head>
```

```
<meta name="viewport" content="width=device-width, initial-scale=1">
```

```
<style>
* {
  box-sizing: border-box
}

body {
  background-color: darkgray;
  font-family: Verdana, sans-serif;
  margin: 0
}

.codrops-top {
  line-height: 24px;
  font-size: 11px;
  background: rgba(255, 255, 255, 0.4);
  text-transform: uppercase;
  z-index: 9999;
  position: relative;
  box-shadow: 1px 0px 2px rgba(0, 0, 0, 0.2);
}

.codrops-top a {
  padding: 0px 10px;
  letter-spacing: 1px;
  color: #333;
  text-shadow: 0px 1px 1px #fff;
  display: block;
  float: left;
}

.codrops-top a:hover {
  background: #fff;
}

.codrops-top span.right {
  float: right;
}

.codrops-top span.right a {
  float: left;
  display: block;
}

.codrops-demos {
  text-align: center;
  display: block;
  line-height: 30px;
  padding: 5px 0px 15px 0px;
  border-bottom: 1px solid rgba(255, 255, 255, 0.4);
}

.codrops-demos a {
  display: inline-block;
  margin: 0px 4px;
  padding: 0px 4px;
  color: #fff;
  line-height: 20px;
```

```

font-style: italic; font-size: 13px; border-radius: 3px;
background: rgba(103, 59, 77, 0.1);
-webkit-transition: all 0.2s linear;
-moz-transition: all 0.2s linear;
-o-transition: all 0.2s linear;
-ms-transition: all 0.2s linear;
transition: all 0.2s linear;
}

.codrops-demos a:hover {
    background: rgba(103, 59, 77, 0.4);
}

.codrops-demos a.current-demo,
.codrops-demos a.current-demo:hover {
    background: rgba(103, 59, 77, 0.4);
}

.mySlides {
    display: none
}

img {
    vertical-align: middle;
}
/* Slideshow container */

.slideshow-container {
    max-width: 1000px;
    position: relative;
    margin: auto;
}
/* Next & previous buttons */

.prev,
.next {
    cursor: pointer;
    position: absolute;
    top: 50%;
    width: auto;
    padding: 16px;
    margin-top: -22px;
    color: white;
    font-weight: bold;
    font-size: 18px;
    transition: 0.6s ease;
    border-radius: 0 3px 3px 0;
    user-select: none;
}
/* Position the "next button" to the right */

.next {
    right: 0;
    border-radius: 3px 0 0 3px;
}
/* On hover, add a black background color with a little bit see-through */

```

```

.prev:hover,
.next:hover {
    background-color: rgba(0, 0, 0, 0.8);
}
/* Caption text */

.text {
    color: #f2f2f2;
    font-size: 15px;
    padding: 8px 12px;
    position: absolute;
    bottom: 8px;
    width: 100%;
    text-align: center;
}
/* Number text (1/3 etc) */

.numbertext {
    color: #f2f2f2;
    font-size: 12px;
    padding: 8px 12px;
    position: absolute;
    top: 0;
}
/* The dots/bullets/indicators */

.dot {
    cursor: pointer;
    height: 15px;
    width: 15px;
    margin: 0 2px;
    background-color: #bbb;
    border-radius: 50%;
    display: inline-block;
    transition: background-color 0.6s ease;
}

.active,
.dot:hover {
    background-color: #717171;
}
/* Fading animation */

.fade {
    animation-name: fade;
    animation-duration: 1.5s;
}

@keyframes fade {
    from {
        opacity: .4
    }
    to {
        opacity: 1
    }
}
/* On smaller screens, decrease text size */

```

```

    @media only screen and (max-width: 300px) {
        .prev,
        .next,
        .text {
            font-size: 11px
        }
    }
</style>

</head>

<body>
    <div class="container">
        <center><h1>IMAGE IMPORT FROM CLOUD OBJECT STORAGE </h1></center>

        </div>
        <br>
        <br>
        <div class="slideshow-container">

            <div class="mySlides fade">
                <div class="numbertext">1 / 8</div>
                
                <div class="text">
                    <p style="color:black;"><b>IMAGE1</b></p>
                </div>
            </div>

            <div class="mySlides fade">
                <div class="numbertext">2 / 8</div>
                
                <div class="text">
                    <p style="color:black;"><b>IMAGE2</b></p>
                </div>
            </div>

            <div class="mySlides fade">
                <div class="numbertext">3 / 8</div>
                
                <div class="text">
                    <p style="color:black;"><b>IMAGE3</b></p>
                </div>
            </div>
            <div class="mySlides fade">
                <div class="numbertext">4 / 8</div>
                
                <div class="text">
                    <p style="color:black;"><b>IMAGE4</b></p>
                </div>
            </div>
        </div>
    </body>
</html>

```

```

</div>
<div class="mySlides fade">
  <div class="numbertext">5 / 8</div>
  
  <div class="text">
    <p style="color:black;"><b>IMAGE5</b></p>
  </div>
</div>

```

```

<a class="prev" onclick="plusSlides(-1)"><</a>
<a class="next" onclick="plusSlides(1)">>>/a>

```

```

</div>
<br>

```

```

<div style="text-align:center">
  <span class="dot" onclick="currentSlide(1)"></span>
  <span class="dot" onclick="currentSlide(2)"></span>
  <span class="dot" onclick="currentSlide(3)"></span>
  <span class="dot" onclick="currentSlide(4)"></span>
  <span class="dot" onclick="currentSlide(5)"></span>

```

```

</div>

```

```

<script>
  let slideIndex = 1;
  showSlides(slideIndex);


  function plusSlides(n) {
    showSlides(slideIndex += n);
  }

  function currentSlide(n) {
    showSlides(slideIndex = n);
  }


  function showSlides(n) {
    let i;
    let slides = document.getElementsByClassName(" mySlides ");
    let dots = document.getElementsByClassName("dot ");
    if (n > slides.length) {
      slideIndex = 1
    }
    if (n < 1) {
      slideIndex = slides.length
    }
    for (i = 0; i < slides.length; i++) {
      slides[i].style.display = "none ";
    }
    for (i = 0; i < dots.length; i++) {
      dots[i].className = dots[i].className.replace(" active ", " ");
    }
    slides[slideIndex - 1].style.display = "block ";
    dots[slideIndex - 1].className += " active ";
  }

```

</html>







4. Design a chatbot using IBM Watson assistant for hospital. Ex: User comes with query to know the branches for that hospital in your city. Submit the web URL of that chat bot as an assignment.

Index.html:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>IBM Watson Assistant</title>
  <link rel="preconnect" href="https://fonts.googleapis.com">
  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
  <link
    href="https://fonts.googleapis.com/css2?family=Poppins:ital,wght@0,100;0,200;0,400;1,200;1,300&
    display=swap" rel="stylesheet">
  <link rel="stylesheet" href="style.css"/>

  <!-- Script for IBM Watson Assistant-->
  <script>
    window.watsonAssistantChatOptions = {
      integrationID: "dUvVf-NrW2Zq_a4H34tWCXH1V0AOwlGmU1PExTN_iYzx", // The ID of this
integration.
      region: "us-south", // The region your integration is hosted in.
      serviceInstanceID: "68046a5a-3ca0-4759-ba40-980c1db7f734", // The ID of your service
instance.
      onLoad: function(instance) { instance.render(); }
    };
    setTimeout(function(){
      const t=document.createElement('script');
      t.src="https://api.au-syd.assistant.watson.cloud.ibm.com/instances/12d174a7-be25-4def-9547-
733cf352ccbe" + (window.watsonAssistantChatOptions.clientVersion || 'latest') +
"/WatsonAssistantChatEntry.js";
```

```

        document.head.appendChild(t);
    });
</script>
</head>
<body>
    <nav>
        <h3>IBM Watson Assignment</h3>
    </nav>

    <div class="main-div">

        <div class="button-div">
            <a target="_blank" href="https://web-
chat.global.assistant.watson.appdomain.cloud/preview.html?backgroundImageUrl=https%3
A%2F%2Fau-syd.assistant.watson.cloud.ibm.com%2Fpublic%2Fimages%2Fupx-12d174a7-
be25-4def-9547-733cf352ccbe%3A%3A328927ff-1a39-4f12-aa8b-
6a4dc7073260&integrationID=c11ef960-c176-4b5b-8829-71a0f3fd3fb3&region=au-
syd&serviceInstanceID=12d174a7-be25-4def-9547-733cf352ccbe">
                Launch me in new tab
            </a>
        </div>
    </div>
</body>
</html>

```

Style.css:

```

*{
    margin: 0;
    padding: 0;
    font-family: 'Poppins', sans-serif;
}

nav{
    background-color: #212121;
    color: white;
    padding: 25px 0;
    text-align: center;
    font-size: 20px;
    font-weight: 200;
    font-style: normal;
}


body{
    background-color: #efefef;
}

.main-div{
    width: 70%;
    margin: 100px auto;
}

.text-div{
    width: 100%;
}

```

Outputs:




IBM Watson Assistant

Watson Assistant Preview

web-chat.global.assistant.watson.appdomain.cloud/preview.html?backgroundImageUrl=https%3A%2F%2Fau-syd.assistant.watson.cloud.ibm.com%2Fpub...

Guest



KITE
Kerala Institute of Technology

HOME

ABOUT US


ADMISSION

RESEARCH


ACADEMICS

CAMPUS LIFE


IQ




Accreditations




Affiliated to Anna University



Approved by AICTE



ISO Certified



Accredited by NBA
(Department of IT)

EDITH

by emailby phone

by email

Great. What's your email address?

lonewolf@gmail.com

And finally, can you describe your problem in more detail? I'll use this information to submit a ticket to our team.

fever

You're all set! We will get back to you by email at lonewolf@gmail.com as soon as possible.

In the meantime, feel free to call us at **1-800-123-4567** if you need urgent assistance.

Thank you!

Type something...

Built with IBM Watson®

Name

Nar

Mobi

Mol

Resid

Res

Preferred Course