NAME	Chandeesh KS
IBM ID	718020L403

#### **ASSIGNMENT 4:**

### **QUESTION**

Write a code and connections in wokwi for the ultrasonic sensor. Whenever the distance is less than 100cms send an "Alert" to IBM cloud and display in the device recent events.

### **CODE:**

```
#include <WiFi.h>
#include < PubSubClient.h >
void callback(char* subscribetopic, byte* payload, unsigned intpayloadLength); //-----
credentials of IBM Accounts----- #define ORG "kotoq5"//IBM ORGANITION ID
#define DEVICE TYPE "ESP32"//Device type mentioned in ibm watson IOT Platform
#define DEVICE ID "12345"//Device ID mentioned in ibm watson IOT Platform
#define TOKEN "12345678" //Token
String data3;
char server[] = ORG ".messaging.internetofthings.ibmcloud.com";
char publishTopic[] = "iot-2/evt/Data/fmt/json";
char subscribetopic[] = "iot-2/cmd/test/fmt/String";
char authMethod[] = "use-token-auth";
char token[] = TOKEN;
char clientId[] = "d:" ORG ":" DEVICE TYPE ":" DEVICE ID;
WiFiClient wifiClient:
PubSubClient client(server, 1883, callback, wifiClient);
const int trigPin = 5;
const int echoPin = 18;
#define SOUND SPEED 0.034
```

```
long duration;
float distance;
void setup()
Serial.begin(115200);
pinMode(trigPin, OUTPUT);
pinMode(echoPin, INPUT);
wificonnect();
mqttconnect();
voidloop()
digitalWrite(trigPin, LOW);
delayMicroseconds(2);
digitalWrite(trigPin, HIGH);
delayMicroseconds(10);
digitalWrite(trigPin, LOW);
duration = pulseIn(echoPin,
HIGH);
distance = duration * SOUND_SPEED/2;
Serial.print("Distance (cm): ");
Serial.println(distance);
if(distance<100)
{ Serial.println("ALERT!!"
); delay(1000);
PublishData(distance);
delay(1000);
```

```
if (!client.loop())
{ mqttconnect(
); }
}
delay(1000);
}
void PublishData(float dist)
{
mqttconnect();
String payload = "{\"Distance\":"; payload += dist;
payload += ",\"ALERT!!\":""\"Distance less than 100cms\""; payload += "}";
Serial.print("Sending payload: ");
Serial.println(payload);
if (client.publish(publishTopic, (char*) payload.c_str()))
Serial.println("Publish ok");
}
Else
Serial.println("Publish failed");
}
void mqttconnect()
{
if(!client.connected())
{
```


```
Serial.print("Reconnecting client to ");
Serial.println(server);
while (!!!client.connect(clientId, authMethod, token))
{ Serial.print("."
); delay(500);
initManagedDevice();
Serial.println();
}
void wificonnect()
{
Serial.println();
Serial.print("Connecting to ");
WiFi.begin("Wokwi-GUEST", "",
6);
while (WiFi.status() != WL CONNECTED)
{
delay(500);
Serial.print(".");
}
Serial.println("");
Serial.println("WiFi connected");
Serial.println("IP address: ");
Serial.println(WiFi.localIP());
}
void initManagedDevice()
```

```
{
if(client.subscribe(subscribetopic))
Serial.println((subscribetopic));
Serial.println("subscribe to cmd OK");
}
else
Serial.println("subscribe to cmd
FAILED"); }
}
void callback(char* subscribetopic, byte* payload, unsigned int payloadLength)
{
Serial.print("callback invoked for topic: ");
Serial.println(subscribetopic);
for (int i = 0; i < payloadLength; i++)
{
//Serial.print((char)payload[i]);
data3 += (char)payload[i];
}
Serial.println("data: "+ data3); data3="";
Diagram.json:
{
"version": 1,
"author": "sweetysharon",
"editor": "wokwi",
```

Wokwi simulation link: <a href="https://wokwi.com/">https://wokwi.com/</a>

projects/346508314441417298

# **Circuit Diagram:**



# **Output:**

## Wokwi output:

```
Connecting to ....
WiFi connected
IP address:
10.10.0.2
Reconnecting client to ytluse.messaging.internetofthings.ibmcloud.com
iot-2/cmd/test/fmt/String
subscribe to cmd OK

Distance (cm): 399.92
Distance (cm): 399.96
Distance (cm): 399.94
Distance (cm): 399.98
Distance (cm): 399.94
Distance (cm): 399.94
Distance (cm): 399.92
Distance (cm): 399.94
```

## **IBM cloud output:**

