

```

<div class="container-fluid h-100">
  <div class="row h-100 flex-nowrap position-fixed
w-100">
    <!-- nav bar -->
    <div class="col-8 col-md-3 col-lg-2 h-100 nav-
con" *ngIf="showNav">
      <!-- logo image -->
      <div class="fw-bold text-dark">
        
        <span class="d-none d-md-inline">New
Fashion</span>
        <div class="d-md-none">
          <span>New Fashion</span>
        </div>
      </div>
      <hr>
      <nav class="nav-bar">
        <ul>
          <li class="mt-2"><a class="py-3 ps-3
nav-link" routerLinkActive="active"
routerLink="/admin"
[routerLinkActiveOptions]="{exact:true}">Products
List</a></li>
          <li class="mt-2"><a class="py-3 ps-3
nav-link" routerLinkActive="active"
routerLink="orders"

```

```
[routerLinkActiveOptions]="{exact:true}">Orders
    List</a></li>
    <li class="mt-2"><a class="py-3 ps-3
nav-link" routerLinkActive="active"
routerLink="category"
```

```
[routerLinkActiveOptions]="{exact:true}">Category
    List</a></li>
    <li class="mt-2"><a class="py-3 ps-3
nav-link" routerLinkActive="active"
routerLink="add-product"
```

```
[routerLinkActiveOptions]="{exact:true}">Add
    Products</a></li>
    <li class="mt-2 position-fixed bottom-0
mb-4"><a class="py-3 px-3 px-md-5 nav-link
border border-dark" (click)="logout()"><span
    class="material-symbols-
outlined" style="vertical-align: bottom;">
        logout
    </span> <span class="ms-3">Log
Out</span></a></li>
    </ul>
</nav>
</div>
<!-- top nav content -->
```

```
<div class="col-12 col-md-9 col-lg-10 p-0 flex-
fill overflow-scroll">
  <div class="d-flex top-nav px-3 py-3 w-100
justify-content-between">
    <div class="material-symbols-outlined
cursor-pointer" (click)="toggleNav()">
      menu
    </div>
    <div>
      profile
    </div>
  </div>
  <!-- main content of route -->
  <main class="p-1 p-md-3">
    <router-outlet></router-outlet>
  </main>
</div>
</div>
</div>
```