```
{
 "cells": [
  {
   "cell_type": "code",
   "execution_count": 2,
   "metadata": {},
   "outputs": [],
   "source": [
    "from tensorflow.keras.layers import Dense,Flatten,Input\n",
    "from tensorflow.keras.models import Model\n",
    "from tensorflow.keras.preprocessing import image\n",
    "from tensorflow.keras.preprocessing.image import ImageDataGenerator,load_img\n",
    "from tensorflow.keras.applications.xception import Xception,preprocess_input\n",
    "from glob import glob\n",
    "import numpy as np\n",
    "import matplotlib.pyplot as plt"
   ]
  },
  {
   "cell_type": "code",
   "execution_count": 22,
   "metadata": {},
   "outputs": [],
   "source": [
    "imageSize=[299,299]"
```

```
 ]
},
{
 "cell_type": "code",
 "execution_count": 23,
 "metadata": {},
 "outputs": [],
 "source": [
  "trainPath=r\"/content/preprocessed dataset/preprocessed dataset/training\""
 ]
},
{
 "cell_type": "code",
 "execution_count": 24,
 "metadata": {},
 "outputs": [],
 "source": [
  "testPath=r\"/content/preprocessed dataset/preproccessed dataset/testing\""
 ]
},
{
 "cell_type": "code",
 "execution_count": 25,
 "metadata": {},
 "outputs": [],
```

```
  "source": [

"train_datagen=ImageDataGenerator(rescale=1./255,shear_range=0.2,zoom_range=0.2,horizontal_flip=True)"

  ]

 },

 {

  "cell_type": "code",

  "execution_count": 26,

  "metadata": {},

  "outputs": [],

  "source": [

   "test_datagen=ImageDataGenerator(rescale=1./255)"

  ]

 },

 {

  "cell_type": "code",

  "execution_count": 27,

  "metadata": {},

  "outputs": [

   {

    "name": "stdout",

    "output_type": "stream",

    "text": [

     "Found 3662 images belonging to 5 classes.\n"

    ]
```

```
   }

   ],

   "source": [

    "x_train=train_datagen.flow_from_directory(r\"preprocessed dataset\\preprocessed
dataset\\training\",target_size=(299,299),batch_size=32,class_mode='categorical')"

   ]

  },

  {

   "cell_type": "code",

   "execution_count": 28,

   "metadata": {},

   "outputs": [

    {

     "name": "stdout",

     "output_type": "stream",

     "text": [

      "Found 734 images belonging to 5 classes.\n"

     ]

    }

   ],

   "source": [

    "x_test = test_datagen.flow_from_directory('preprocessed dataset/preprocessed dataset/testing',
target_size = ( 299 , 299 ) ,batch_size = 32,class_mode = 'categorical' )\n"

   ]

  },

  {
```

```
  "cell_type": "code",
  "execution_count": 29,
  "metadata": {},
  "outputs": [
   {
    "name": "stdout",
    "output_type": "stream",
    "text": [
     "Downloading data from https://storage.googleapis.com/tensorflow/keras-applications/xception/xception_weights_tf_dim_ordering_tf_kernels_notop.h5\n",
     "83689472/83683744 [==============================] - 42s 1us/step\n",
     "83697664/83683744 [==============================] - 42s 1us/step\n"
    ]
   }
  ],
  "source": [
   "xception = Xception ( input_shape = imageSize + [ 3 ] , weights = 'imagenet' , include_top = False )\n"
  ]
 },
 {
  "cell_type": "code",
  "execution_count": 30,
  "metadata": {},
  "outputs": [],
  "source": [
   "for layer in xception.layers :\n",
```

```
   "    layer.trainable = False"
  ]
 },
 {
  "cell_type": "code",
  "execution_count": 31,
  "metadata": {},
  "outputs": [],
  "source": [
   "x = Flatten ( ) ( xception.output )"
  ]
 },
 {
  "cell_type": "code",
  "execution_count": 32,
  "metadata": {},
  "outputs": [],
  "source": [
   "prediction = Dense ( 5 , activation = 'softmax' ) ( x )"
  ]
 },
 {
  "cell_type": "code",
  "execution_count": 33,
  "metadata": {},
```

```
  "outputs": [],
  "source": [
   "model = Model ( inputs = xception.input , outputs = prediction )\n"
  ]
 },
 {
  "cell_type": "code",
  "execution_count": 34,
  "metadata": {},
  "outputs": [
   {
    "name": "stdout",
    "output_type": "stream",
    "text": [
     "Model: \"model\"\n",
"_________________________________________________________________\n",
     "Layer (type)                 Output Shape              Param #   \n",
"=================================================================\n",
     "input_1 (InputLayer)         [(None, 299, 299, 3)]     0         \n",
"_________________________________________________________________\n",
     "block1_conv1 (Conv2D)        (None, 149, 149, 32)      864       \n",
```

"_____\n",

"block1_conv1_bn (BatchNormaliza (None, 149, 149, 32) 128 block1_conv1[0][0] \n",

"_____\n",

"block1_conv1_act (Activation) (None, 149, 149, 32) 0 block1_conv1_bn[0][0] \n",

"_____\n",

"block1_conv2 (Conv2D) (None, 147, 147, 64) 18432 block1_conv1_act[0][0] \n",

"_____\n",

"block1_conv2_bn (BatchNormaliza (None, 147, 147, 64) 256 block1_conv2[0][0] \n",

"_____\n",

"block1_conv2_act (Activation) (None, 147, 147, 64) 0 block1_conv2_bn[0][0] \n",

"_____\n",

"block2_sepconv1 (SeparableConv2 (None, 147, 147, 128 8768 block1_conv2_act[0][0] \n",

"_____\n",

"block2_sepconv1_bn (BatchNormal (None, 147, 147, 128 512 block2_sepconv1[0][0] \n",

"_____\n",

"block2_sepconv2_act (Activation (None, 147, 147, 128 0 block2_sepconv1_bn[0][0] \n",

"_____\n",

"block2_sepconv2 (SeparableConv2 (None, 147, 147, 128 17536 block2_sepconv2_act[0][0] \n",

"_____\n",

"block2_sepconv2_bn (BatchNormal (None, 147, 147, 128 512 block2_sepconv2[0][0] \n",

"_____\n",

"conv2d (Conv2D) (None, 74, 74, 128) 8192 block1_conv2_act[0][0] \n",

"_____\n",

"block2_pool (MaxPooling2D) (None, 74, 74, 128) 0 block2_sepconv2_bn[0][0] \n",

"_____\n",

"batch_normalization (BatchNorma (None, 74, 74, 128) 512 conv2d[0][0] \n",

"_____\n",

"add (Add) (None, 74, 74, 128) 0 block2_pool[0][0] \n",

" batch_normalization[0][0] \n",

"_____\n",

"block3_sepconv1_act (Activation (None, 74, 74, 128) 0 add[0][0] \n",

"_____\n",

"block3_sepconv1 (SeparableConv2 (None, 74, 74, 256) 33920   block3_sepconv1_act[0][0]   \n",

"_____\n",

"block3_sepconv1_bn (BatchNormal (None, 74, 74, 256) 1024   block3_sepconv1[0][0]   \n",

"_____\n",

"block3_sepconv2_act (Activation (None, 74, 74, 256) 0   block3_sepconv1_bn[0][0]   \n",

"_____\n",

"block3_sepconv2 (SeparableConv2 (None, 74, 74, 256) 67840   block3_sepconv2_act[0][0]   \n",

"_____\n",

"block3_sepconv2_bn (BatchNormal (None, 74, 74, 256) 1024   block3_sepconv2[0][0]   \n",

"_____\n",

"conv2d_1 (Conv2D)   (None, 37, 37, 256) 32768   add[0][0]   \n",

"_____\n",

"block3_pool (MaxPooling2D)   (None, 37, 37, 256) 0   block3_sepconv2_bn[0][0]   \n",

"_____\n",

```
    "batch_normalization_1 (BatchNor (None, 37, 37, 256)  1024        conv2d_1[0][0]                \n",

"__________________________________________________________________________________________________\n",

    "add_1 (Add)                  (None, 37, 37, 256)  0           block3_pool[0][0]             \n",

    "                                                                 batch_normalization_1[0][0]      \n",

"__________________________________________________________________________________________________\n",

    "block4_sepconv1_act (Activation (None, 37, 37, 256)  0           add_1[0][0]                   \n",

"__________________________________________________________________________________________________\n",

    "block4_sepconv1 (SeparableConv2 (None, 37, 37, 728)  188672      block4_sepconv1_act[0][0]     \n",

"__________________________________________________________________________________________________\n",

    "block4_sepconv1_bn (BatchNormal (None, 37, 37, 728)  2912        block4_sepconv1[0][0]         \n",

"__________________________________________________________________________________________________\n",

    "block4_sepconv2_act (Activation (None, 37, 37, 728)  0           block4_sepconv1_bn[0][0]      \n",

"__________________________________________________________________________________________________\n",

    "block4_sepconv2 (SeparableConv2 (None, 37, 37, 728)  536536      block4_sepconv2_act[0][0]     \n",

"__________________________________________________________________________________________________\n",

    "block4_sepconv2_bn (BatchNormal (None, 37, 37, 728)  2912        block4_sepconv2[0][0]         \n",
```

"_____\n",

"conv2d_2 (Conv2D) (None, 19, 19, 728) 186368 add_1[0][0] \n",

"_____\n",

"block4_pool (MaxPooling2D) (None, 19, 19, 728) 0 block4_sepconv2_bn[0][0] \n",

"_____\n",

"batch_normalization_2 (BatchNor (None, 19, 19, 728) 2912 conv2d_2[0][0] \n",

"_____\n",

"add_2 (Add) (None, 19, 19, 728) 0 block4_pool[0][0] \n",

" batch_normalization_2[0][0] \n",

"_____\n",

"block5_sepconv1_act (Activation (None, 19, 19, 728) 0 add_2[0][0] \n",

"_____\n",

"block5_sepconv1 (SeparableConv2 (None, 19, 19, 728) 536536 block5_sepconv1_act[0][0] \n",

"_____\n",

"block5_sepconv1_bn (BatchNormal (None, 19, 19, 728) 2912 block5_sepconv1[0][0] \n",

"__\n",

"block5_sepconv2_act (Activation (None, 19, 19, 728) 0 block5_sepconv1_bn[0][0] \n",

"__\n",

"block5_sepconv2 (SeparableConv2 (None, 19, 19, 728) 536536 block5_sepconv2_act[0][0]
\n",

"__\n",

"block5_sepconv2_bn (BatchNormal (None, 19, 19, 728) 2912 block5_sepconv2[0][0] \n",

"__\n",

"block5_sepconv3_act (Activation (None, 19, 19, 728) 0 block5_sepconv2_bn[0][0] \n",

"__\n",

"block5_sepconv3 (SeparableConv2 (None, 19, 19, 728) 536536 block5_sepconv3_act[0][0]
\n",

"__\n",

"block5_sepconv3_bn (BatchNormal (None, 19, 19, 728) 2912 block5_sepconv3[0][0] \n",

"__\n",

"add_3 (Add) (None, 19, 19, 728) 0 block5_sepconv3_bn[0][0] \n",

" add_2[0][0] \n",

"_____\n",

"block6_sepconv1_act (Activation (None, 19, 19, 728) 0 add_3[0][0] \n",

"_____\n",

"block6_sepconv1 (SeparableConv2 (None, 19, 19, 728) 536536 block6_sepconv1_act[0][0] \n",

"_____\n",

"block6_sepconv1_bn (BatchNormal (None, 19, 19, 728) 2912 block6_sepconv1[0][0] \n",

"_____\n",

"block6_sepconv2_act (Activation (None, 19, 19, 728) 0 block6_sepconv1_bn[0][0] \n",

"_____\n",

"block6_sepconv2 (SeparableConv2 (None, 19, 19, 728) 536536 block6_sepconv2_act[0][0] \n",

"_____\n",

"block6_sepconv2_bn (BatchNormal (None, 19, 19, 728) 2912 block6_sepconv2[0][0] \n",

"_____\n",

"block6_sepconv3_act (Activation (None, 19, 19, 728) 0 block6_sepconv2_bn[0][0] \n",

"_____\n",

```
    "block6_sepconv3 (SeparableConv2 (None, 19, 19, 728)  536536      block6_sepconv3_act[0][0]
\n",

"_____
_____\n",

    "block6_sepconv3_bn (BatchNormal (None, 19, 19, 728)  2912        block6_sepconv3[0][0]           \n",

"_____
_____\n",

    "add_4 (Add)                  (None, 19, 19, 728)  0           block6_sepconv3_bn[0][0]        \n",

    "                                                                 add_3[0][0]                     \n",

"_____
_____\n",

    "block7_sepconv1_act (Activation (None, 19, 19, 728)  0           add_4[0][0]                     \n",

"_____
_____\n",

    "block7_sepconv1 (SeparableConv2 (None, 19, 19, 728)  536536      block7_sepconv1_act[0][0]
\n",

"_____
_____\n",

    "block7_sepconv1_bn (BatchNormal (None, 19, 19, 728)  2912        block7_sepconv1[0][0]           \n",

"_____
_____\n",

    "block7_sepconv2_act (Activation (None, 19, 19, 728)  0           block7_sepconv1_bn[0][0]        \n",

"_____
_____\n",
```

"block7_sepconv2 (SeparableConv2 (None, 19, 19, 728) 536536   block7_sepconv2_act[0][0]
\n",

"_____
_____\n",

"block7_sepconv2_bn (BatchNormal (None, 19, 19, 728) 2912   block7_sepconv2[0][0]   \n",

"_____
_____\n",

"block7_sepconv3_act (Activation (None, 19, 19, 728) 0   block7_sepconv2_bn[0][0]   \n",

"_____
_____\n",

"block7_sepconv3 (SeparableConv2 (None, 19, 19, 728) 536536   block7_sepconv3_act[0][0]
\n",

"_____
_____\n",

"block7_sepconv3_bn (BatchNormal (None, 19, 19, 728) 2912   block7_sepconv3[0][0]   \n",

"_____
_____\n",

"add_5 (Add)   (None, 19, 19, 728) 0   block7_sepconv3_bn[0][0]   \n",

"   add_4[0][0]   \n",

"_____
_____\n",

"block8_sepconv1_act (Activation (None, 19, 19, 728) 0   add_5[0][0]   \n",

"_____
_____\n",

```
    "block8_sepconv1 (SeparableConv2 (None, 19, 19, 728)  536536      block8_sepconv1_act[0][0]
\n",

"_____
_____\n",

    "block8_sepconv1_bn (BatchNormal (None, 19, 19, 728)  2912        block8_sepconv1[0][0]           \n",

"_____
_____\n",

    "block8_sepconv2_act (Activation (None, 19, 19, 728)  0           block8_sepconv1_bn[0][0]        \n",

"_____
_____\n",

    "block8_sepconv2 (SeparableConv2 (None, 19, 19, 728)  536536      block8_sepconv2_act[0][0]
\n",

"_____
_____\n",

    "block8_sepconv2_bn (BatchNormal (None, 19, 19, 728)  2912        block8_sepconv2[0][0]           \n",

"_____
_____\n",

    "block8_sepconv3_act (Activation (None, 19, 19, 728)  0           block8_sepconv2_bn[0][0]        \n",

"_____
_____\n",

    "block8_sepconv3 (SeparableConv2 (None, 19, 19, 728)  536536      block8_sepconv3_act[0][0]
\n",

"_____
_____\n",

    "block8_sepconv3_bn (BatchNormal (None, 19, 19, 728)  2912        block8_sepconv3[0][0]           \n",
```

"__\n",

"add_6 (Add) (None, 19, 19, 728) 0 block8_sepconv3_bn[0][0] \n",

" add_5[0][0] \n",

"__\n",

"block9_sepconv1_act (Activation (None, 19, 19, 728) 0 add_6[0][0] \n",

"__\n",

"block9_sepconv1 (SeparableConv2 (None, 19, 19, 728) 536536 block9_sepconv1_act[0][0] \n",

"__\n",

"block9_sepconv1_bn (BatchNormal (None, 19, 19, 728) 2912 block9_sepconv1[0][0] \n",

"__\n",

"block9_sepconv2_act (Activation (None, 19, 19, 728) 0 block9_sepconv1_bn[0][0] \n",

"__\n",

"block9_sepconv2 (SeparableConv2 (None, 19, 19, 728) 536536 block9_sepconv2_act[0][0] \n",

"__\n",

"block9_sepconv2_bn (BatchNormal (None, 19, 19, 728) 2912 block9_sepconv2[0][0] \n",

"_____\n",

"block9_sepconv3_act (Activation (None, 19, 19, 728) 0 block9_sepconv2_bn[0][0] \n",

"_____\n",

"block9_sepconv3 (SeparableConv2 (None, 19, 19, 728) 536536 block9_sepconv3_act[0][0]
\n",

"_____\n",

"block9_sepconv3_bn (BatchNormal (None, 19, 19, 728) 2912 block9_sepconv3[0][0] \n",

"_____\n",

"add_7 (Add) (None, 19, 19, 728) 0 block9_sepconv3_bn[0][0] \n",

" add_6[0][0] \n",

"_____\n",

"block10_sepconv1_act (Activatio (None, 19, 19, 728) 0 add_7[0][0] \n",

"_____\n",

"block10_sepconv1 (SeparableConv (None, 19, 19, 728) 536536 block10_sepconv1_act[0][0]
\n",

"_____\n",

"block10_sepconv1_bn (BatchNorma (None, 19, 19, 728) 2912 block10_sepconv1[0][0]
\n",

"__\n",

"block10_sepconv2_act (Activatio (None, 19, 19, 728) 0 block10_sepconv1_bn[0][0] \n",

"__\n",

"block10_sepconv2 (SeparableConv (None, 19, 19, 728) 536536 block10_sepconv2_act[0][0]
\n",

"__\n",

"block10_sepconv2_bn (BatchNorma (None, 19, 19, 728) 2912 block10_sepconv2[0][0]
\n",

"__\n",

"block10_sepconv3_act (Activatio (None, 19, 19, 728) 0 block10_sepconv2_bn[0][0] \n",

"__\n",

"block10_sepconv3 (SeparableConv (None, 19, 19, 728) 536536 block10_sepconv3_act[0][0]
\n",

"__\n",

"block10_sepconv3_bn (BatchNorma (None, 19, 19, 728) 2912 block10_sepconv3[0][0]
\n",

"__\n",

"add_8 (Add) (None, 19, 19, 728) 0 block10_sepconv3_bn[0][0] \n",

" add_7[0][0] \n",

"__\n",

"block11_sepconv1_act (Activatio (None, 19, 19, 728) 0 add_8[0][0] \n",

"__\n",

"block11_sepconv1 (SeparableConv (None, 19, 19, 728) 536536 block11_sepconv1_act[0][0] \n",

"__\n",

"block11_sepconv1_bn (BatchNorma (None, 19, 19, 728) 2912 block11_sepconv1[0][0] \n",

"__\n",

"block11_sepconv2_act (Activatio (None, 19, 19, 728) 0 block11_sepconv1_bn[0][0] \n",

"__\n",

"block11_sepconv2 (SeparableConv (None, 19, 19, 728) 536536 block11_sepconv2_act[0][0] \n",

"__\n",

"block11_sepconv2_bn (BatchNorma (None, 19, 19, 728) 2912 block11_sepconv2[0][0] \n",

"__\n",

"block11_sepconv3_act (Activatio (None, 19, 19, 728) 0 block11_sepconv2_bn[0][0] \n",

"_____\n",

"block11_sepconv3 (SeparableConv (None, 19, 19, 728) 536536   block11_sepconv3_act[0][0] \n",

"_____\n",

"block11_sepconv3_bn (BatchNorma (None, 19, 19, 728) 2912   block11_sepconv3[0][0] \n",

"_____\n",

"add_9 (Add)   (None, 19, 19, 728) 0   block11_sepconv3_bn[0][0]   \n",

"   add_8[0][0]   \n",

"_____\n",

"block12_sepconv1_act (Activatio (None, 19, 19, 728) 0   add_9[0][0]   \n",

"_____\n",

"block12_sepconv1 (SeparableConv (None, 19, 19, 728) 536536   block12_sepconv1_act[0][0] \n",

"_____\n",

"block12_sepconv1_bn (BatchNorma (None, 19, 19, 728) 2912   block12_sepconv1[0][0] \n",

"_____\n",

"block12_sepconv2_act (Activatio (None, 19, 19, 728) 0   block12_sepconv1_bn[0][0]   \n",

"_____
_____\n",

"block12_sepconv2 (SeparableConv (None, 19, 19, 728) 536536   block12_sepconv2_act[0][0]
\n",

"_____
_____\n",

"block12_sepconv2_bn (BatchNorma (None, 19, 19, 728) 2912   block12_sepconv2[0][0]
\n",

"_____
_____\n",

"block12_sepconv3_act (Activatio (None, 19, 19, 728) 0   block12_sepconv2_bn[0][0]   \n",

"_____
_____\n",

"block12_sepconv3 (SeparableConv (None, 19, 19, 728) 536536   block12_sepconv3_act[0][0]
\n",

"_____
_____\n",

"block12_sepconv3_bn (BatchNorma (None, 19, 19, 728) 2912   block12_sepconv3[0][0]
\n",

"_____
_____\n",

"add_10 (Add)   (None, 19, 19, 728) 0   block12_sepconv3_bn[0][0]   \n",

"   add_9[0][0]   \n",

"_____
_____\n",

"block13_sepconv1_act (Activatio (None, 19, 19, 728) 0   add_10[0][0]   \n",

"_____\n",

"block13_sepconv1 (SeparableConv (None, 19, 19, 728) 536536   block13_sepconv1_act[0][0] \n",

"_____\n",

"block13_sepconv1_bn (BatchNorma (None, 19, 19, 728) 2912   block13_sepconv1[0][0] \n",

"_____\n",

"block13_sepconv2_act (Activatio (None, 19, 19, 728) 0   block13_sepconv1_bn[0][0]   \n",

"_____\n",

"block13_sepconv2 (SeparableConv (None, 19, 19, 1024) 752024   block13_sepconv2_act[0][0] \n",

"_____\n",

"block13_sepconv2_bn (BatchNorma (None, 19, 19, 1024) 4096   block13_sepconv2[0][0] \n",

"_____\n",

"conv2d_3 (Conv2D)   (None, 10, 10, 1024) 745472   add_10[0][0]   \n",

"_____\n",

"block13_pool (MaxPooling2D)   (None, 10, 10, 1024) 0   block13_sepconv2_bn[0][0]   \n",

"_____\n",

"batch_normalization_3 (BatchNor (None, 10, 10, 1024) 4096 conv2d_3[0][0] \n",

"_____\n",

"add_11 (Add) (None, 10, 10, 1024) 0 block13_pool[0][0] \n",

" batch_normalization_3[0][0] \n",

"_____\n",

"block14_sepconv1 (SeparableConv (None, 10, 10, 1536) 1582080 add_11[0][0] \n",

"_____\n",

"block14_sepconv1_bn (BatchNorma (None, 10, 10, 1536) 6144 block14_sepconv1[0][0] \n",

"_____\n",

"block14_sepconv1_act (Activatio (None, 10, 10, 1536) 0 block14_sepconv1_bn[0][0] \n",

"_____\n",

"block14_sepconv2 (SeparableConv (None, 10, 10, 2048) 3159552 block14_sepconv1_act[0][0] \n",

"_____\n",

"block14_sepconv2_bn (BatchNorma (None, 10, 10, 2048) 8192 block14_sepconv2[0][0] \n",

```
"__________________________________________________________________________________
_________________\n",

    "block14_sepconv2_act (Activatio (None, 10, 10, 2048) 0          block14_sepconv2_bn[0][0]       \n",

"__________________________________________________________________________________
_________________\n",

    "flatten (Flatten)            (None, 204800)      0          block14_sepconv2_act[0][0]      \n",

"__________________________________________________________________________________
_________________\n",

    "dense (Dense)                (None, 5)           1024005    flatten[0][0]                   \n",

"==================================================================================
==============\n",

    "Total params: 21,885,485\n",

    "Trainable params: 1,024,005\n",

    "Non-trainable params: 20,861,480\n",

"__________________________________________________________________________________
_________________\n"

   ]

  }

 ],

 "source": [

  "model.summary()"

 ]

},

{
```

```
"cell_type": "code",
"execution_count": 36,
"metadata": {},
"outputs": [],
"source": [
 "model.compile (\n",
 " loss = 'categorical_crossentropy' ,\n",
 " optimizer = 'adam',\n",
 " metrics = [ 'accuracy' ])"
]
},
{
"cell_type": "code",
"execution_count": 39,
"metadata": {},
"outputs": [
 {
  "name": "stdout",
  "output_type": "stream",
  "text": [
   "Epoch 1/50\n",
   "3/3 [==============================] - 35s 11s/step - loss: 10.4952 - accuracy: 0.4167\n",
   "Epoch 2/50\n",
   "3/3 [==============================] - 31s 9s/step - loss: 13.1979 - accuracy: 0.5729\n",
   "Epoch 3/50\n",
```

"3/3 [==============================] - 29s 9s/step - loss: 11.9821 - accuracy: 0.5104\n",

"Epoch 4/50\n",

"3/3 [==============================] - 28s 8s/step - loss: 9.1480 - accuracy: 0.5000\n",

"Epoch 5/50\n",

"3/3 [==============================] - 29s 9s/step - loss: 7.1723 - accuracy: 0.5104\n",

"Epoch 6/50\n",

"3/3 [==============================] - 29s 9s/step - loss: 5.8842 - accuracy: 0.5000\n",

"Epoch 7/50\n",

"3/3 [==============================] - 30s 9s/step - loss: 7.8335 - accuracy: 0.5938\n",

"Epoch 8/50\n",

"3/3 [==============================] - 34s 10s/step - loss: 4.6266 - accuracy: 0.6562\n",

"Epoch 9/50\n",

"3/3 [==============================] - 29s 9s/step - loss: 2.6728 - accuracy: 0.7812\n",

"Epoch 10/50\n",

"3/3 [==============================] - 33s 10s/step - loss: 3.7426 - accuracy: 0.6146\n",

"Epoch 11/50\n",

"3/3 [==============================] - 29s 9s/step - loss: 3.4309 - accuracy: 0.6667\n",

"Epoch 12/50\n",

"3/3 [==============================] - 32s 10s/step - loss: 2.8323 - accuracy: 0.6875\n",

"Epoch 13/50\n",

"3/3 [==============================] - 31s 9s/step - loss: 2.7426 - accuracy: 0.7292\n",

"Epoch 14/50\n",

"3/3 [==============================] - 30s 8s/step - loss: 3.3914 - accuracy: 0.6875\n",

"Epoch 15/50\n",

"3/3 [==============================] - 30s 8s/step - loss: 5.0404 - accuracy: 0.7292\n",

"Epoch 16/50\n",

"3/3 [==============================] - 31s 9s/step - loss: 3.8744 - accuracy: 0.6979\n",

"Epoch 17/50\n",

"3/3 [==============================] - 31s 10s/step - loss: 3.3006 - accuracy: 0.7708\n",

"Epoch 18/50\n",

"3/3 [==============================] - 30s 9s/step - loss: 4.3799 - accuracy: 0.6562\n",

"Epoch 19/50\n",

"3/3 [==============================] - 31s 9s/step - loss: 2.7324 - accuracy: 0.7396\n",

"Epoch 20/50\n",

"3/3 [==============================] - 31s 9s/step - loss: 2.8589 - accuracy: 0.6458\n",

"Epoch 21/50\n",

"3/3 [==============================] - 33s 10s/step - loss: 3.0115 - accuracy: 0.7396\n",

"Epoch 22/50\n",

"3/3 [==============================] - 31s 9s/step - loss: 3.5263 - accuracy: 0.6458\n",

"Epoch 23/50\n",

"3/3 [==============================] - 33s 10s/step - loss: 4.0091 - accuracy: 0.6562\n",

"Epoch 24/50\n",

"3/3 [==============================] - 30s 9s/step - loss: 3.5695 - accuracy: 0.6771\n",

"Epoch 25/50\n",

"3/3 [==============================] - 30s 9s/step - loss: 3.1299 - accuracy: 0.6667\n",

"Epoch 26/50\n",

"3/3 [==============================] - 33s 10s/step - loss: 2.7556 - accuracy: 0.7500\n",

"Epoch 27/50\n",

"3/3 [==============================] - 31s 9s/step - loss: 4.4047 - accuracy: 0.6562\n",

"Epoch 28/50\n",

"3/3 [==============================] - 34s 10s/step - loss: 4.7036 - accuracy: 0.6979\n",

"Epoch 29/50\n",

"3/3 [==============================] - 31s 9s/step - loss: 4.4504 - accuracy: 0.6562\n",

"Epoch 30/50\n",

"3/3 [==============================] - 34s 10s/step - loss: 1.8651 - accuracy: 0.7292\n",

"Epoch 31/50\n",

"3/3 [==============================] - 29s 8s/step - loss: 2.5755 - accuracy: 0.6875\n",

"Epoch 32/50\n",

"3/3 [==============================] - 31s 9s/step - loss: 3.4060 - accuracy: 0.6771\n",

"Epoch 33/50\n",

"3/3 [==============================] - 33s 9s/step - loss: 2.6917 - accuracy: 0.7396\n",

"Epoch 34/50\n",

"3/3 [==============================] - 33s 10s/step - loss: 3.4121 - accuracy: 0.6979\n",

"Epoch 35/50\n",

"3/3 [==============================] - 31s 9s/step - loss: 4.4204 - accuracy: 0.6354\n",

"Epoch 36/50\n",

"3/3 [==============================] - 31s 9s/step - loss: 5.9169 - accuracy: 0.6562\n",

"Epoch 37/50\n",

"3/3 [==============================] - 31s 9s/step - loss: 2.4175 - accuracy: 0.7083\n",

"Epoch 38/50\n",

"3/3 [==============================] - 33s 10s/step - loss: 3.6750 - accuracy: 0.7083\n",

"Epoch 39/50\n",

"3/3 [==============================] - 31s 9s/step - loss: 2.8522 - accuracy: 0.7708\n",

"Epoch 40/50\n",

"3/3 [==============================] - 34s 11s/step - loss: 6.1720 - accuracy: 0.6771\n",

```
  "Epoch 41/50\n",
  "3/3 [==============================] - 29s 9s/step - loss: 3.9699 - accuracy: 0.6667\n",
  "Epoch 42/50\n",
  "3/3 [==============================] - 30s 8s/step - loss: 3.6175 - accuracy: 0.7500\n",
  "Epoch 43/50\n",
  "3/3 [==============================] - 28s 9s/step - loss: 3.3422 - accuracy: 0.7396\n",
  "Epoch 44/50\n",
  "3/3 [==============================] - 32s 9s/step - loss: 3.5566 - accuracy: 0.7188\n",
  "Epoch 45/50\n",
  "3/3 [==============================] - 28s 8s/step - loss: 2.6731 - accuracy: 0.7604\n",
  "Epoch 46/50\n",
  "3/3 [==============================] - 30s 9s/step - loss: 5.5287 - accuracy: 0.6458\n",
  "Epoch 47/50\n",
  "3/3 [==============================] - 32s 10s/step - loss: 4.1262 - accuracy: 0.6875\n",
  "Epoch 48/50\n",
  "3/3 [==============================] - 31s 9s/step - loss: 2.4450 - accuracy: 0.7812\n",
  "Epoch 49/50\n",
  "3/3 [==============================] - 36s 11s/step - loss: 3.1270 - accuracy: 0.7083\n",
  "Epoch 50/50\n",
  "3/3 [==============================] - 34s 11s/step - loss: 3.4650 - accuracy: 0.7083\n"
 ]
 }
],
"source": [
 "r = model.fit(\n",
```

```
   " x_train ,\n",
   " validation_data = x_test ,\n",
   " epochs = 50 ,\n",
   " steps_per_epoch = len ( x_train ) // 32 ,\n",
   " validation_steps = len ( x_test ) // 32)"
  ]
 },
 {
  "cell_type": "code",
  "execution_count": null,
  "metadata": {},
  "outputs": [],
  "source": [
   "model.save ( \"Updated-xception-diabetic-retinopathy.h5\")"
  ]
 }
],
"metadata": {
 "kernelspec": {
  "display_name": "Python 3",
  "language": "python",
  "name": "python3"
 },
 "language_info": {
  "codemirror_mode": {
```

```
   "name": "ipython",
   "version": 3
  },
  "file_extension": ".py",
  "mimetype": "text/x-python",
  "name": "python",
  "nbconvert_exporter": "python",
  "pygments_lexer": "ipython3",
  "version": "3.6.5"
 }
},
"nbformat": 4,
"nbformat_minor": 2
}
```