
# **Assignment-2**

Assignment Date	19 September 2022
Student Name	960419104008
Student Register Number	M.G.Ashabiya
Maximum Marks	2 Marks

# 1. Create user table with user with email, username, roll number, password

```
CREATE TABLE user (
roll_number int, username varchar(300),
email varchar(300),
password varchar(300)
);
```

# **OUTPUT:**



# 2. Perform UPDATE, DELETE Queries with user table

```
INSERT Statement:
```

**INSERT INTO user** 

(roll\_number, username, email, password) VALUES

- (1, 'akshya', 'akshya@gmail.com', 'akshya123'),
- (2, 'ashwini', 'ashwini@gmail.com', 'ashwini123'),
- (3, 'durga', 'durga@gmail.com', 'durga123'),
- (4, 'deekshitha', 'deekshi@gmail.com', 'deekshi123');

# **OUTPUT:**

```
Insert Info user

(roll_number, username _email, password) WALUES

(1, 'ekshya', 'ekshya@gmail.com', ekshyat23'),

(2, 'ashuta', 'ashoint@gmail.com', ashointi23'),

(3, 'durga', 'durga@gmail.com', 'durgat23'),

(4, 'seekshitha', 'deekshi@gmail.com', 'deekshi123');


Output

SQL query successfully executed. However, the result set is empty.
```



UPDATE Statement: UPDATE user SET username = 'deekshi' WHERE roll\_number = '4'

# **OUTPUT:**






### **DELETE Statemnet:**

insert into user values(5,'aa','aaa@gmail.com','aasdfg2'); delete from users where roll number='5'

# **OUTPUT:**




# 3. Connect python with db2

```
conn = ibm db.connect("DATABASE=bludb;HOSTNAME=824dfd4d-99de-440d-9991-
629c01b3832d.bs2io90l08kqb1od8lcg.databases.appdomain.cloud;PORT=30119;SECUR
ITY=SSL;
SSLServerCertificate=DigiCertGlobalRootCA.crt;UID=lvq43963;PWD=BsnsG1l2sBgl RhVN",
from flask import Flask, render_template, request, redirect, url_for, session
from flask_mysqldb import MySQL
import MySQLdb.cursors
import reapp = Flask( name )
app.secret_key = 'your secret key'
app.config['MYSQL_HOST'] = 'localhost'
app.config['MYSQL_USER'] = 'root'
app.config['MYSQL_PASSWORD'] = 'your password'
app.config['MYSQL_DB'] = 'geeklogin'
mysql = MySQL(app)
@app.route('/')
@app.route('/login', methods =['GET', 'POST'])
msg = "if request.method == 'POST' and 'username' in request.form and 'password' in
request.form:
```

```
username = request.form['username']
password = request.form['password']
cursor = mysql.connection.cursor(MySQLdb.cursors.DictCursor)
cursor.execute('SELECT * FROM accounts WHERE username = % s AND password = % s',
(username, password, ))
account = cursor.fetchone()
if account:
session['loggedin'] = True
session['id'] = account['id']
session['username'] = account['username']
msg = 'Logged in successfully!'
return render template('index.html', msg = msg)
else:
msg = 'Incorrect username / password !'
return render_template('login.html', msg = msg)
@app.route('/logout')
def logout():
session.pop('loggedin', None)
session.pop('id', None)
session.pop('username', None)
return redirect(url for('login'))
@app.route('/register', methods =['GET', 'POST'])
def register():
msg = "
if request.method == 'POST' and 'username' in request.form and 'password' in request.form
and 'email' in request.form:
username = request.form['username']
password = request.form['password']
email = request.form['email']
cursor = mysql.connection.cursor(MySQLdb.cursors.DictCursor)
cursor.execute('SELECT * FROM accounts WHERE username = % s', (username, ))
account = cursor.fetchone()
if account:
msg = 'Account already exists!'
elif not re.match(r'[^@]+@[^@]+\.[^@]+', email):
msg = 'Invalid email address!'
elif not re.match(r'[A-Za-z0-9]+', username):
msg = 'Username must contain only characters and numbers!'
elif not username or not password or not email:
msg = 'Please fill out the form!'
else:
cursor.execute('INSERT INTO accounts VALUES (NULL, % s, % s, % s)', (username, password,
email, ))
mysql.connection.commit()
msg = 'You have successfully registered!'
elif request.method == 'POST':
msg = 'Please fill out the form!'
return render template('register.html', msg = msg)
```

# **OUTPUT:**



# Hi user!! Welcome to the index page...