

Sprint 3

Date	15 November 2022
Team ID	PNT2022TMID31224
Project Name	IoT Based Safety Gadget for Child Safety Monitoring and Notification

Sprint 3 is adding the geofence and changing the geofence when need

Coding :

```
package com.example.geofence;
import android.app.PendingIntent;
import android.content.Context;
import android.content.ContextWrapper;
import android.content.Intent;
import android.widget.Toast;

import com.google.android.gms.common.api.ApiException;
import com.google.android.gms.location.Geofence;
import com.google.android.gms.location.GeofenceStatusCodes;
import com.google.android.gms.location.GeofencingRequest;
import com.google.android.gms.maps.model.LatLng;

public class GeofenceHelper extends ContextWrapper {

    private static final String TAG = "GeofenceHelper";
    PendingIntent pendingIntent;

    public GeofenceHelper(Context base)
    {
        super(base);
    }

    public GeofencingRequest getGeofencingRequest(Geofence geofence)
    {
        return new GeofencingRequest.Builder()
            .addGeofence(geofence)
            .setInitialTrigger(GeofencingRequest.INITIAL_TRIGGER_ENTER)
            .build();
    }

    public Geofence getGeofence(String ID, LatLng latLng, float radius, int transitionTypes)
    {
        return new Geofence.Builder()
            .setCircularRegion(latLng.latitude, latLng.longitude,
radius)
            .setRequestId(ID)
            .setTransitionTypes(transitionTypes)
            .setLoiteringDelay(5000)
            .setExpirationDuration(Geofence.NEVER_EXPIRE)
            .build();
    }

    public PendingIntent getPendingIntent()
    {
        if (pendingIntent != null)
        {
            return pendingIntent;
        }
    }
}
```

```
        }
        Intent intent = new Intent(this, GeofenceBroadcastReceiver.class);
        pendingIntent = PendingIntent.getBroadcast(this, 2607, intent,
PendingIntent.FLAG_IMMUTABLE);

        return pendingIntent;
    }

    public String getErrorString(Exception e)
    { if (e instanceof ApiException) {
        ApiException apiException = (ApiException) e;
        switch (apiException.getStatusCode()) {
            case GeofenceStatusCodes
                .GEOFENCE_NOT_AVAILABLE:
                return "GEOFENCE_NOT_AVAILABLE";
            case GeofenceStatusCodes
                .GEOFENCE_TOO_MANY_GEOFENCES:
                return "GEOFENCE_TOO_MANY_GEOFENCES";
            case GeofenceStatusCodes
                .GEOFENCE_TOO_MANY_PENDING_INTENTS:
                return "GEOFENCE_TOO_MANY_PENDING_INTENTS";
        }
    }
    return e.getLocalizedMessage();
}
```

Output :

Adding Geofence page

