Develop The Web Application Using Node-RED

Team Leader : Priya dharshini G

Team Member 1:Muthu Priya dharshini k

Team Member 2: Swathy c

Team Member 3: Sibi Arokya

TEAM Member 4 : Anto Sharlin Biju S

Steps :

1. Open a Node-RED project



2. Add code to get child location in python

```
import json
import wiotp.sdk.device
import time

myConfig = {
    "identity": {
        "orgId": "hj5fmy",
        "typeId": "NodeMCU",
        "deviceId": "12345"
    },
    "auth": {
        "token": "12345678"
    }
}
client = wiotp.sdk.device.DeviceClient(config=myConfig, logHandlers=None)
client.connect()

while True:
        name= "Smartbridge"
        #in area location

        latitude= 17.4225176
        longitude= 78.5458842

        #out area location

        #latitude= 17.4219272
        #longitude= 78.5488783
        myData={'name': name, 'lat':latitude,'lon':longitude}
        client.publishEvent(eventId="status", msgFormat="json", data=myData, qos=0, onPublish=None)
        print("Data published to IBM IoT platfrom: ",myData)
        time.sleep(5)

client.disconnect()
```

3. Create the GeoFence



4. Edit the HTTP Request URL



5. Locate the child



6. Create the geofence node



7. Python script send requests to IBM Cloud



8.After running the script, the web UI shows “Person is not in the particular area”



Conclusion:

Developed the web application using Node-RED Successfully