

## Assignment - 4

Assignment Date	20 OCTOBER 2022
Team ID	PNT2022TMID52207

### Question-1:

Write code and connections in wowki for ultrasonic sensor.

Whenever distance is less than 100 cms send “alert” to IBM cloud and display in device recent events.

### Solution:

**WOWKI LINK:** <https://wokwi.com/projects/346235465961046612>

```
#include <WiFi.h>
#include <PubSubClient.h>
#define TRIGGER 2
#define ECHO 15

#define sound_speed 0.034
int distance;

void callback(char* subscribtopic, byte* payload, unsigned int payloadLength);

//-----credentials of IBM Accounts-----

#define ORG "wp72r7"
#define DEVICE_TYPE "iot-device-1"
#define DEVICE_ID "123456789"
#define TOKEN "987654321"

String data3;

//----- Customise the above values -----
char server[] = ORG ".messaging.internetofthings.ibmcloud.com";
char publishTopic[] = "iot-2/evt/Data/fmt/json";
char subscribtopic[] = "iot-2/cmd/test/fmt/String";
char authMethod[] = "use-token-auth";
char token[] = TOKEN;
```

```
char clientId[] = "d." ORG "." DEVICE_TYPE "."
```

```
//-----
```

```
WiFiClient wifiClient;
```

```
PubSubClient client(server, 1883, callback ,wifiClient);
```

```
void setup()
```

```
{  
  Serial.begin(115200);  
  pinMode(TRIGGER, OUTPUT);  
  pinMode(ECHO, INPUT);  
  delay(10);  
  Serial.println();  
  wificonnect();  
  mqttconnect();  
}
```

```
void loop()
```

```
{  
  
  digitalWrite(TRIGGER, HIGH);  
  delayMicroseconds(10);  
  digitalWrite(TRIGGER, LOW);  
  
  int duration=pulseIn(ECHO,HIGH);  
  distance=(duration*sound_speed)/2;  
  Serial.print("Distance:");  
  Serial.print(distance);  
  Serial.println("cms");  
  if(distance<100){  
    PublishData(distance);  
  }  
  
  delay(1000);  
  if (!client.loop()) {  
    mqttconnect();  
  }  
}
```

/ retrieving to Cloud /

```
void PublishData(int d) {
  mqttconnect();

  String payload = "{\"message\":\"alert\"}";

  Serial.print("Sending payload: ");
  Serial.println(payload);

  if (client.publish(publishTopic, (char*) payload.c_str())) {
    Serial.println("Publish ok");
  } else {
    Serial.println("Publish failed");
  }

}

void mqttconnect() {
  if (!client.connected()) {
    Serial.print("Reconnecting client to ");
    Serial.println(server);
    while (!client.connect(clientId, authMethod, token)) {
      Serial.print(".");
      delay(500);
    }

    initManagedDevice();
    Serial.println();
  }
}

void wificonnect()
{
  Serial.println();
  Serial.print("Connecting to ");

  WiFi.begin("Wokwi-GUEST", "", 6);

  while (WiFi.status() != WL_CONNECTED) {
    delay(500);
    Serial.print(".");
  }
}
```

```
    }  
    Serial.println("");  
    Serial.println("WiFi connected");  
    Serial.println("IP address: ");  
    Serial.println(WiFi.localIP());  
}
```

```
void initManagedDevice() {  
    if (client.subscribe(subscribetopic)) {  
        Serial.println((subscribetopic));  
        Serial.println("subscribe to cmd OK");  
    } else {  
        Serial.println("subscribe to cmd FAILED");  
    }  
}
```

```
void callback(char* subscribetopic, byte* payload, unsigned int payloadLength)  
{  
  
    Serial.print("callback invoked for topic: ");  
    Serial.println(subscribetopic);  
    for (int i = 0; i < payloadLength; i++) {  
        data3 += (char)payload[i];  
    }  
  
    Serial.println("data: "+ data3);  
  
    data3="";  
  
}
```


**CIRCUIT**
WOKWI SAVE SHARE ♥
Docs K

```

1 #include <WiFi.h>
2 #include <PubSubClient.h>
3 #define TRIGGER 2
4 #define ECHO 15
5 #define sound_speed 0.034
6 int distance;
7
8 void callback(char* subscribetopic, byte* payload, unsigned int payloadLength);
9
10 //-----credentials of IBM Accounts-----
11
12 #define ORG "wp72r7"
13 #define DEVICE_TYPE "iot-device-1"
14 #define DEVICE_ID "123456789"
15 #define TOKEN "987654321"
16 String data3;
17
18
19 //----- Customise the above values -----
20 char server[] = ORG ".messaging.internetofthings.ibmcloud.com";
21 char publishTopic[] = "iot-2/evt/Data/fmt/json";
22 char subscribetopic[] = "iot-2/cmd/test/fmt/String";
23 char authMethod[] = "use-token-auth";
24 char token[] = TOKEN;
25 char clientId[] = "d:" ORG ":" DEVICE_TYPE ":" DEVICE_ID;
26
27
28 //-----
29 WiFiClient wificlient;
30 PubSubClient client(server, 1883, callback ,wificlient);
31 void setup()
32 {
33   Serial.begin(115200);
34   pinMode(TRIGGER, OUTPUT);
35   pinMode(ECHO, INPUT);
36   digitalWrite(TRIGGER, LOW);
37 }
38
39 void loop()
40 {
41   if (client.connected()) {
42     client.publish(publishTopic, "Data");
43     delay(1000);
44   }
45   if (client.subscribe(subscribetopic)) {
46     Serial.println("Subscribed to " + subscribetopic);
47   }
48   if (client.available()) {
49     String message = client.read();
50     Serial.println("Received: " + message);
51     if (message.length() > 0) {
52       if (message.indexOf("alert") != -1) {
53         digitalWrite(TRIGGER, HIGH);
54         delay(1000);
55         digitalWrite(TRIGGER, LOW);
56       }
57     }
58   }
59 }

```

Simulation



Connecting to ....

WiFi connected

IP address:

10.10.0.2

Reconnecting client to wp72r7.messaging.internetofthings.ibmcloud.com

iot-2/cmd/test/fmt/String

subscribe to cmd OK

399 cms.

399 cms.

399 cms.

212 cms.

30 cms.

Sending payload: {"message":"alert"}

Publish ok

30 cms

## IBM CLOUD RECENT EVENTS:

IBM Watson IoT Platform
karthikeyan.c@secz.ac.in ID: wp72r7

Browse Action Device Types Interfaces
Add Device

### Browse Devices

All Devices
Diagnose

This table shows a summary of all devices that have been added. It can be filtered, organized, and searched on using different criteria. To get started, you can add devices by using the Add Device button, or by using API.

Device Simulator ☐

Device ID	Status	Device Type	Class ID	Date Added	Descriptive Location	Added By	Device Class	Firmware Version	Hardware Version	Manufacturer	Model	Serial Number	Description
123456789	Disconnected	iot-device-1	Device	Oct 22, 2022 9:47 PM		karthikeyan.c@secz.ac.in							

Identity
Device Information
Recent Events
State
Logs

The recent events listed show the live stream of data that is coming and going from this device.

Event	Value	Format	Last Received
Data	{"message":"alert"}	json	a few seconds ago
Data	{"message":"alert"}	json	a few seconds ago
Data	{"message":"alert"}	json	a few seconds ago
Data	{"message":"alert"}	json	a few seconds ago
Data	{"message":"alert"}	json	a few seconds ago

Items per page: 50 | 1-1 of 1 item
1 of 1 page