

Gas Leakage Monitoring and Alerting System for Industries Using IOT

ABSTRACT

Internet of Things (IoT) is the networking of 'things' by which physical things can communicate with the help of sensors, electronics, software, and connectivity. These systems do not require any human interaction. Internet of Things aim towards making life simpler by automating every small task around us. As much is IoT helping in automating tasks, the benefits of IoT can also be extended for enhancing the existing safety standards. Safety plays a major role in today's world and it is necessary that good safety systems are to be implemented in places of education and work. This work modifies the existing safety model installed in industries and this system can also be used in homes and offices. The traditional Gas Leakage Detector Systems though have great precision, fail to acknowledge a few factors in the field of alerting the people about the leakage. Therefore we have used the IoT technology to make a Gas Leakage Detector for society which having Smart Alerting techniques involving sending text message to the concerned authority and an ability performing data analytics on sensor readings.

KEYWORDS: Internet of Things, Gas Leakage Detection, Gas Detector

Introduction:

The Internet of Things is a developing theme of specialized, social, and monetary centrality. Customer items, tough goods, cars and trucks, modern and utility segments, sensors, and other regular articles are being joined with Internet availability and amazing information systematic capacities that guarantee to change the manner in which we work, live, and play. The Internet of Things (IoT) is an essential theme in innovation industry, strategy, and designing circles. The focus of this work is to design a system that monitors gas leakage in an enclosed system using an Arduino Uno microcontroller and an alarm system are used to alert people within leakages neighborhood while SMS will be sent to the premises owner or safety organization to towards making decision to avert damages and loss of lives/properties.

LITERATURE SURVEY:

Hina Ruqsar , Chandana R , Nandini R , Dr. T P Surekha, have proposed a system that along with monitoring and detection of gas leakage, real time data is made available through real time feed over internet They have used Xively IOT platform to provide real time sensor data over the internet.[1]

Hitendra Rawat, Ashish Kushwah, Khyati Asthana, Akanksha Shivhare, in the year 2014 planned a framework, They gave security issues against hoodlums, spillage and fire mishaps. In those cases their framework sends SMS to the crisis number gave to it.[2]

B. B. Did paye, Prof. S. K. Nanda; in this paper they told about their research on leakage detection and review of "Automated unified system for LPG using microcontroller and GSM module". Their paper proposed an advance and innovative approach for LPG leakage detection, prevention and automatic booking for refill. In advance, the system provides the automatic controlling of LPG regulator also if leakage is detected the system will automatically turn off the main switch of power supply. Hence it helps to avoid the explosion and blast.[3]

Ch. Manohar Raju and N. Sushma Rani, 2008, they introduce an android based automatic gas detection and indication robot. They proposed prototype depicts a mini mobile robot which is capable to detect gas leakage in hazardous places. Whenever there is an occurrence of gas leakage in a particular place the robot immediately read and

sends the data to android mobile through wireless communication like Bluetooth. We develop an android application for android based smartphones which can receive data from robot directly through Bluetooth. The application warns with an indication whenever there is an occurrence of gas leakage and we can also control the robot movements via Bluetooth by using text commands as well as voice commands. The previous mobile robots are based on heterogeneous technologies like GSM, GPS, internet based etc., but the main disadvantage of those prototypes were the absence of communication in particular areas. So, with the rapid developments and tremendous changes in technology we have lots of techniques to eradicate previous problems. Wireless communication protocols play a vital role in present trends. Bluetooth, WI-Fi, Zigbee etc., we use one of the best feature of smartphone, i.e., the Bluetooth technology to control and monitor parameters driven by a robot. They introduce a robot and mobile application for In the meantime, the system prototype has imposingly demonstrated its use and capability in intensive series of tests. The drive unit, the navigation system and, therefore, the complementary sensor systems performed superbly throughout the tests. The robot facilitates independent gas detection and leak localization in sites that are otherwise troublesome to access. Moreover, it helps to avoid mistreatment of human inspectors in probably dangerous environments. However, before ready-ing in industrial settings, more development is needed (e.g., in explosion protection, package development, etc.), and in fact leg a problems should be processed before ready-ing in business settings. Still, it is certain that an autonomous, mobile gas detection and leak localization robot is possible today and can significantly enhance safety.[4]

LITERATURE REVIEW:

ARDUINO BASED GAS LEAKAGE DETECTION SYSTEM USING IOT: It has become important factor nowadays to bring the technology into our home and office. By making the place smart, the day-to-day activities are becoming more and easier. The development of home automation has become mandatory in homes as people are moving towards to the smart home concepts. The supply gas will also be stopped with the use of solenoid, ultimately preventing the chance of accident. This system will not only able to detect the leakage of gas but also alerting through audible alarms. Presence of excess amounts of harmful gases in environment then this system can notify the user. System can notify to society admin about the condition before mishap takes place through a message. This system will not only able to detect the leakage of gas but also alerting through audible alarms. Presence of excess amounts of harmful gases in environment then this system can notify the user. The people in the neighbors can also be included in case of an emergency. LPG gas sensor is used for input. A buzzer is connected along with the circuit to indicate the use of the output.

Smart Gas Level Monitoring, Booking & Gas Leakage Detector over IoT: This project proposed the most common problem experienced in our day- to- day lives that is regarding GAS containers going empty. We bring this paper to create awareness about the reducing weight of the gas in the container, and to place a gas order using IOT. The gas booking/order is being done with the help of IOT and that the continuous weight measurement is done using a load cell which is interfaced with a Microcontroller (to compare with an ideal value). For ease it is even has been added with an RF TX & Rx modules which will give the same information. When it comes to the security of the kit as well as the gas container we have an MQ-2(gas sensor), LM 35(temperature sensor), which will detect the surrounding environment for any chance of error. Whenever any change is subjected in any of the sensors (load cell, LM35, Mq-2) a siren (60db) is triggered.(A)LM 35 (temp. sensor) For the sensors, if any fire is to be happened then the temperature sensor will sense an high change(positive change) in temperature and will send an pulse to microcontroller which intern will send an update to the internet through IoT, and as well it will trigger an siren alarm in the RF Rx kit(sub board). (B)MQ-2 (Gas Sensor) MQ 2 sensor is basically an LPG (liquefied petroleum gas) which is composed of propane & butane, so when a gas leakage is sensed by the sensor it will send an high pulse to the Mc which will update it in the IoT, and even an buzzer is heard in the RF Rx kit. And the problem can be sorted & solved. Thus the overall components & sensors play role in the paper as explained above.

Gas Leak Detection and Localization System through Wireless Sensor Networks:In this project we proposed a prototype of a Wireless Sensor Network (WSN) to monitor and locate gas leaks of a complex indoor environment. Specifically, a mobile node is moving inside a building to monitor any leakage of carbon dioxide (CO₂), supporting and displaying the level and the location of the leakage. Throughout the demonstration, the technological advantages of cognitive networking along with multichip routing are explored.

Cloud Connected Smart Gas Leakage Detection and Safety Precaution System : The project design and develop a cloud connected smart LPG gas cylinder platform, acting as a safety device for detecting LPG gas leak at low levels to avoid any possible accidents. It is also capable of sensing fire breakout in the area and weight of the gas in order to provide real time monitoring and alert over Internet. If an abnormal condition is detected, the device sends an alert to the smartphone app of the user and also generates an alert e-mail to other authorities. In addition to this upon detecting a gas leakage or a fire breakout, the device automatically takes safety precautionary measures, like gas valve closing, ventilation opening, fire sprinkler activation and home electrical power supply cut-off. The device connects to the internet via Wi-Fi and thus increases the mobility of the platform within the premises of the house. A Wi-Fi capable ARM Cortex-M4 microcontroller is used to implement the system. This device offers a complete, low cost, powerful and user-friendly way of real-time monitoring and remote control of gas leakages and prevention mechanisms in household and industrial areas.

INFERENCE:

This paper choice of using a real time gas leakage monitoring and Sensing the output levels of gas has been clearly observed by the help of this system. The proposed gas leakage detector is promising in the Field of safety. The system provides constant monitoring and detection of gas leakage along with storage of data in database for predictions and analysis. The IOT components used help in making the system much more cost effective in comparison with traditional Gas detector systems. A discussion on how the aims and objectives are met is presented. An overall conclusion IOT based toxic gas detector is it has become more efficient, more applicable to today's applications and smarter. In this paper we use IOT technology for enhancing the existing safety standards. While making this prototype has been to bring a revolution in the field of safety against the leakage of harmful and toxic gasses.

UNIQUE FEATURES:

- In this project, the physical use of wires and devices to be used is less.
- Coverage area of MQ2 Sensor is more compare to other sensors (i.e) 300-10K PPM.
- With help of Web User Interface and IOT devices, we can remotely monitor the gas level.
- Cost efficient and user friendly devices to be used.

FUTURE SCOPE:

1. A Mobile Application can be created for this system which can give information about the concentration of gas present in the area, setting reminders to check gas level, also to predict the gas leak by giving values.
2. The use of Pressure sensor along with the system can provide an extra feature of Automatic Gas Booking. Like other sensors, the pressure sensor can constantly monitor the amount of gas present in cylinder and send a booking SMS if it reaches certain level.
3. Relay motors can be added into the system to provide more safety. These motors can switch off the Main Gas Supply and Main Power supply in case the gas concentration exceeds certain limit.

CONCLUSION:

The advantage of this simple gas leak detector is its simplicity and its ability to warn about the leakage of the LPG gas. This system uses GSM technique to send alert message to respective person if no one is there in the house and then gas leaks occurs, GSM module is there to send immediate messages to the respective person regarding the gas leak. The main advantage of this system is that it turns off the regulator knob of the cylinder automatically when gas leakage is detected. As a result of this, the damages caused by the leakage of gas is increasing day by day. So as to eradicate this problems we are introducing highly advanced system known as Internet Of Things (IOT). It is used in wide range of applications in present day society and introducing a vast scope to the future. Our proposed system is more effective

and eco friendly due to the reason of detecting the leakage of gas and controlling the gas valve. So it is mainly designed for the safety of people and property.

REFERENCES:

[1]Kumar Keshamoni and Sabbani Hemanth. “Smart Gas Level Monitoring, Booking & Gas Leakage Detector over IoT” International Advance Computing Conference IEEE, 2017.

[2]Internet of Things (IOT) Based “ Gas Leakage Monitoring and Alerting System with MQ-2 Sensor ” by Rohan Chandra Pandey , Manish Verma , Lumesk Kumar Sahu.

[3]“GAS LEAKAGE DETECTION AND SMART ALERTING SYSTEM USING IOT” by Shital Imade, Priyanka Rajmanes, Aishwarya Gavali , Prof. V. N. Nayakwadi.

[4]“Gas Leakage Detection and Alert System using IoT” by Sayali Joshi, Shital Munjal, Prof. Uma B. Karanje.

[5]Asmita Varma, Prabhakar S, Kayalvizhi Jayavel. “Gas Leakage Detection and Smart Alerting and Prediction Using IoT”.Internet of Things and Applications (IOTA), International Conference on. IEEE, 2017.