SmartFarmer - IoT Enabled Smart Farming Application

IBM PROJECT REPORT Submitted by

Team ID: PNT2022TMID51472
Team Leader: ABINESH.K

Team Members:

MELBIN LEO.M

RAMAR.K

LAKSHMNAN.K

1. INTRODUCTION

Project Overview

Purpose

2. LITERATURE SURVEY

Existing problem

References

Problem Statement Definition

3. IDEATION & PROPOSED SOLUTION

Empathy Map Canvas

Ideation & Brainstorming

Proposed Solution

Problem Solution fit

4. REQUIREMENT ANALYSIS

Functional requirement

5. PROJECT DESIGN

Data Flow Diagrams

Solution & Technical Architecture

6. PROJECT PLANNING & SCHEDULING

Sprint Planning, Schedule & Estimation

7. CODING & SOLUTIONING

Feature

8. TESTING

Test Cases
User Acceptance Testing

9. RESULTS

Performance Metrics

- 10. ADVANTAGES & DISADVANTAGES
- 11. CONCLUSION
- 12. FUTURE

SCOPE

ABSTRACT:

loT-based agriculture system helps the farmer in monitoring different parameters of his field like soil moisture, temperature, and humidity using some sensors.

Farmers can monitor all the sensor parameters by using a web or mobile application even if the farmer is not near his field. Watering the crop is one of the important tasks for the farmers.

They can make the decision whether to water the crop or postpone it by monitoring the sensorparameters and controlling the motor pumps from the mobile application itself.

1. CHAPTER

INTRODUCTION

1.1 OVERVIEW

The objectives of this report is to proposed IoT based Smart Farming System which will enable farmers to have live data of soil moisture environment temperature at very low cost so that live monitoring can be done. The structure of the report is as follows: chapter I will cover over of overview of IoT Technology and agriculture-concepts and definition, IOT enabling technologies, IOT application in agriculture, benefits of IOT in agriculture and IOT and agriculture current scenario and future forecasts. Chapter II will cover definition of IOT based smart farming system, the components and modules used in it and working principal of it. Chapter III will cover algorithm and flowchart of theoverall process carried out in the system and its final graphical output .chapter IV consist of conclusion, future scope and references.

PURPOSE

- 1. IoT enables easy collection and management of tons of data collected from sensors and with integration of cloud computing services like Agriculture fields maps, cloud storage etc., data can be accessed live from anywhere and everywhere enabling live monitoring and end to end connectivity among all the parties concerned.
- 2. IoT is regarded as key component for Smart Farming as with accurate sensors and smart equipment's, farmers can increase the food production by 70% till year 2050 as depicted by experts.
- 3. With IoT productions costs can be reduced to a remarkable level which will in turn increase profitability and sustainability.
- 4. With IoT, efficiency level would be increased in terms of usage of Soil, Water, Fertilizers, Pesticides etc.
 - 5. With IoT, various factors would also lead to the protection of environment.

2. CHAPTER LITERATURE SURVEY

EXISTING PROBLEM:

Farmers are under pressure to produce more food AND use less energy and water in the process. A remote monitoring and control system will help farmers deal effectively with these pressures.

Irrigated farms typically deploy a single pump to irrigate 80 to 100 acres of land. Many large farms, therefore, require 40 to 80 or more irrigation pumps spread over hundreds of square miles. Most are pumping ground water for irrigation purposes, most operate in remote fields, and trucks must roll to tend to them.

Ideally, each field should get just the right amount of water at just the right time. Under-watering causes crop stress and yield reduction. Overwatering can also cause yield reduction and consumes more water and fuel than necessary and leads to soil erosion and fertilizer, herbicide, and pesticide runoff.

Agricultural operations waste 60% of water consumed each year. Now more than ever, new technologies for water conservation must be adopted. According to U.S. government statistics, however, only 10% of irrigated farms use advanced water management decision tools, including precision irrigation controls and soil moisture/water level sensing devices. There are both state and federal incentive plans now in place to help increase those percentages, and we were recently awarded an Arkansas Conservation Stewardship Grant to do advanced research in soil and water level monitoring.

REFERENCES:

Goldstone, J.A. The new population bomb: The four megatrends that will change the world. Foreign Aff. 2010, 89, 31.

Young, A. Is there really spare land? A critique of estimates of available cultivable land in developing countries. Environ. Dev.

Conforti, P. Looking Ahead in World Food and Agriculture: Perspectives to 2050; Food and Agriculture Organization of the United


PROBLEM STATEMENT DEFINITION

Smart Farming has enabled farmers to reduce waste and enhance productivity with the help of sensors (light, humidity, temperature, soil moisture, etc.) and automation of irrigation systems. Further with the help of these sensors, farmers can monitor the field conditions from anywhere. Internet of Things based Advanced Farming is highly efficient when compared with the conventional approach. The applications of intelligent Agriculture solutions not only targets conventional, large farming. With operations, but could also be new levers to uplift other growing or common trends in agricultural like organic farming, family farming (complex or small spaces, particular cattle and/or cultures, preservation of specific or high-quality varieties, etc.), and enhance highly transparent Farming.


CHAPTER 3

IDEATION AND PROPOSED SOLUTION

EMPATHY MAP



IDEATION & BRAINSTORMING





PROPOSED SOLUTION:

S. No.	Parameter	Description
1.	Problem Statement (Problem to be solved)	To provide efficient decision support system using wireless sensor network which handle different activities of farm and gives useful information related to farm. Information related to Soil moisture, Temperature and Humidity content. Due to the weather condition, water level increasing Farmers get lot of distractions which is not good for Agriculture.
2.	Idea / Solution description	Smart Agricultural System solutions provide an integrated IoT platform in agriculture that allows farmers to leverage sensors, smart gateways and monitoring systems to collect information, control various parameters on their farms and analyze real-time data in order to make informed decisions.
3.	Novelty / Uniqueness	Various eminent researchers have been making efforts for smart farming by using IoT concepts in agriculture. But, a bouquet of unfolded challenges is still in a queue for their effective solution. This study makes some efforts to discuss past research and open challenges in IoT based agriculture.

4.	Social Impact / Customer Satisfaction	Reduces the wages for labors who work in the agricultural field. It saves a lot of time. IoT can help improve customer relationships by enhancing the customer's overall experience.
5.	Business Model (Revenue Model)	A monthly subscription is charged to farmers for prediction and suggesting the irrigation timing based on sensors parameters like temperature, humidity, soil moisture.
6.	Scalability of the Solution	Scalability in smart farming refers to the adaptability of a system to increase the capacity, for example, the number of technology devices such as sensors and actuators, while enabling timely analysis.

PROBLEM SOLUTION FIT:





CHAPTER 4

REQUIREMENT ANALYSIS

4.1 FUNCTIONAL REQUIREMENTS

FUNCTIONALREQUIREMENTS:

FR No.	Functional Requirement	Sub Requirement (Story / Sub-Task)
1	❖ ❖ User Registration	✓ ✓ Registration through Gmail
		✓ ✓ Registration through phone

		number
	❖ ❖ User Confirmation	✓ ✓ Confirmation via Email
	* * Osei Commination	V V COMMINIACION VIA EMIAN
		✓ ✓ Confirmation via OTP
2		✓ ✓ Confirmation via verification
		link sent to registered mail id
	❖ ❖ Roles and service	✓ ✓ Choose roles (ex: farmer,
		student etc.)
		✓ ✓ Enter the personal details.
3		✓ ✓ Choose the type of service or
		options (ex: irrigation, pest
		management, crop management
		etc.)
	❖ ❖ Details of farm	✓ ✓ Enter the details of farming land
4	and plans	and vegetation.

		✓ ✓ Choose the crop you want to
		plant
		✓ ✓ Choose the types of plans (ex:
		regular and premium)
	❖ ❖ Details according	✓ ✓ Check the weather information
	to farm information	✓ ✓ Enter the soil nutrient and pH
		value
5		✓ ✓ click SAVE
		✓ ✓ Soon the details will share to
		registered mail
		✓ ✓ EXIT

Non-functional Requirements:

NFR No.	Non-Functional Requirement	Description
	* * Usability	✓ ✓ A system is built for monitoring
		the crop field with the help of sensors
		and automating the irrigation system
1		and helps the farmer to understand
		the important aspects.
	❖ ❖ Security	✓ ✓ Applications must be designed
		with the security of their use in mind.

2		This includes personal data and their
		user's well-being.
	* * Reliability	✓ ✓ It allows farmers to maximize
3		yields using minimum resources such
		as water, fertilizers, seeds etc.
	❖ ❖ Performance	✓ ✓ It increases efficiency and reduce
		the environmental impacts and to
4		implement technology properly to
		minimize cost.
	* * Availability	✓ ✓ This concept focused on providing
		the agricultural industry with the
5		infrastructure to leverage advanced
		technology.

	❖ ❖ Scalability	✓ It provides the recognition of each
		object that makes up a solution and
6		ensure communication. The system
		must remain operational regardless.

CHAPTER 5


PROJECT DESIGN

Data Flow Diagram:

A Data Flow Diagram (DFD) is a traditional visual representation of the information flowswithin a system. A neat and clear DFD can depict the right amount of the system requirementgraphically. It shows how data enters and leaves the system, what changes the information, and where data is stored.

- The different soil parameters temperature, soil moistures and then humidity are sensedusing different sensors and obtained value is stored in the IBM cloud.
- Arduino UNO is used as a processing Unit that process the data obtained from the sensors and whether data from the weather API.
- NODE-RED is used as a programming tool to write the hardware, software, and APIs. The MQTT protocol is followed for the communication.
- All the collected data are provided to the user through a mobile application that was developed using the MIT app inventor. The user could plan through an app, weather to

water the crop or not depending upon the sensor values. By using the app they can remotely operate to the motor switch.



5.2 SOLUTION & TECHNICAL ARCHITECTURE

- The different soil parameters temperature, soil moistures and then humidity are sensed using different sensors and obtained value is stored in the IBM cloud.
- Arduino UNO is used as a processing Unit that process the data obtained from the sensors and whether data from the weather API.
- NODE-RED is used as a programming tool to write the hardware, software, and APIs. The MQTT protocol is followed for the communication.

• All the collected data are provided to the user through a mobile application that was developed using the MIT app inventor. The user could decide through an app, weather to water the crop or not depending upon the sensor values. By using the app, they can remotely operate the motor switch.

CHAPTER 6 CODING & SOLUTIONING


CODE:


```
Import wiotp.sdk.device
import time
import os
import datetime
import random
myConfig = {
       "identity":{
            "orgId": "ck2tfo",
           "typeId": "NodeMLIC",
           "deviceId": "1234"
},
"auth" : {
       "token": "87654321"
}
Client = wiotp.sdk.device.DeviceClient (config=myconfig, logHandlers=None)
cilent, connect()
def myCommandCallback (cmd):
     print("message received from IBM Iot Platform: %s" %cmd.data['command'])
     m-cmd.data['command']
     if (m=="motoron"):
```

```
print ("motor is switched on")
    elif (m=="motoroff"):
            print ("motor is switched OFF")
     print(" ")
while True:
      soil-random.randint (0, 100)
     temp=random.randint (-20, 125)
      hum-random.randint(0, 100)
      myData={'soil moisture': soil, 'temperature': temp, 'humidity': hum)
      client.publishEvent (eventId="status", msgFormat="json", data=myData, qos=0)
      print("published data sucessfully:%s", myData)
      time.sleep(2)
      client.commandCallback = myCommandCallback
client.disconnect()
```

CHAPTER 7 TESTING

Web Application Using Node Red





User Acceptance Testing:



Advantages & Disadvantages:

Advantages:

- Farms can be monitored and controlled remotely.
- Increase in convenience to farmers.
- Less labor cost.
- Better standards of living

Disadvantages:

- Lack of internet/connectivity issues.
- Added cost of internet and internet gateway infrastructure.
- Farmers wanted to adapt the use of Mobile App.

CHAPTER-8

11. CONCLUSION

Farmers can benefit greatly from an IoT-based smart agriculture system. As a result of the lack of irrigation, agriculture suffers. Climate factors such as humidity, temperature, and moisture can be adjusted dependent on the local environmental variables. This technology also detects animal invasions, which are a major cause of crop loss. This technology aids in the scheduling of irrigation based on present data from the field and records from a climate source. It helps in deciding the farmer to whether to do irrigation or not to do. Continuous internet connectivity is required for continuous monitoring of data from sensors. This also can be overcome by using GSM unit as an alternative of mobile app. By GSM, SMS can be sent to farmers phone.

12. Future scope

In the current project we have implemented the project that can protect and maintain the the crop. In this project the farmer monitor and control the field remotely. In future we can add or update few more things to this project

. • We can create few more models of the same project, so that the farmer can have

information of a entire.

- We can update the this project by using solar power mechanism. So that the power supply from electric poles can be replaced with solar panels. It reduces the power line cost. It will be a one time investment. We can add solar fencing technology to this project.
- We can use GSM technology to this project so that the farmers can get the information directly to his home through SMS. This helps the farmer to get information if there is a internet issues.
- We can add camera feature so that the farmer can monitor his field in real time. This helps in avoiding thefts.