Project Development - Delivery Of Sprint-1

| Date | 14-11-2022 |
|--------------|--|
| Team ID | PNT2022TMID00709 |
| ProjectName | Project-IoT Based Safety Gadget For Child Safety Monitoring & Notification |
| MaximumMarks | 10022200202 |

REGISTRATION

```
`https:${location.href.substring(
            location.protocol.length
          )}`
        )
      }
    }
  </script>
  <script src="./localforage.js"></script>
</head>
<body>
  <div class="wrapper">
    <div class="loginContainer">
      <span>Login to Continue</span>
      <div class="traditionalLoginContainer">
        <form class="signupForm" action="/" method="post">
          <input type="text" name="firstName"
placeholder="First Name" id="firstName">
          <input type="text" name="lastName" placeholder="Last</pre>
Name" id="lastName">
          <input type="text" name="username"
placeholder="User Name" id="username">
          <input type="email" name="email" placeholder="Email"</pre>
id="email">
          <input type="password" name="password"</pre>
placeholder="Password" id="password">
```

```
<input class="loginButton" type="submit" value="Sign
Up">
        </form>
      </div>
      <div class="loginWithFireContainer">
        <button type="button" class="fire" title="Login with
SAFETY" id="fire">Login with SAFETY</button>
      </div>
      <a class="hyperLink" href="/login">Already have an Account?
Login ⊅</a>
    </div>
  </div>
  <script>
    // Necessary for Fire OAuth to Function
    const fireBroadcastingChannel = new
BroadcastChannel('fireOAuthChannel');
    fireBroadcastingChannel.addEventListener('message', async
event => {
      let data = event.data
      /**
      * @typedef {Object<string, any>} Data
      * @property {boolean} success - Whether the login was
successful
      * @property {string} token - The data returned from the
login i.e. Fire Token
```

| <pre>// data.token is the message sent from the fireOAuthChannel after verification</pre> |
|---|
| // data.success is a boolean that indicates whether the verification was successful |
| // data.token is the fire token |
| // What to do with the Fire Token? |
| // * Fire Token is an unique token which uniquely identifies the user who authorized your login attempt with Fire |
| // * You can use this token ONLY ONCE as it will be destroyed after the first use |
| // 1. Send the fire token to the Fire Server to verify the user |
| // - You can do that client sided or server sided |
| // - You need to send a POST Request to the Fire Server with the fire token |
| // at the URL: http://localhost:3003/api/tokens/verify |
| // - The Fire Server will verify the fire token and return a response |
| // - If the verification was successful - CODE (200), the Fire Server will return a response with the user's data |

```
// - If the verification was unsuccessful - CODE (400) or
CODE (401), the Fire Server will return a response with an error
'message'
      // - You can use the data returned from the Fire Server to
create a new user in your database
      // This example will send the token to Fire Servers and
console.log the response
      console.log("%c" + `Fire Token: ${data.token}`, `color:
#f1c40f; font-weight: bold; ');
      const response = await
fetch('https://fire.adaptable.app/api/tokens/verify', {
        method: 'POST',
        headers: {
          'Content-Type': 'application/json'
        },
        body: JSON.stringify({
          token: data.token
        })
      })
       // get the response
       const responseData = await response.json()
      // console.log the response
      console.log(responseData)
      await localforage.setItem('userData', {...responseData, isFire:
true})
```

```
// Adding the user data to the user Database
      let database = await localforage.getItem("userDatabase")
      if (database == null) {
        database = []
      }
      database.push(responseData)
      await localforage.setItem("userDatabase", database)
      // redirect to the home page
      window.location.href = '/'
    })
    function popupwindow(url, title, w, h) {
      var left = (screen.width/2)-(w/2);
      var top = (screen.height/2)-(h/2);
      return window.open(url, title, 'toolbar=no, location=no,
directories=no, status=no, menubar=no, scrollbars=no,
resizable=no, copyhistory=no, width='+w+', height='+h+',
top='+top+', left='+left);
    }
    document.getElementById("fire").addEventListener("click",
function() {
      popupwindow("/fireoauth.html", "Fire OAuth", 450, 600)
    })
```

```
</script>
  <script>
    // this.Website's Scripts / App Logic
document.querySelector(".signupForm").addEventListener("submit
", async (e) => {
      e.preventDefault()
      let firstName =
document.getElementById("firstName").value
      let lastName = document.getElementById("lastName").value
      let username =
document.getElementById("username").value
      let email = document.getElementById("email").value
      let password = document.getElementById("password").value
      let profilePic =
`https://avatars.dicebear.com/api/adventurer-
neutral/${firstName}${lastName}.svg?backgroundColor=variant03`
      let data = { firstName, lastName, username, email, password,
profilePic }
      await localforage.setItem("userData", data)
      let database = await localforage.getItem("userDatabase")
      if (database == null) {
```

```
database = []
}
database.push(data)
await localforage.setItem("userDatabase", database)
window.location.href = "/"
})
</script>
</body>
</html>
```

OUTPUT:

