
ASSIGNMENT-4

TEAM ID	PNT2022TMID49573
PROJECT NAME	SKILL & JOB RECOMMANDER
	APPLICATION
NAME	SATHEES KUMAR.K
ROLL NO	950019104302

1.Create a Bucket in IBM object storage.




2..Upload an 5 images to ibm object storage and make it public. write html code to displaying all the 5 images.

web.html

<html>

```
<head>
 <title>
 Images
  </title>
  <link rel="stylesheet" href="style.css">
  </head>
  <body>
  <div class="box">
  <div class="img1">
  <h1 class="word">aeroplanE</h1>
  <img
src="https://satheeskumar.s3.jp-tok.cloud-object-storage.appdomain.cloud/aeroplanE.jpg"
alt="aeroplanE" width="200" height="200">
  </div>
  <div class="img2">
  <h1 class="word">bike</h1>
  <img src="https://satheeskumar.s3.jp-tok.cloud-object-storage.appdomain.cloud/bike.jpg"</pre>
alt="bike" width="200" height="200">
  </div>
   <div class="img3">
    <h1 class="word">laptop</h1>
    <img src="https://satheeskumar.s3.jp-tok.cloud-object-storage.appdomain.cloud/laptop.png"</pre>
alt="laptop" width="200" height="200">
     </div>
    <div class="img4">
     <h1 class="word">mobiles</h1>
```

OUTPUT:



3.Upload a css page to the object storage and use the same page in your HTML code.


style.css


```
@import url('https://fonts.googleapis.com/css2?family=Alkalami&display=swap');
body{
top: 0;
left: 0;
width: 100vw;
height: 100vh;
margin: 0;
padding: 0;
font-size: 1vmin;
font-family: 'Alkalami', serif;
color: white;
background: linear-gradient(90deg, #fc466aad 0%, #3f5efbb6 100%);
}
.word{
text-align: center;
text-transform: uppercase;
color: rgb(231, 226, 225);
}
img{
border-radius: 3px;
position: relative;
top: 34%;
left: 50%;
transform: translate(-50%, -50%);
width: 99%;
```

```
height: 70%;
}
.box{
border-radius: 3px;
height: 500px;
width: 700px;
background: linear-gradient(90deg, #FC466B 0%, #3F5EFB 100%);
display: flex;
flex-wrap: wrap;
flex-direction: row;
position: relative;
top: 50%;
left: 50%;
transform: translate(-50%, -50%);
.img1 ,.img2 ,.img3, .img4, .img5{
border-radius: 10px;
height: 220px;
width: 150px;
margin: 15px;
border: 1px solid rgb(224, 23, 23);
background: linear-gradient(90deg, #4b6cb7 0%, #182848 100%);
}
.img1{
margin-left: 60px;
}
.img2{
```

```
margin-left: 50px;
}
.img3{
margin-left: 50px;
}
.img4{
margin-left: 170px;
}
.img5{
margin-left: 50px;
}
```


OUTPUT:





4.Design a chatbot using IBM Watson assistant for hospital. Ex: User comes with query to know the branches for that hospital in your city. Submit the web URL of that chat bot as a assignment.

https://web-chat.global.assistant.watson.appdomain.cloud/preview.html?backgroundImageURL=https%3A%2F%2Fjp-tok.assistant.watson.cloud.ibm.com%2Fpublic%2Fimages%2Fupx-5c2af6bf-3fc8-47c1-ab5b-6ca5c9984c23%3A%3A30412bdd-ac37-417b-9bad-99e17c2c4a5c&integrationID=f3aa5c7c-3e6f-4d2a-96f5-6a25832a0d45®ion=jp-tok&serviceInstanceID=5c2af6bf-3fc8-47c1-ab5b-6ca5c9984c23



5..Create Watson assistant service with 10 steps and use 3 conditions in it. Load that script in HTML page.

Index.html:

```
<html>
<head>
<script>
window.watsonAssistantChatOptions = {
integrationID: "c954a3ee-d63b-4bf8-80fc-0de673c2c739", // The ID
of this integration.
region: "au-syd", // The region your integration is hosted in.
serviceInstanceID: "0f5e7382-3226-4af1-a8da-bd1a9b369378", //
The ID of your service instance.
onLoad: function(instance) { instance.render(); }
};
```

```
setTimeout(function(){
const t=document.createElement('script');
t.src="https://web chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion \parallel 'latest') + \\
"/WatsonAssistantChatEntry.js";
document.head.appendChild(t);
});
</script>
<meta charset="UTF-8">
<title> Index </title>
<link rel="stylesheet" href="style.css">
</head>
<body></br></br></br>
<img src=""> alt="">
<div align="center">
<div align="center" class="border">
<div class="header">
<h1 class="word">Index</h1>
</div></br></br>
<h1 class="bottom">
Hi I am sathees kumar</br>
</br>
Welcome to Our page...
</div>
</div>
</body>
</html>
</h1></br></br>
<a href="login.html" class="btn">Logout</a>
```

OUTPUT:

