# Smart Waste Management System for MetropolitanCities

#### **ASSIGNMENT 4**:

Write code and connections in wokwi for ultrasonic sensor.

Whenever distance is less than 100 cms send "alert" to ibm cloud anddisplay in device recent events.

Upload document with wokwi share link and images of ibm cloud

### **CODE:**


```
WiFiClient wifiClient;
#define DEVICE_TYPE "NodeMCU"
#define DEVICE ID "USE YOUR ID"
#define speed 0.034
char server[] = ORG ".messaging.internetofthings.ibmcloud.com";
char publishTopic[] = "iot-2/evt/Data/fmt/json";
char topic[] = "iot-2/cmd/home/fmt/String";
char authMethod[] = "use-token-auth";
char token[] = TOKEN;
char clientId[] = "d:" ORG ":" DEVICE_TYPE ":" DEVICE_ID;
PubSubClient client(server, 1883, wifiClient);
void publishData();
const int trigpin=5;
long duration;
void setup()
  Serial.begin(115200);
  pinMode(trigpin, OUTPUT);
```

```
wifiConnect();
 mqttConnect();
void loop() {
 publishData();
 if (!client.loop()) {
   mqttConnect();
void wifiConnect() {
   delay(500);
 Serial.print("WiFi connected, IP address: "); Serial.println(WiFi.localIP());
void mqttConnect() {
 if (!client.connected()) {
   while (!client.connect(clientId, authMethod, token)) {
     delay(500);
   initManagedDevice();
   Serial.println();
void initManagedDevice() {
void publishData()
 digitalWrite(trigpin,LOW);
 digitalWrite(trigpin, HIGH);
```

```
delayMicroseconds(10);
digitalWrite(trigpin,LOW);
duration=pulseIn(echopin,HIGH);
dist=duration*speed/2;
if(dist<100){
   String payload = "{\"Alert distance\":";
   payload += dist;
   payload += "}";

   Serial.print("\n");
   Serial.print("Sending payload: ");
   Serial.println(payload);
   if (client.publish(publishTopic, (char*) payload.c_str())) {
        Serial.println("Publish OK");
    } else {
        Serial.println("Publish FAILED");
    }
}</pre>
```

# **CONNECTIONS:**



## **WOKWI LINK:**

https://wokwi.com/projects/346665867630608980

## **OUTPUT:**

