

#### DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING

IV YEAR / VII SEMESTER (ODD)

BATCH: 2019-2023

ACADEMIC YEAR 2022-2023

**ASSIGNMENT - II** 

TEAM ID: PNT2022TMID48755

TITLE OF THE PROJECT: Skill / Job Recommendor Application

**DOMIN**: Cloud Application Development


TEAM LEAD: K.Prathap

TEAM MEMBER: P.Karthikeyan
TEAM MEMBER: M.Santhosh

**TEAM MEMBER: N.Suthan** 

INDUSTRY MENTOR: Krishna Chaitanya

FACULTY MENTOR(S) NAME: A. Kalaiyarasi



## Assignment - II

# Assignment2.py import ibm db dictionary={} def printTableData(conn): sql = "SELECT \* FROM userdetails" out = ibm db.exec immediate(conn, sql) document = ibm db.fetch assoc(out) while document != False: dictionary.update({document['USERNAME']:document['PASSWORD']}) document = ibm db.fetch assoc(out) def insertTableData(conn,rollno,username,email,password): sql="INSERT INTO userdetails(rollno,username,email,password) VALUES ({},'{}','{}','{}')".format(rollno,username,email,password) out = ibm db.exec immediate(conn,sql) print('Number of affected rows: ',ibm db.num rows(out),"\n") def updateTableData(conn,rollno,username,email,password): sql = "UPDATE userdetails SET (username,email,password)=('{}','{}','{}') WHERE rollno={}".format(username,email,password,rollno) out = ibm db.exec immediate(conn, sql) print('Number of affected rows: ', ibm\_db.num\_rows(out), "\n") def deleteTableData(conn,username): sql = "DELETE FROM userdetails WHERE username={}".format(username) out = ibm db.exec immediate(conn, sql)

```
print('Number of affected rows:', ibm db.num rows(out), "\n")
try:
  conn=ibm db.connect("DATABASE=bludb;HOSTNAME=ba99a9e6-d59e-4883-8fc0-
d6a8c9f7a08f.c1ogi3sd0tgtu0lqde00.databases.appdomain.cloud;PORT=31321;SECURITY
=SSL;SSLServerCertificate=DigiCertGlobalRootCA.crt;PROTOCOL=TCPIP;UID=cll3376
1;PWD=JHRHpRtT82zDR0z6;", "", "")
print("Db connected")
except:
print("Error")
from flask import *
app=Flask(__name__)
@app.route("/")
@app.route("/login",methods=['POST','GET'])
def login(pbkdf2_sha256=None):
if request.method=="POST":
printTableData(conn)
username=request.form['username']
password=request.form['password']
if dictionary[username] == password:
return render_template('user.html',uname=username)
return render_template('loginpage.html')
```

```
@app.route("/register",methods=['POST','GET'])
def register():
if request.method=="POST":
rollno = request.form['rollno']
username = request.form['username']
email = request.form['email']
password = request.form['password']
    insertTableData(conn, rollno, username, email, password)
#printTableData(conn)
return render_template('loginpage.html')
return render_template('registerpage.html')
@app.route("/delected")
def delected():
return render_template('delectuser.html')
@app.route("/logout")
def logout():
return redirect(url_for('login'))
#printTableData(conn)
#print(dictionary)
if __name__=="__main__":
app.run(debug=True)
```

```
Loginpage.html
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<script src="https://code.jquery.com/jquery-3.2.1.slim.min.js" integrity="sha384-</pre>
KJ3o2DKtIkvYIK3UENzmM7KCkRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN
"crossorigin="anonymous"></script>
<script src="https://cdn.jsdelivr.net/npm/popper.js@1.12.9/dist/umd/popper.min.js"</pre>
integrity="sha384-
ApNbgh9B+Y1QKtv3Rn7W3mgPxhU9K/ScQsAP7hUibX39j7fakFPskvXusvfa0b4Q"
crossorigin="anonymous"></script>
<script src="https://cdn.jsdelivr.net/npm/bootstrap@4.0.0/dist/js/bootstrap.min.js"</pre>
integrity="sha384-
JZR6Spejh4U02d8jOt6vLEHfe/JQGiRRSQQxSfFWpi1MquVdAyjUar5+76PVCmYl"
crossorigin="anonymous"></script>
<link rel="stylesheet"</pre>
href="https://cdn.jsdelivr.net/npm/bootstrap@4.0.0/dist/css/bootstrap.min.css"
integrity="sha384-
Gn5384xqQ1aoWXA+058RXPxPg6fy4IWvTNh0E263XmFcJlSAwiGgFAW/dAiS6JXm"
crossorigin="anonymous">
<title>Login Page</title>
<style type="text/css">
body{
background-color: "white";
```

```
<!-- .msg,.login{-->
<!-- text-align: center;-->
<!-- margin-top: 25px;-->
<!-- margin-bottom:25px;-->
<!--}
form \{
width: 30%;
.center {
position: absolute;
left: 0;
right: 0;
margin-left: 900px;
margin-top: 150px;
}
img{
height: 400px;
width: auto;
position: absolute;
margin-left: 100px;
margin-top: 200px;
}
```

```
.login:before {
content: "";
flex: 1;
height: 1px;
background: #eee;
}
</style>
</head>
<body>
<img src="user.jpg" alt="">
<br>
<div>
<form action="/login" method="POST" class="center">
<div class="form-group">
<h3 class="login">Login</h3>
<label for="exampleInputEmail1">User Name</label>
<input type="text" name="username" class="form-control"</pre>
id="exampleInputEmail1" placeholder="Enter Username">
<div class="form-group">
<label for="exampleInputPassword1">Password</label>
<input type="password" name="password" class="form-control"</pre>
id="exampleInputPassword1" placeholder="Password">
</div>
<div>
New User? Click to <a href="{{url_for('register')}}">Sign-Up</a>
<br>
<button type="submit" class="btn btn-primary">Submit</button>
</form>
</div></body></html>
```

```
Registerpage.html
 <!DOCTYPE html>
 <html lang="en">
 <head>
 <meta charset="UTF-8">
 <script src="https://code.jquery.com/jquery-3.2.1.slim.min.js" integrity="sha384-</pre>
KJ3o2DKtIkvYIK3UENzmM7KCkRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN
"crossorigin="anonymous"></script>
 <script
src="https://cdn.jsdelivr.net/npm/popper.js@1.12.9/dist/umd/popper.min.js"
integrity="sha384-
ApNbgh9B+Y1QKtv3Rn7W3mgPxhU9K/ScQsAP7hUibX39j7fakFPskvXusvfa0b4Q"
crossorigin="anonymous"></script>
 <script
src="https://cdn.jsdelivr.net/npm/bootstrap@4.0.0/dist/js/bootstrap.min.js"
integrity="sha384-
JZR6Spejh4U02d8jOt6vLEHfe/JQGiRRSQQxSfFWpi1MquVdAyjUar5+76PVCmYl"
crossorigin="anonymous"></script>
 k rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@4.0.0/dist/css/bootstrap.min.css"
integrity="sha384-
Gn5384xqQ1aoWXA+058RXPxPg6fy4IWvTNh0E263XmFcJlSAwiGgFAW/dAiS6JXm
" crossorigin="anonymous">
 <title>Register page</title>
 <style type="text/css">
```

```
body{
background-color: #EAF6F6;
.msg,.login{
text-align: center;
margin-top: 25px;
margin-bottom:25px;
form{
width: 30%;
}
.center {
position: absolute;
margin-left: 900px;
margin-top: 200px;
img{
position: absolute;
margin-top: 100px;
</style>
</head>
<body>
<img src="https://mdbcdn.b-cdn.net/img/Photos/new-templates/bootstrap-login-
form/draw2.webp" alt="">
<form action="/register" method="POST" class="center">
<div class="form-group">
<label for="exampleInputUsername">Roll Number</label>
<input type="number" name="rollno" class="form-control"</pre>
id="exampleInputRollNo" aria-describedby="emailHelp" placeholder="Enter Roll
Number">
</div>
<div class="form-group">
<label for="exampleInputUsername">User Name</label>
<input type="text" name="username" class="form-control"</pre>
id="exampleInputUsername" aria-describedby="emailHelp" placeholder="Enter
Username">
</div>
```

```
<div class="form-group">
<label for="exampleInputEmail">Email</label>
<input type="text" name="email" class="form-control" id="exampleInputEmail"</pre>
aria-describedby="emailHelp" placeholder="Enter Username">
</div>
<div class="form-group">
<label for="exampleInputPassword">Password</label>
<input type="password" name="password" class="form-control"</pre>
id="exampleInputPassword" placeholder="Password">
</div>
<div>
Already a User? Click to <a href="{{url_for('login')}}">Login</a>
</div>
<br>
<button type="submit" class="btn btn-primary">Submit</button>
</form>
</body>
</html>
```

### User.html

```
<html>
<head>
<title>User Page</title>
     <link rel="stylesheet" href="{{url_for('static',filename='css/bootstrap.min.css')}}">
<script src="{{url_for('static',filename='js/jquery.min.js')}}"></script>
</head>
<body>
<div class="container">
<div class="col-md-5">
<h3 class="page-header text-info">User Page</h3>
<h3 ><marquee behavior="scroll" direction="left">Welcome
{{uname}}</marquee></h3><hr>
<h4> <a href="{{url for('delete')}}">Delete</h4>
<h4><a href="{{url_for('logout')}}">Logout</a></h4>
</div>
</div>
</body>
</html>
```

## Output Screenshot:







