ASSIGNMENT DATE	10 SEPTEMBER 2022
STUDENT NAME	PRIYADHARSHAN S
STUDENT REGISTER NUMBER	2019504564
MAXIMUM MARKS	2 MARKS

ASSIGNMENT 1:

Basic Python command:

	1. Split this string
1:	s = "Hi there Sam!"
	<pre>print(s.split())</pre>
1.3	['Hi', 'there', 'Sami']
	2. Use .format() to print the following string.
	Output should be: The diameter of Earth is 12742 kilometers.
	planet = "Earth" diameter = 12742
1	<pre>print("The diameter of {) is {} kilometers.".format(planet,diameter)}</pre>
	The diameter of Earth is 12742 kilometers.
	3. In this nest dictionary grab the word "hello"
	<pre>d = {'kl':[1,2,3,{'tricky':['oh','man','inception',{'target':[1,2,3,'hello']]]]])</pre>
:	<pre>print(d("k1")[3)["tricky"][3]("target"](3])</pre>
	hello
	Numpy
	import numpy as np
	4.1 Create an array of 10 zeros?
	4.2 Create an array of 10 fives?
:	<pre>print(np.zeros(10))</pre>
	[0. 0, 0. 0, 0, 0, 0, 0, 0, 0,]
•	print(np.ones(10)*5) [5. 5. 5. 5. 5. 5. 5. 5. 5. 5.]
	5. Create an array of all the even integers from 20 to 35
:	print(np.arange(20,35,2)) [20 22 24 26 28 30 32 34]
	[20 22 24 26 28 30 32 34]
	6. Create a 3x3 matrix with values ranging from 0 to 8
	<pre>print(np.arange(0,9).reshape(3,3))</pre>
	<pre>print(np.arange(0,9).reshape(3,3)) [(0 1 2]</pre>
	<pre>print(np.arange(0,9).reshape(3,3))</pre>
× [<pre>print(np.arange(0,9).reshape(3,3)) [(0 1 2]</pre>
¥ [<pre>print(np.arange(0,9).reshape(3,3)) [(0 1 2] [3 4 5] [6 7 8]]</pre>
· [print(np.arange (0, 9) .reshape (3, 3)) ([0 1 2] ([0 1 2] ([3 3 4 3] ([6 7 8]) 7. Concatenate a and b a = np.array([1, 2, 3]), b = np.array([4, 5, 6])
· [print(op.arange (0, 9) .reshape (3, 3)) {(0 1 2)
· [print(np.arange (0, 9) .reshape (3, 3)) ([0 1 2] ([0 1 2] ([3 3 4 3] ([6 7 8]) 7. Concatenate a and b a = np.array([1, 2, 3]), b = np.array([4, 5, 6])
: [print(op.arange (0, 9) .reshape (3, 3)) {(0 1 2)
* [print(np.arange (0, 9) , xeshape (3, 3)) ([0 1 2]
* [print(np.arange (0, 9) , xeshape (3, 3)) [(0 1 2)
* [print(np.arange (0, 9) , xeshape (3, 3)) ([0 1 2]
* [print(np.arange (0, 9) xeahape (3, 3)) [(0 1 2)] [(3 4 3)] [(6 7 8)] 7. Concatenate a and b a = np.array([1, 2, 3]), b = np.array([4, 5, 6]) a = np.array([4, 2, 3]) b = np.array([4, 5, 6]) print(np.concatenate (4, 6, b), axis=0)) [1 2 3 4 5 6] Pandas 8. Create a dataframe with 3 rows and 2 columns import pandas as pd deca = ((1, 2), (3, 4), (5, 6)) print((d). Detarrame (dxta))
* [print(np.arange (0, 9) . xeshape (3, 3)) [(0 1 2)
: [print(np.arange (0, 9), reshape (3, 3)) [10 1 27] [13 4 3] [16 7 61] 7. Concatenate a and b a = np.array([1, 2, 3]), b = np.array([4, 5, 6]) a = np.array([1, 2, 3]), b = np.array([4, 5, 6]) a = np.array([1, 2, 3]), b = np.array([4, 5, 6]) print(np.concatenate ((a,b), axis=0)) [1 2 3 4 5 6] Pandas 8. Create a dataframe with 3 rows and 2 columns import pandas as pd data = {(1,2), (3,4), (5, 6)} print(np.d.bataframe (data)) 0 1 0 1 1 2 3 6
* [[*	print(np.arange (0, 9), reshape (3, 3)) [10 1 22] [13 4 3] [16 7 81] 7. Concatenate a and b a = np.array([1, 2, 3]), b = np.array([4, 5, 6]) a - np.array([1, 2, 3]), b = np.array([4, 5, 6]) a - np.array([4, 2, 3]) print(np.array(6, 6, 6)), axis=0)) [1 2 3 4 5 6] Pandas 8. Create a dataframe with 3 rows and 2 columns import pandas as pd data = [(1,2), [3,4], (5, 6]) print(np.d.bataframe (data)) 0 1 0 1 2 2 3 6 9. Generate the series of dates from 1st Jan, 2023 to 10th Feb, 2023
* [[print(np.arange (0, 2) , reshape (3, 3)) [0 1 2] [1 3 4 3] [1 7 5] 7. Concatenate a and b a = np.array([1, 2, 3]), b = np.array([4, 5, 6]) a = np.array([1, 2, 3]), b = np.array([4, 5, 6]) b = np.array([1, 2, 3]), b = np.array([4, 5, 6]) print(np.concatenate ((4, b), axis=0)) [1 2 3 4 3 6] Pandas 8. Create a dataframe with 3 rows and 2 columns import pandas as pd data = [(1, 2), (1), 4], (1, 6]) print(nparange (data)) 0 1 2 1 3 4 9. Generate the series of dates from 1st Jan, 2023 to 10th Feb, 2023 print(pddate_range (start-1/1/2023', and-102/10/2023'))
* [[print(np.arange (0, 2) , reshape (3, 3)) [0 1 2] [1 3 4 3] [1 7 5] 7. Concatenate a and b a = np.array([1, 2, 3]), b = np.array([4, 5, 6]) a = np.array([1, 2, 3]), b = np.array([4, 5, 6]) b = np.array([1, 2, 3]), b = np.array([4, 5, 6]) print(np.concatenate ((4, b), axis=0)) [1 2 3 4 3 6] Pandas 8. Create a dataframe with 3 rows and 2 columns import pandas as pd data = [(1, 2), (1), 4], (1, 6]) print(nparange (data)) 0 1 2 1 3 4 9. Generate the series of dates from 1st Jan, 2023 to 10th Feb, 2023 print(pddate_range (start-1/1/2023', and-102/10/2023'))
* [[print(mp.arange (0, 0), renhape (3, 3)) [[0 1 2] [3 4 3] [6 7 6]] 7. Concatenate a and b a = np.array([1, 2, 3]), b = np.array([4, 5, 6]) a = np.array([1, 2, 3]), b = np.array([4, 5, 6]) b = np.array([4, 5, 6]) print(mp.concatenate ((4, b), axis=0)) [1 2 3 4 5 6] Pandas 8. Create a dataframe with 3 rows and 2 columns Import pandas as pd data = [13/2], [13/4], [2, 6]] print(mp.d.nbtaframe (data)) 0 1 2 1 3 4 2 5 6 9. Generate the series of dates from 1st Jan, 2023 to 10th Feb, 2023 print(mp.d.aste_range (start="1/1/2023", and="02/10/2023")) DatetimeIndex([1/2023-01-01", 2023-01-01"
* [[print(np.arange (0, 9), reshape (3, 3)) [10 1 27] [13 4 3] [16 7 6]] 7. Concatenate a and b a = np.array([1, 2, 3]), b = np.array([4, 5, 6]) a = np.array([1, 2, 3]), b = np.array([4, 5, 6]) a = np.array([4, 5, 6]) print(np.concatenate (4, b), axis=0)) [1 2 3 4 5 6] Pandas 8. Create a dataframe with 3 rows and 2 columns import pandas as pd data = {(1, 2), [3, 4), (5, 6]) print(np.d. hataframe (axis)) 0 3 1 3 4 2 3 3 5 6 3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
* [print(mp.arange (0, 9), reahape (3, 3)) [[0 1 2] [3 4 5] [6 7 6]] 7. Concatenate a and b a = np.array([1, 2, 3]), b = np.array([4, 5, 6]) a = np.array([1, 2, 3]), b = np.array([4, 5, 6]) b = np.array([4, 5, 6]) print(mp.concatenate ((4, b), axis=0)) print(mp.concatenate ((4, b), axis=0)) [1 2 3 4 5 6] Pandas 8. Create a dataframe with 3 rows and 2 columns Import pandas as pd data = [(1,2), [1,4], [1,6]] print(mp.dataframe (data)) 0 1 2 1 3 4 2 3 6 9. Generate the series of dates from 1st Jan, 2023 to 10th Feb, 2023 print(mp.dataframe (data)) Dataframe(mataframe (data)) Da
* [[print(np.arange (0, 9), reshape (3, 3)) [10 1 27] [13 4 3] [16 7 8] 7. Concatenate a and b a = np.array([1, 2, 3]), b = np.array([4, 5, 6]) a = np.array([1, 2, 3]), b = np.array([4, 5, 6]) a = np.array([1, 2, 3]), b = np.array([4, 5, 6]) a = np.array([1, 2, 3]) print(np.concatenate ((a,b), axis=0)) [1 2 3 4 5 6] Pandas 8. Create a dataframe with 3 rows and 2 columns import pandas as pd data = [(1,2], [3,4], [5, 6]) print(np.dataframe (data)) 0 1 0 1 0 2 2 3 6 9. Generate the series of dates from 1st Jan, 2023 to 10th Feb, 2023 print(pd.date_range(start='1/1/2023'-0.02', and='02/10/2023')) DatetimeIndex(['1023-01-03', '2023-01-03', '2023-01-03', '2023-01-03', '2023-01-03', '2023-01-03', '2023-01-03', '2023-01-01', '2023-01-02', '2023-01-01', '2023-01-02', '2023-01-01', '2023-01-02', '202
x []	print(np.arange (0, 9) , reshape (3, 2)) [10 1 22] [13 4 3] [16 7 8]] 7. Concatenate a and b a = np.array([1, 2, 3]), b = np.array([4, 5, 6]) a - np.array([1, 2, 3]), b = np.array([4, 5, 6]) a - np.array([4, 5, 6]) p-andas 8. Create a dataframe with 3 rows and 2 columns import pandas as pd data = [(1, 2), (1, 4), (2, 6]) print(np.d.btaframe (data)) 0 1 2 1 3 4 2 3 6 9. Generate the series of dates from 1st Jan, 2023 to 10th Feb, 2023 print(pd.data_range (datart-13/1/2023), and-92/10/2023+) DatestineTrinkex([*2023-01-01*, *2023-00-10*, *2023-0