# ASSIGNMENT 3

TEAM ID : PNT2022TMID50578

PROJECT NAME : CUSTOMER CARE REGISTRY

STUDENT NAME : RAMA CHITRA T

Q1. Creating a Bucket in IBM Cloud Storage

Q2. Uploading 5 images to IBM Object storage and made it public

<!DOCTYPE html>

<html>

  <head>

    <title>IMAGES</title>

    <link rel="stylesheet" href="https://mani07.s3.jp-tok.cloud-objectstorage.appdomain.cloud/stylenew.css">

  </head>

  <body>

```html
<h2>GALLERY</h2>
<h3>EXPLORE THE BEAUTY ...</h3>

<div id="pic">

    <img src="https://mani07.s3.jp-tok.cloud-object-
storage.appdomain.cloud/pexelspixabay-460621.jpg">

    <img src="https://mani07.s3.jp-tok.cloud-object-storage.appdomain.cloud/pexels-m
rizwan-1739264.jpg">

    <img src="https://mani07.s3.jp-tok.cloud-object-storage.appdomain.cloud/pexels-lu
296849.jpg">

    <img src="https://mani07.s3.jp-tok.cloud-object-storage.appdomain.cloud/pexels-ja
wheeler-417074.jpg">

    <img src="https://mani07.s3.jp-tok.cloud-object-storage.appdomain.cloud/pexels-d
meyers-2364701.jpg">



</div>

</body>

</html>
```

Q3:Upload a css page to the object storage and use the same page in your HTML code.

```css
body{
    background-color:rgb(115, 82, 190);

    }

    #pic{
margin-top: 10%;
margin: 5%;
line-height:0;
```

```css
        column-count:5;
        column-gap:5px;      background-
    image: rgb(83, 6, 134);

    }

    #pic img{

        width: 100%!important;

        height: auto !important;

        margin-bottom:auto;

    }

    h2{
text-align: center;
font-family: sans-serif;

        font-size: 50px;

        margin-top: 3%;

        font-weight: bolder;

        color: rgb(233, 241, 234);

    }

    h3{
text-align:center;
font-family: sans-serif;

        font-size: 50px;

        font-weight: bolder;

        color:rgb(249, 247, 252);

    }
```

Q4:Design a chatbot using IBM Watson assistant for hospital.

```html
<!Doctype html>
<html>

            <head>

                <title>Chat Boat</title>

                <style>
        body{
            background-color:  rgb(160, 233, 158);

                    }
        img{
            width: 200px;
            height: 100px;
            margin-left: 10px;

                    }
        h2{
            text-align:center;
            color: rgba(71, 9, 218, 0.89);
            font-size:4pc;

                    }
        h3{
            text-align:center;
            color:rgb(238, 6, 141);
            font-size:2.5pc;

                    }

                </style>

            </head>

            <body>

                <h2>HOSPITALS</h2>
```

```html
<h2><img src="https://mani07.s3.jp-tok.cloud-
objectstorage.appdomain.cloud/pexels-pixabay-263402.jpg"></h2>
<p><h3>WE ARE PROVIDING THE DETAILS FOR YOUR QUERIES</h3>

<h3> Click  the chatbot </h3>

</p>

<script>
window.watsonAssistantChatOptions = {

    integrationID: "4f8894e3-1817-41e3-bf8b-a5d4b9b2197a", // The ID
of this integration.
region: "au-syd", // The region your integration is hosted in.

    serviceInstanceID: "ba115cc6-e2d6-4d6b-beea-74977285d64c", // The
ID of your service instance.
onLoad: function(instance) { instance.render(); }

    };
setTimeout(function(){
  const t=document.createElement('script');

    t.src="https://web-
chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest') +
"/WatsonAssistantChatEntry.js";
  document.head.appendChild(t);

    });

</script>

    </body>

</html>
```

Q5.Create Watson assistant service with 10 steps and use 3 conditions in it. Load that script in HTML page.

```html
<html>
```

```html
<body>

  <script>
            window.watsonAssistantChatOptions = {

                integrationID: "ec603862-aa33-4336-a203-961870431228", // The ID
            of this integration.
      region: "au-syd", // The region your integration is hosted in.

                serviceInstanceID: "44f5354b-4c14-4c36-bdfa-6fddf1e73eaa", // The ID
            of your service instance.
      onLoad: function(instance) { instance.render(); }

                };
    setTimeout(function(){
      const t=document.createElement('script');

              t.src="https://web-
            chat.global.assistant.watson.appdomain.cloud/versions/" +
            (window.watsonAssistantChatOptions.clientVersion || 'latest') +
            "/WatsonAssistantChatEntry.js";
      document.head.appendChild(t);

               });

            </script>

  </body>

            </html>
```