## **Create UI To Interact With Application**


Date	12 November 2022
Team ID	PNT2022TMID24922
Project Name	Personal Expense Tracker Application

#### **REGISTER:**

```
<!DOCTYPE html>
<html lang="en">
 <head>
 <meta charset="UTF-8"/>
 <meta http-equiv="X-UA-Compatible" content="IE=edge" />
 <meta name="viewport" content="width=device-width, initial-scale=1.0" />
 <title>TODO-SignUp</title>
 <link rel="stylesheet" href="./style.css" />
 k rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-awesome.
min.css
 </head>
<body>
 <div class="container">
  <div class="logland">
   <div class="login">
    <h3>Sign Up!</h3>
    <form class="frm">
     <div class="icon-input">
       <i class="fa fa-user" aria-hidden="true"></i>
       <input type="text" placeholder="Enter Name"/><br />
     </div>
     <div class="icon-input">
       <i class="fa fa-envelope" aria-hidden="true"></i>
       <input type="text" placeholder="Enter Email"/><br />
     </div>
     <div class="icon-input">
      <i class="fa fa-address-book-o" aria-hidden="true"></i>
      <input type="text" placeholder="Enter Phone no."/><br/>
    </div>
     <div class="icon-input">
       <i class="fa fa-key" ></i>
       <input type="text" placeholder="Enter Password"/><br />
```

```
</div>
<div class="icon-input">
<i class="fa fa-repeat" aria-hidden="true"></i>
<input type="text" placeholder="Re-Enter Password"/><br/>
</div>
<button>SignUp</button>
</form>
</div>
</div>
</div>
</div>
</div>
</html>
```

### Output:



# Login:

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8" />
<meta http-equiv="X-UA-Compatible" content="IE=edge" />
<meta name="viewport" content="width=device-width, initial-scale=1.0" />
<title>TODO-Login</title>
link rel="stylesheet" href="./style.css" /></ti>
```

```
k rel="stylesheet"
```

href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-awesome.min.css"

```
</head>
<body>
 <div class="container">
  <div class="logland">
    <div class="login">
    <h3>LOGIN</h3>
    <form class="frm">
     <div class="icon-input">
        <i class="fa fa-envelope" aria-hidden="true"></i>
        <input type="text" placeholder="Enter Email"/><br />
      </div>
      <div class="icon-input">
        <i class="fa fa-key" ></i>
        <input type="text" placeholder="Enter Password"/><br />
      </div>
      <but/>button>Login</button>
    </form>
    </div>
  </div>
 </div>
</body>
</html>
```

#### Output:



```
Image Uploading Page:
<!DOCTYPE html>
<html lang="en">
 <head>
 <meta charset="UTF-8"/>
 <meta http-equiv="X-UA-Compatible" content="IE=edge" />
 <meta name="viewport" content="width=device-width, initial-scale=1.0" />
 <link rel="stylesheet" href="./style.css" />
 k rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-awesome.
min.css
 </head>
<body>
 <div class="container">
  <div class="logland" style="overflow:hidden">
  <div
style="width:350px;background-image:url('./my_app_side.jpg');background-positi
on:right;h eight:100%">
   </div>
   <div class="login" style="padding:0px 30px">
    <h3>Upload Image</h>
    <form class="frm">
    <br/>
    Please Upload an image to get
    your
<br/>food nutrition
     <div class="icon-input">
       <input type="file" placeholder="Enter Email"/><br />
     </div>
     <button>Upload</button>
    </form>
   </div>
  </div>
 </div>
 </body>
</html>
```

```
Style.css
@import
url('https://fonts.googleapis.com/css2?family=Poppins:wght@300;400&display
=swa
p'):
@import
url('https://fonts.googleapis.com/css2?family=Quicksand&display=swap');
body {
 margin: Opx Opx;
font-family: 'Poppins', sans-serif;
.navbar(
 position:
 absolute; top:
 40px;
 left: Opx;
width: 100vw;
 height: 50px;
 display: flex;
justify-content:
 space-between; align-items:
 center;
```

.container ( background-color: #262a41;

```
width:
 100vw;
height:
 100vh;
display: flex;
justify-content:
center; align-items:
 center;
.logland {
background-color:
 white; border-radius:
 10px;
 width:max-content;
height: 500px;
display: flex;
justify-content:
center; align-items:
 center;
.login ,.login >
form( display:
flex;
flex-direction:
column; align-items:
 center;
justify-content:
 center;
.line{
height:90%
; width:3px;
border-radius:0px 50% Opx
50%; background-color:black;
.dash{
 background-color:
 white; border-radius:
10px; width: 90%;
height:
70%;
```

```
display:
flex;
align-items:
center;
margin-top: 50px;

.task,.inprog
{ display:
flex;
```

```
flex-direction: column;
height: 100%;
width: 50%;
align-items: center;
.task,.inprog >
p{ font-size:
25px;
.addtask(
padding:
 10px;
border-radius: 10px;
margin-bottom:
20px; justify-self:
flex-end; width:
 80%;
border: 2px solid #17b31f;
.addtask >
input( width:
92%; height:
 30px; font-size:
 20px; border:
 none; outline:
 none;
.addtask >
 button{
font-size: 25px;
background-color: white;
 border: none;
color: #E91E63;
#tasks(
height: 100%;
 width: 80%;
.eachtask,.eachtaskp(
```

display:

flex; width: 100%;

align-items: center;

```
justify-content:
 space-between;
 border-radius: Spx;
 margin-bottom: 10px;
background-color:
 #e8eaf6;
.eachtask>p,.eachtaskp
 >p{ font-size: 18px;
.eachtask>p>i,.eachtaskp>
 p>i{ font-size: 20px;
margin: Opx 10px;
.eachtask>i,.eachtaskp
 >i( font-size: 30px;
 margin-right: 15px;
.eachtaskp(
 background: linear-gradient(to right,#e8eaf6 30%,#40b84686 70%);
.eachtaskp:nth-child(2){
background: linear-gradient(to right,#e8eaf6 30%,#ff3c0088 70%);
.eachtaskp >
 button{ cursor:
 pointer;
 margin-right:
 15px;
 border-radius:
 10px; padding:
 Spx 10px; border:
 none;
background-color: #D9D9D9;
 font-family: 'Poppins',
 sans-serif;
```

h3(

font-size: 30px;

letter-spacing: 1.5px;

.frm input{

```
height:30px;
  border-radius:0px 10px 10px Opx;
  border:2px solid
  gray; border-left:
  none; transition: 1s
  ease; outline:none;
  min-width:250px;
  padding-left:
  10px;
.frm input[type=file](
      border:none;
.frm>input:focus{
  border:2px solid rgb(29, 98, 247);
.icon-input{
 /* border:2px solid red;
  */ display: flex;
  align-items: center;
  margin:10px Opx;
.icon-input>i
{ display:
flex;
align-items: center;
justify-content:
 center;
 min-width:30px;
 color:white;
background-color:#262a41;
border-radius:10px Opx Opx
 10px; font-size:16px;
 height:36px;
input{
  font-family: 'Quicksand', sans-serif;
.frm button(
  margin-top: 20px;
```

```
border: none;
border-radius:
10px; padding:
Spx 20px;
font-size: 15px;
font-family: 'Poppins',
sans-serif; background-color:
#00E676; cursor: pointer;

.frm
button:hover{
color:
#00E676;
```

background-color: black;