
Date	310CT0BER 2022
TEAMID	PNT2022TMID30400
ProjectName	IoTBasedsmartcropProtectionsystemforagriculture
Maximummark	20marks

## STEP1:DownloadandInstallNODEJS.





## STEP2:Setupnode.jsandconfigurecommandpromptforerrorcheck.opennode-redfromthegeneratedlink.

```
A Nov 18:48:85 - [info] Node-RED version: v3.0.2

4 Nov 18:48:95 - [info] Node-RED version: v18.12.0

4 Nov 18:48:95 - [info] Node.js version: v18.12.0

4 Nov 18:48:95 - [info] Nindows_NT 10.0.19944 x64 LE

4 Nov 18:48:26 - [info] Settings file : C:\Users\ELCOT\.node-red\settings.js

4 Nov 18:48:45 - [info] User directory : Users\ELCOT\.node-red

4 Nov 18:48:45 - [info] User directory : Users\ELCOT\.node-red

4 Nov 18:48:45 - [info] User directory : Users\ELCOT\.node-red

4 Nov 18:48:45 - [info] Context store : 'default' [module-memory]

4 Nov 18:48:45 - [info] User directory : Users\ELCOT\.node-red

4 Nov 18:48:45 - [info] Context store : 'default' [module-memory]

4 Nov 18:48:45 - [info] Context store : 'default' [module-memory]

4 Nov 18:48:45 - [info] User directory : Users\ELCOT\.node-red

4 Nov 18:48:45 - [info] Context store : 'default' [module-memory]

4 Nov 18:48:45 - [info] Context store : 'default' [module-memory]

7 Your flow credentials file is encrypted using a system-generated key.

1f the system-generated key is lost for any reason, your credentials

file will not be recoverable, you will have to delete it and re-enter your credentials.

You should set your own key using the 'credentialSecret' option in your settings file. Node-RED will then re-encrypt your credentials

file using your chosen key the next time you deploy a change.


4 Nov 18:48:45 - [warn] Encrypted credentials not found

4 Nov 18:48:45 - [info] Starting flows

4 Nov 18:48:46 - [info] Started flows

4 Nov 18:48:46 - [info] Started flows
```

## STEP3:Connect IBMIOTinandDebug1andDeploy.





## STEP4: Edit gauge node (Here the gauge nodes are named as Temperature, Humidity and Soilmoisture).

