## PROJECT DEVELOPMENT PHASE

## **SPRINT 2**

```
package com.Zalertcorp.zalert;
import android.content.Intent;
import android.os.Bundle;
import android.view.View;
import android.widget.Button;
import android.widget.TextView;
import androidx.appcompat.app.AppCompatActivity;
import com.google.firebase.auth.FirebaseAuth;
import com.google.firebase.auth.FirebaseUser;
public class homepage extends AppCompatActivity {
  private FirebaseAuth firebaseAuth;
  private TextView email;
  @Override
  protected void onCreate(Bundle savedInstanceState) {
    super.onCreate(savedInstanceState);
  /* setContentView(R.layout.activity_homepage);
    email = findViewById(R.id.useremail);
```

```
Button logoutt = findViewByld(R.id.logoutbtn);
    firebaseAuth = FirebaseAuth.getInstance();
    checkUser();
    //Toast.makeText(getApplicationContext(),"Hello World",
Toast.LENGTH SHORT).show();
    logoutt.setOnClickListener(new View.OnClickListener() {
       @Override
       public void onClick(View view) {
         firebaseAuth.signOut();
         checkUser();
      }
    });
  }
  private void checkUser() {
    FirebaseUser firebaseUser = firebaseAuth.getCurrentUser();
    if (firebaseUser == null) {
       startActivity(new Intent(this, LoginActivity.class));
      finish();
    } else {
       String fireemail = firebaseUser.getEmail();
       email.setText(fireemail);
    }*/
```