


IBM DEPLOY IN KUBERNETES CLUSTER


Steps:1

Create a Kubernetes cluster


- Sign in to your [IBM Cloud Dashboard](#).
- Open **IBM Kubernetes Service**.




- Click Create Cluster.




- Select the Region where you want to deploy the cluster, type in a name for your cluster, then click Create Cluster.
- Select the appropriate cluster type depending on your account.
- It takes some time for the cluster to get ready (around 30 minutes).



- Once the cluster is ready, click on your cluster's name and you will be redirected to a new page with information about your cluster and worker node.



- Click on the Worker Nodes tab to note the cluster's Public IP.



mycluster-free

Preparing master, workers... Expires in 30 days Add tags

Help Kubernetes dashboard Actions...

Overview

Worker nodes

Worker pools

DevOps New

Pool: Filter...

Search

Add

	Name	Status	Worker pool	Zone	Private IP	Public IP	Version
	00000079	Deploying - Starting...	default	Milan 01	10.144.213.49	169.51.203.70	--> 1.24.7_1543
ID kube-cdp3st1f0mtg7in50hbg-myclusterfr-default-00000079							
Status Starting worker deployment		Flavor Free - 2 vCPUs 4GB RAM		Private VLAN 2218181		Public VLAN 2218179	

Items per page: 25 1-1 of 1 item 1 1 of 1 page

mycluster-free

Normal Expires in 21 days Add tags

Help Kubernetes dashboard Actions...

Overview

Worker nodes

Worker pools

DevOps New

Search

Add

	Name	Zones	Status	Workers per zone	Actual / Declared workers	Flavor
	default	Milan 01	Active	1	1 / 1	Free - 2 vCPUs 4GB RAM

Items per page: 25 1-1 of 1 item 1 1 of 1 page