

Project Development Phase

Sprint - 3

Date	13 November 2022
Team ID	PNT2022TMID35856
Project Name	A Gesture - Based Tool for Sterile Browsing of Radiology Images
Marks	4 Marks

IBM Watson Studio:

Sprint 1:

The screenshot displays the IBM Watson Studio interface for a project named 'sprint1'. The top navigation bar includes the IBM Watson Studio logo, a search bar, and user account information (ELAVARASAN P's Account, Frankfurt). The main workspace shows a Jupyter notebook with the following code:

```
In [1]: import os, types
import pandas as pd
from botocore.client import Config
import ibm_boto3

def __iter__(self): return 0

#@hidden_cell
# The following code accesses a file in your IBM Cloud Object Storage. It includes your credentials.
# You might want to remove those credentials before you share the notebook.
cos_client = ibm_boto3.client(service_name='s3',
                              ibm_api_key_id='x25zmx20eltzX2Uccw0ZFas_14Fk13gX6Vfc42Vs1J-',
                              ibm_auth_endpoint='https://iam.cloud.ibm.com/oidc/token',
                              config=Config(signature_version='oauth'),
                              endpoint_url='https://s3.private.eu.cloud-object-storage.appdomain.cloud')

bucket = 'sprint1-donotdelete-pr-ryi3csz9xkc2qe'
object_key = 'dataset.zip'

streaming_body_5 = cos_client.get_object(Bucket=bucket, Key=object_key)['Body']

# Your data file was loaded into a botocore.response.StreamingBody object.
# Please read the documentation of ibm_boto3 and pandas to learn more about the possibilities to load the data.
# ibm_boto3 documentation: https://ibm.github.io/ibm-cos-sdk-python/
# pandas documentation: http://pandas.pydata.org/

# Your data file was loaded into a botocore.response.StreamingBody object.
# Please read the documentation of ibm_boto3 and pandas to learn more about the possibilities to load the data.
# ibm_boto3 documentation: https://ibm.github.io/ibm-cos-sdk-python/
# pandas documentation: http://pandas.pydata.org/

In [2]: from io import BytesIO
import zipfile
unzip=zipfile.ZipFile(BytesIO(streaming_body_5.read()), 'r')
file_paths=unzip.namelist()
for path in file_paths:
    unzip.extract(path)


In [3]: ls

dataset/

In [ ]:
```

The interface also shows a sidebar with file explorer and a bottom status bar indicating the environment is 'Trusted | Python 3.9'.

Sprint 2:



IBM Watson Studio

Search in your workspaces

Buy

Ganapathi Subramanian R'...

Frankfurt

GS

Projects / A Gesture based tool for Sterile ... / handgesture

File Edit View Insert Cell Kernel Help

No kernel Not Trusted | Python 3.9


In [3]:

```
#TRAIN DATA PREPROCESSING
from tensorflow.keras.preprocessing.image import ImageDataGenerator
train_datagen=ImageDataGenerator(rescale=1./255,shear_range=0.25,zoom_range=0.2,horizontal_flip=True)
train_datagen=ImageDataGenerator(rescale=1./255)
train_gen=train_datagen.flow_from_directory(
    'dataset/train',
    target_size=(128,128),
    batch_size=198,
    color_mode='grayscale',
    class_mode='categorical'
)
```

Found 594 images belonging to 6 classes.

In [4]:

```
#VALIDATION DATA PREPROCESSING
from tensorflow.keras.preprocessing.image import ImageDataGenerator
valid_datagen=ImageDataGenerator(rescale=1./255)
valid_gen=valid_datagen.flow_from_directory(
    'dataset/test',
    target_size=(128,128),
    batch_size=10,
    color mode='grayscale',
)
```



File Edit View Insert Cell Kernel Help

Not Trusted | Python 3.9

In [3]:

```
#TRAIN DATA PREPROCESSING
from tensorflow.keras.preprocessing.image import ImageDataGenerator
train_datagen=ImageDataGenerator(rescale=1./255,shear_range=0.25,zoom_range=0.2,horizontal_flip=True)
train_datagen=ImageDataGenerator(rescale=1./255)
train_gen=train_datagen.flow_from_directory(
    'dataset/train',
    target_size=(128,128),
    batch_size=198,
    color_mode='grayscale',
    class_mode='categorical'
)
```

Found 594 images belonging to 6 classes.

In [4]:

```
#VALIDATION DATA PREPROCESSING
from tensorflow.keras.preprocessing.image import ImageDataGenerator
valid_datagen=ImageDataGenerator(rescale=1./255)
valid_gen=valid_datagen.flow_from_directory(
    'dataset/test',
    target_size=(128,128),
    batch_size=10,
    color_mode='grayscale',
    class_mode='categorical'
)
```

Found 30 images belonging to 6 classes.



```
In [8]: #TRAINING THE MODEL
trainmodel=model.fit(
    train_gen,
    steps_per_epoch=3,
    epochs=20,
    validation_data=valid_gen,
    validation_steps=3,
)
```

```
Epoch 1/20
3/3 [=====] - 6s 2s/step - loss: 1.7762 - Accuracy: 0.2003 - val_loss: 1.6875 - val_Accuracy: 0.2667
Epoch 2/20
3/3 [=====] - 6s 2s/step - loss: 1.6189 - Accuracy: 0.4327 - val_loss: 1.4747 - val_Accuracy: 0.4000
Epoch 3/20
3/3 [=====] - 6s 2s/step - loss: 1.3585 - Accuracy: 0.6515 - val_loss: 1.2633 - val_Accuracy: 0.5667
Epoch 4/20
3/3 [=====] - 6s 2s/step - loss: 1.0766 - Accuracy: 0.6515 - val_loss: 0.9468 - val_Accuracy: 0.8333
Epoch 5/20
3/3 [=====] - 6s 2s/step - loss: 0.8148 - Accuracy: 0.7273 - val_loss: 0.9268 - val_Accuracy: 0.7000
Epoch 6/20
3/3 [=====] - 6s 2s/step - loss: 0.6414 - Accuracy: 0.7694 - val_loss: 0.6724 - val_Accuracy: 0.7667
Epoch 7/20
3/3 [=====] - 6s 2s/step - loss: 0.4723 - Accuracy: 0.8519 - val_loss: 0.6585 - val_Accuracy: 0.6667
Epoch 8/20
3/3 [=====] - 6s 2s/step - loss: 0.3796 - Accuracy: 0.8636 - val_loss: 0.5784 - val_Accuracy: 0.8667
Epoch 9/20
3/3 [=====] - 6s 2s/step - loss: 0.2983 - Accuracy: 0.9226 - val_loss: 0.7214 - val_Accuracy: 0.7333
```


```
Epoch 10/20
3/3 [=====] - 6s 2s/step - loss: 0.2561 - Accuracy: 0.9242 - val_loss: 0.5249 - val_Accuracy: 0.8667
Epoch 11/20
3/3 [=====] - 6s 2s/step - loss: 0.2160 - Accuracy: 0.9276 - val_loss: 0.6461 - val_Accuracy: 0.7667
Epoch 12/20
3/3 [=====] - 6s 2s/step - loss: 0.1949 - Accuracy: 0.9293 - val_loss: 0.7166 - val_Accuracy: 0.7667
Epoch 13/20
3/3 [=====] - 6s 2s/step - loss: 0.1745 - Accuracy: 0.9461 - val_loss: 0.6339 - val_Accuracy: 0.8333
Epoch 14/20
3/3 [=====] - 6s 2s/step - loss: 0.1319 - Accuracy: 0.9613 - val_loss: 0.5087 - val_Accuracy: 0.9000
Epoch 15/20
3/3 [=====] - 6s 2s/step - loss: 0.1055 - Accuracy: 0.9663 - val_loss: 0.7516 - val_Accuracy: 0.8000
Epoch 16/20
3/3 [=====] - 6s 2s/step - loss: 0.0914 - Accuracy: 0.9731 - val_loss: 0.5083 - val_Accuracy: 0.9000
Epoch 17/20
3/3 [=====] - 6s 2s/step - loss: 0.0810 - Accuracy: 0.9764 - val_loss: 0.7712 - val_Accuracy: 0.8333
Epoch 18/20
3/3 [=====] - 6s 2s/step - loss: 0.0508 - Accuracy: 0.9899 - val_loss: 0.5598 - val_Accuracy: 0.9000
```




Sprint 3:

Home Page:



Main page:





Prediction:

For checking correctness, “Three” gesture is directed to blur the input image

