# REAL-TIME RIVER WATER QUALITY MONITORING AND CONTROL SYSTEM

# PROJECT REPORT

Submitted by

STEFFY G P SUBARNA MUKILA D SHRUTHI S NIGISHA R N

in partial fulfillment for the award of the degree

of

**BACHELOR OF ENGINEERING** 

in

PONJESLY COLLEGE OF ENGINEERING

ANNA UNIVERSITY: CHENNAI 600 025

**NOVEMBER 2022** 

**ANNA UNIVERSITY: CHENNAI 600 025** 

**BONAFIDE CERTIFICATE** 

# Certified that this project report " REAL-TIME RIVER WATER QUALITY MONITORING AND CONTROL SYSTEM "

is the bonafide work of "STEFFY G P, SUBARNA MUKILA D, SHRUTHI S, NIGISHA R N" (961819106051, 961819106052, 961819106048, 961819106039) SHAMIJA SHERRYL R M R who carried out the project work under my supervision.

	0.0.0.0.0
Dr.M.R.GEETHA, M.E.,Phd.,	R.M.R.SHAMIJA SHERRYL, M.E.,
HEAD OF THE DEPARTMENT	ASSISTANT PROFESSOR
Department of ECE,	Department of ECE,
Ponjesly College of Engineering,	Ponjesly College of Engineering,

**SIGNATURE** 

Alamparai, Parvathipuram

Nagercoil- 629 003

# **TABLE OF CONTENTS**

NO NO	IIILE
1	INTRODUCTION
	1.1 Project Overview 1.2 Purpose
2	LITERATURE SURVEY
	2.1 Existing problem

Alamparai, Parvathipuram

Nagercoil-629 003

SIGNATURE

	<ul><li>2.2 References</li><li>2.3 Problem Statement Definition</li></ul>
3	IDEATION & PROPOSED SOLUTION
	<ul><li>3.1 Empathy Map Canvas</li><li>3.2 Ideation &amp; Brainstorming</li><li>3.3 Proposed Solution</li><li>3.4 Problem Solution Fit</li></ul>
4	REQUIREMENT ANALYSIS
	4.1 Functional Requirement 4.2 Non-Functional Requirement
5	PROJECT DESIGN
	<ul><li>5.1 Data Flow Diagram</li><li>5.2 Solution &amp; technical Architecture</li><li>5.3 User Stories</li></ul>
6	PROJECT PLANNING & SCHEDULING
	<ul><li>6.1Sprint Planning &amp; Estimation</li><li>6.2 Sprint Delivery Schedule</li><li>6.3 Reports from JIRA</li></ul>
7	CODING & SOLUTIONING
	7.1 Feature 1 7.2 Feature 2
8	TESTING
	8.1 Test Cases 8.2 User Acceptance Testing
9	RESULTS
	9.1 Performance Metrics
10	ADVANTAGES & DISADVANTAGES

CONCLUSION

11

# 12 FUTURE SCOPE

### 13 APPENDIX

Source Code

Github & Project Demo Link

# **ABSTRACT**

The environment consists of five key elements e.g., soil, water, climate, natural vegetation, and land-forms. Among these water is the major need of human life. It is also vital for the presence of other living habitats. Whether it is used for drinking, domestic use, and food production or recreational purposes, safe and readily available water is the need for public health. So it is highly imperative for us to maintain water quality balance. Otherwise, it would severely damage the health of the humans and at the same time affect the ecological balance among other species. Internet of things (IoT) is an innovative technological phenomenon. It is shaping today's world and is used in different fields for collecting, monitoring and analysis of data from remote locations.

# **LIST OF FIGURES**

1	Problem Statement
2	Empathy Map
3	Brainstorming
4	Data Flow Graph
5	Solution Architecture
6	Technical Architecture
7	Customer Journey
8	Sprint Assigned Page
9	First Road Map
10	Road Map After Tasks Done
11	Created Device
12	Node-Red Circuited Design
13	Node-Red Page Web User Interface
14	Login Page
15	Output Selection Page
16	Python Output
17	Application Output
18	IoT Platform Output

#### **CHAPTER 1**

#### INTRODUCTION

#### 1.1 PROJECT OVERVIEW

River Water Quality Monitoring is the major tasks for upcoming generation as Water Pollution rates are increasing day by day. People who are not researchers are most likely to intersect environmental science in the context of protecting or restoring a place or species about which they are concerned, or in the context of pollution—trying to understand the sources and effects of contaminants, or trying to prevent or remediate environmental contamination. The works in this entry address pollutants affecting river ecosystems, including the people who live within or use resources from those ecosystems. Pollution is commonly subdivided based on the primary medium affected by contamination, creating categories such as air pollution, soil pollution, freshwater pollution, groundwater pollution, or marine pollution. In reality, of course, all of these media are intimately connected. Atmospheric deposition of contaminants pollutes soil and water bodies. Contaminated groundwater seeps into rivers, and contaminated rivers recharge groundwater aquifers. Fluxes of water, sediment, solutes, and even organisms carrying contaminants within their tissues create vectors to disperse pollutants. This is one of the great challenges to understanding and mitigating pollution: the contaminant is seldom an inert substance that stays in one place.

Another great challenge is that there are many different types of contaminants, including human and animal wastes such as sewage or intestinal bacteria, excess nutrients, heavy metals, petroleum products, radioactive isotopes, and an enormous array of synthetic chemicals such as pesticides and personal care products. Each type of contaminant can disperse through environmental media, combining with other chemical compounds to form metabolites that may have different levels of toxicity for organisms or different dispersal mechanisms than the original contaminant. Yet another challenge in understanding and managing pollutants is that a substance that is harmful to one type of organism may not cause harm to another environmental standards set by government agencies for maximum permissible levels of contaminants are based on very limited knowledge and are likely to be inadequate. Most of the standards are also based on acute effects that show up very quickly. Contaminant levels below permissible standards can cause chronic effects—subtle but pervasive changes that eventually degrade the health of individual organisms and populations. Some chronic effects result from bioaccumulation, as an organism accumulates contaminants within its tissues over the course of its life, and bio-magnification, as organisms pass on their accumulated doses to predators or scavengers.

### 1.2 PURPOSE

The main aim is to develop a system for continuous monitoring of river water quality at remote places using wireless sensor networks with low power consumption, low-cost and high detection accuracy. pH, conductivity, turbidity level, etc. are the limits that are analyzed to improve the water quality. Following are the aims of idea implementation (a) To measure water parameters such as pH, dissolved oxygen, turbidity, conductivity, etc. using available sensors at a remote place. (b) To assemble data from various sensor nodes and send it to the base station by the wireless channel. (c) To simulate and evaluate quality parameters for quality control. (d) To send SMS to an authorized person routinely when water quality detected does not match the preset standards, so that, necessary actions can be taken.

In this project, we have used IBM Watson IoT platform as our core platform for our project. The project starts with the Python Script, while running the code the description connects with the Cloud Platform and generates the output. Let us move on the complete details of our project in upcoming sections.

#### CHAPTER 2

#### LITERATURE SURVEY

# 2.1 EXISTING PROBLEM

Wireless communication developments are creating new sensor capabilities. The current developments in the field of sensor networks are critical for environmental applications. Internet of Things (IoT) allows connections among various devices with the ability to exchange and gather data. IoT also extends its capability to environmental issues in addition to automation industry by using industry 4.0. Around 40% of deaths are caused due to contaminated water in the world. Hence, there is a necessity to ensure supply of purified drinking water for the people

both in cities and villages. Water Quality Monitoring (WQM) is a cost-effective and efficient system designed to monitor drinking water quality which makes use of Internet of Things (IoT) technology. Water quality monitoring (WQM) system is widely being explored as it is needed to prevent the problem of water contamination worldwide. This paper presents the development and implementation of Water Quality Assessment and Monitoring (WQAM) system. The system development used WiFi enabled micro-controller to connect with the IoT environment and store the data in the IoT cloud server. The micro-controller used is Arduino UNO that interacts with three types of sensor probes which are pH, turbidity and temperature probe. All the data measurements is transferred using a WiFi module which is ESP8266. The IoT cloud used to utilize the data frame is ThingSpeak. This system was implemented on Bandar Perda Lake and Derhaka River in Pulau Pinang with two systems implemented at each location. The sensors were placed on the water surface for more accurate measurements. This system continuously measures the readings of pH, turbidity dam temperature on the lake/river for every 1 hour. Twenty readings were taken for every 1 hour within the first 20 minutes with 1 minute interval and the readings were stored in the IoT cloud server. The readings are accessible via ThingSpeak GUI. In conclusion, this system would benefit the authorities to take advantage of using the WQAM system with the aid of the IoT that is less time consuming, less cost and more reliable in real time. Our main aim is to develop a system for continuous monitoring of river water quality at remote places using wireless sensor networks with low power consumption, low-cost and high detection accuracy, pH, conductivity, turbidity level, etc. are the limits that are analyzed to improve the water quality. Following are the aims of idea implementation: a. To measure water parameters such as pH, dissolved oxygen, turbidity, conductivity, temperature etc. using available sensors at remote place. b. To collect data from various sensor nodes and send it to base station by wireless channel. c. To simulate and analyze quality parameters for quality control. d. To send SMS to an authorized person automatically when water quality detected does not match the preset standards, so that, necessary actions can be taken.

# 2.2 REFERENCES

- [1] K. S. Adu-Manu, C. Tapparello, W. Heinzelman, F. A. Katsriku, and J.-D. Abdulai, "Water quality monitoring using wireless sensor networks: Current trends and future research directions," ACM Transactions on Sensor Networks (TOSN), vol. 13, p. 4, 2017.
- [2] B. Chen, Y. Song, T. Jiang, Z. Chen, B. Huang, and B. Xu, "Real-time estimation of population exposure to PM2.5 using mobile- and station-based big data," Int J Environ Res Public Health, vol. 15, Mar 23 2018.
- [3] B. Paul, "Sensor based water quality monitoring system," BRAC University, 2018.
- [4] K. Anderson and M. S. Hossain, "Smart Risk Assessment Systems using Belief?rule-based DSS and WSN Technologies", in 2014 4th International Conference on Wireless Communications, Vehicular Technology, Information Theory and Aerospace and Electronic Systems, VITAE 2014: Co-located with Global Wireless Summit, Aalborg, Denmark 11-14 May 2014, 2014.
- [5] S. Thombre, R. U. Islam, K. Andersson, and M. S. Hossain, "IP based Wireless Sensor Networks: performance Analysis using Simulations and Experiments", Journal of Wireless Mobile Networks, Ubiquitous Computing, and Dependable Applications, vol. 7, no. 3, pp. 53–76, 2016.

- [6] K. Anderson and M. S. Hossain, "Heterogeneous Wireless Sensor Networks for Flood Prediction Decision Support Systems", in 2015 IEEE Conference on Computer Communications Workshops (INFOCOM WKSHPS): 6th IEEE INFOCOM International Workshop on Mobility Management in the Networks of the Future World, 2015, pp. 133–137.
- [7] S. Thombre, R. U. Islam, K. Andersson, and M. S. Hossain, "Performance Analysis of an IP based Protocol Stack for WSNs", in Proceedings of the 2016 IEEE Conference on Computer Communications Workshops (INFOCOM WKSHPS), 2016, pp. 691–696.
- [8] M. Z. Abedin, A. S. Chowdhury, M. S. Hossain, K. Andersson, and R. Karim, "An Interoperable IP based WSN for Smart Irrigation Systems", presented at the 14th Annual IEEE Consumer Communications & Networking Conference, Las Vegas, 8-11 January 2017, 2017.
- [9] M. Z. Abedin, S. Paul, S. Akhter, K. N. E. A. Siddiquee, M. S. Hossain, and K. Andersson, "Selection of Energy Efficient Routing Protocol for Irrigation Enabled by Wireless Sensor Networks", in Proceedings of 2017 IEEE 42nd Conference on Local Computer Networks Workshops, 2017, pp. 75–81.
- [10] R. UI Islam, K. Anderson, and M. S. Hossain, "Heterogeneous Wireless Sensor Networks Using CoAP and SMS to Predict Natural Disasters", in Proceedings of the 2017 IEEE Conference on Computer Communications Workshops (INFOCOM WKSHPS): The 8th IEEE INFOCOM International Workshop on Mobility Management in the Networks of the Future World (MobiWorld'17), 2017, pp. 30–35.
- [11] K. N. E. A. Siddiquee, F. F. Khan, K. Andersson, and M. S. Hossain, "Optimal Dynamic Routing Protocols for Agro-Sensor Communication in MANETs", in Proceedings of the 14th Annual IEEE Consumer Communications & Networking Conference, Las Vegas, 8-11 January 2017.
- [12] M. E. Alam, M. S. Kaiser, M. S. Hossain, and K. Andersson, "An IoT-Belief Rule Base Smart System to Assess Autism", in Proceedings of the 4th International Conference on Electrical Engineering and Information & Communication Technology (iCEEiCT 2018), 2018, pp. 671–675.

### 2.3 PROBLEM STATEMENT DEFINITION

A problem statement is important to a process improvement project because it helps clearly identify the goals of the project and outline the scope of a project. It also helps guide the activities and decisions of the people who are working on the project. The problem statement can help a business or organization gain support and buy-in for a process improvement project. A good problem statement can be created by identifying and answering several questions related to the problem. This process involves identifying what the problem is, why it is a problem, when and where the problem was identified, who the problem impacts, how they are impacted by the problem and how much of an impact the problem has. Creating a problem statement to understand customer's point of view. The below shown block diagram is a perfect example for our topic.



# **CHAPTER 3**

### **IDEATION AND PROPOSED SOLUTION**

# 3.1 EMPATHY MAP CANVAS

Empathy maps are an efficient tool used by designers to not only understand user behavior, but also visually communicate those findings to colleagues, uniting the team under one shared understanding of the user. Essentially, an empathy map is a square divided into four quadrants with the user or client in the middle. Each of the four quadrants comprises a category that helps us delve into the mind of the user. The four empathy map quadrants look at what the user says, thinks, feels, and does. With the user at the center and the categories in each of the four surrounding quadrants, an empathy map arranges all of your research about the user into an easy?to-read visual.




Figure 2. Empathy Map

# 3.2 IDEATION & BRAIN STORMING

Brainstorming is a method design teams use to generate ideas to solve clearly defined design problems. Brainstorming is a method of generating ideas and sharing knowledge to solve a particular commercial or technical problem, in which participants are encouraged to think without interruption. Brainstorming is a group activity where each participant shares their ideas as soon as they come to mind. At the conclusion of the session, ideas are categorized and ranked for follow-on action. When planning a brainstorming session it is important to define clearly the topic to be addressed. A topic which is too specific can constrict thinking, while an ill-defined topic will not generate enough directly applicable ideas. The composition of the brainstorming group is important too. It should include people linked directly with the subject as well as those who can contribute novel and unexpected ideas. It can comprise staff from inside or outside the organization.




Fig3 BrainStorming

# 3.3 PROPOSED SOLUTION

Proposed Solution means the technical solution to be provided by the Implementation agency in response to the requirements and the objectives of the Project.

S.NO.	PARAMETERS	DESCRIPTION
1	Problem statement (problem to be solved)	Monitor the quality of water that used by people for their daily uses.
2	Idea/Solution description	Monitor the purity percentage that present in water resources.

3	Novelty/Uniqueness	Water is essential for
l		all. So, analyse the
		quality level.
4	Social	People are our
l	Impact/Customer	customer because
l	satisfaction	water is their daily
l		need. Our project not
l		only satisfy the people
l		but also provide social
l		message like don't
l		pollute the water
l		resources.
5	Business	A popular IOT business
l	Model(Revenue	model is to build a
l	model)	medium cost and usable
l		product/project for
l		people.
6	Scalability of the	The capability of our
l	solution.	project to identify and
l		maintain the data about
l		the river sources that
l		polluted by the
l		industries.

# **3.4 PROBLEM SOLUTION FIT**

1.Customer segment(s) Who is customer? The people who need pure and hygienic water for their daily usage are our customer.  2.Jobs to-be done /Problems. In this modern world, the drinking water is turned into poison. By using our project, we identify and analyse the quality of water.  3.Triggerstr What triggerstr Customer to act? The impurity of water is like a poison it give viral disease and health problems. The main aim of our project is not only analyse the impurity but also some social message like don't pollute the water resources.  1.Customer.  Constraints like Water purity and analyse the quality. Water aparent of chemicals mixes with water are decayed. Many unknowable diseases formed.  Don't dump the Waste and reduce the chemicals mixed in water resources. Avoid build a factory near water resources. By our project in the offline mode operations. So, it is an easy and simple process to work.  10.Our solution. Don't dump the Waste and reduce the commicals mixed in water resources. By our project we not only identify the water quality but also give some social message like don't pollute the water resources.  4.Emotions:  Before/After EM How do customer feel when they face a problem or job and  1. Customer.  Constraints like quality.  Water purity and analyse the quality. Don't mix the chemicals in water resources.  7. Behaviour The main solution. The main solution of our project is to analyse the water are decayed. Many unknowable Decision in order to properly mitigate water.  8. Channels-of- Behaviours.  8. Channels-of- Behaviours  8. 1 ONLINE Our project inthe offline mode operations. So, it is an easy and simple process to work.  1. Emotions: 1. Trie main solution. 1. Don't mix the chemicals mixe the water are decayed. 1. Emotions water resources. 1. Emotions water resources. 1. Emotions water resources. 1. Emotions water and models provide Decision in	10		
The people who need pure and hygienic water for their daily usage are our customer.  2.Jobs to-be done /Problems.  In this modern water is turned into poison. By using our project, we identify and analyse the quality of water.  3.Triggerstr What triggerstr customer to act?  The impurity of water is like a poison it give viral disease and health problems. The main aim of our project is not only analyse the impurity but also some social message like don't pollute the water resources.  Whater purity and analyse the quality.  People understand the importance of water resources.  9.Problem root cause.  If large amount of chemicals mixes with water algae formed and purity and vitamin in the water are decayed.  Many unknowable diseases formed.  Don't dump the Waste and reduce the chemicals mixed in water resources. By our project we not only identify the water quality but also give some social message like don't pollute the water resources.  4.Emotions:  Before/After EM How do customer feel when they face a  Water purity and analyse the quality.  People understand the importance of water resources.  Problems.  Pople understand the chemicals in water resources.  7.Behaviour  The main  Behaviour of this  Project is helps people to understand the Eminence of water and models provide  Decision in order to properly mitigate water.  8.Channels-of-Behaviours.  8.1 ONLINE  Our project not need the online process. Because we done this project in the offline mode operations. So, it is an easy and simple process to work.  4.Emotions:  Before/After EM How do customer feel when they face a			
pure and hygienic water for their daily usage are our customer.  2.Jobs to-be done //Problems. In this modern water is turned into poison. By using our project, we identify and analyse the quality of water.  3.Triggerstr What triggerstr customer to act? The impurity of water is like a poison it give viral disease and health problems. The main aim of our project is not only analyse the impurity but also some social message like don't pollute the water resources.  analyse the quality. People understand the importance of water resources.  Proplem root cause. If large amount of chemicals mixes with water algae formed and purity and vitamin in the water are decayed. Many unknowable diseases formed.  Don't dump the Waste and reduce the Chemicals mixed in water resources. Avoid build a factory near water resources. By our project we not only identify the water quality but also give some social message like don't pollute the water resources.  All living organisms to live a healthy and hygienic life  4.Emotions:  Before/After EM How do customer feel when they face a  analyse the water quality. Don't mix the chemicals in water resources.  7.Behaviour The main Behaviour of this Project is helps people to understand the chemicals mixes with water and analyse the vounderstand the chemicals in water resources.  7.Behaviour The main Behaviour of this Project is helps people to understand the chemicals in water resources.  8.Channels-of-Behaviours.  8.Channels-of-Behaviours.  8.1 ONLINE Our project not need the online process. Because we done this project in the offline mode operations. So, it is an easy and simple process to work.  All living organisms to live a healthy and hygienic life  4.Emotions:  Before/After EM How do customer feel when they face a			
for their daily usage are our customer.  2.Jobs to-be done /Problems.    In this modern world, the drinking water is turned into poison. By using our project, we identify and analyse the quality of water.  3.Triggerstr What triggerstr customer to act? The impurity of water is like a poison it give viral disease and health problems. The main aim of our project is not only analyse the impurity but also some social message like don't pollute the water result when they face a  People understand the importance of water resources.  Problem root cause. If large amount of chemicals mixes with water algae formed and purity and vitamin in the water are decayed. Many unknowable diseases formed.  Many unknowable diseases formed.  Don't dump the Waste and reduce the chemicals mixed in water resources. Avoid build a factory near water resources. By our project we not only identify the water quality but also give some social message like don't pollute the water resources.  All living organisms to live a healthy and hygienic life  4.Emotions:  Before/After EM How do customer feel when they face a  People understand the chemicals in water resources.  7.Behaviour  The main Behaviour of this Project is helps people to understand the Eminence of water and models provide Decision in order to properly mitigate water.  8.Channels-of-Behaviours.  8.1 ONLINE Our project not need the online process. Because we done this project in the offline mode operations. So, it is an easy and simple process to work.  All living organisms to live a healthy and hygienic life  4.Emotions:  Before/After EM How do customer feel when they face a		· ·	
our customer.  importance of water resources.  2.Jobs to-be done /Problems.     In this modern world, the drinking water is turned into poison. By using our project, we identify and analyse the quality of water.  3.Triggerstr What triggerstr customer to act? The impurity of water is like a poison it give viral disease and health problems. The main aim of our project is not only analyse the impurity but also some social message like don't pollute the water resources.  importance of water resources.  9.Problem root cause. If large amount of chemicals mixes with water algae formed and purity and vitamin in the water are decayed. Many unknowable diseases formed.  Don't dump the Waster and reduce the chemicals mixes with water resources. Avoid build a factory near water resources. Avoid build a factory near water resources. By our project we not only identify the water quality but also give some social message like don't pollute the water resources.  4.Emotions:  Before/After EM How do customer feel when they face a  importance of water and models provide Decision in order to properly mitigate water.  8.Channels-of-Behaviour  The main Behaviour  The main Behaviour of this Project is helps people to understand the Eminence of water and models provide Decision in order to properly mitigate water.  8.Channels-of-Behaviours.  8.Channels-of-Behaviours.  8.Channels-of-Behaviours.  8.Channels-of-Behaviours.  8.1 ONLINE Our project not need the online process. Because we done this project in the offline mode operations. So, it is an easy and simple process to work.  4.Emotions:  Before/After EM How do customer feel when they face a			· ·
resources.  2.Jobs to-be done /Problems.  In this modern world, the drinking water is turned into poison. By using our project, we identify and analyse the quality of water.  3.Triggerstr What triggerstr customer to act? The impurity of water is like a poison it give viral disease and health problems. The main aim of our project is not only analyse the impurity but also some social message like don't pollute the water resources.  Problem root cause. If large amount of chemicals mixes with water algae formed and purity and vitamin in the water are decayed. Many unknowable diseases formed.  Don't dump the Waste and reduce the chemicals mixed in water resources. Avoid build a factory near water resources. By our project we not only identify the water quality but also some social message like don't pollute the water resources.  All living organisms to live a healthy and hygienic life  4.Emotions: Before/After EM How do customer feel when they face a  Problem root cause. If large amount of chemicals mixes with water algae formed and purity and vitamin in the water algae formed and purity and vitamin in the water algae formed and purity and vitamin in the water algae formed and purity and vitamin in the water algae formed and purity and vitamin in the water and analyse the to understand the Eminence of water and models provide Decision in order to properly mitigate water.  8.Channels-of- Behaviour  Nour Solution.  Waste and reduce the chemicals mixes with water and analyse the to understand the Eminence of water and models provide Decision in order to properly mitigate water.  8.Channels-of- Behaviours.  8.Channels-of- Behaviours.  8.1 ONLINE  Our project not need the online process. Because we done this project in the offline mode operations. So, it is an easy and simple process to work.  4.Emotions:  Before/After EM How do customer feel when they face a	for their daily usage are	People understand the	' '
2.Jobs to-be done /Problems.	our customer.	importance of water	chemicals in water
Problems.		resources.	resources.
In this modern world, the drinking water is turned into poison. By using our project, we identify and analyse the quality of water.  3. Triggerstr What triggerstr customer to act? The impurity of water is like a poison it give viral disease and health problems. The main aim of our project is not only analyse the impurity but also some social message like don't pollute the water resources.  4. Emotions:  Before/After EM How do customer feel when they face a  Composition purity and vitamin in the water algae formed and purity and vitamin in the water algae formed and purity and vitamin in the water algae formed and purity and vitamin in the water algae formed and purity and vitamin in the water algae formed and purity and vitamin in the water algae formed and purity and vitamin in the water algae formed and purity and vitamin in the water algae formed and purity and vitamin in the water algae formed and purity and vitamin in the water algae formed and purity and vitamin in the water algae formed and purity and vitamin in the water algae formed and purity and vitamin in the water algae formed and purity and vitamin in the water algae formed and purity and vitamin in the water are decayed. Eminence of water and models provide to understand the Eminence of water and models provide Decision in order to properly mitigate water.  8. Channels-of-Behaviours.  8. 1 ONLINE Our project not need the online process. Because we done this project in the offline mode operations. So, it is an easy and simple process to work.  All living organisms to live a healthy and hygienic life  4. Emotions:  Before/After EM The turbidity sensor placed inside the water and analyse the	2.Jobs to-be done	9.Problem root cause.	7.Behaviour
world, the drinking water algae formed and purity and vitamin in the water are decayed. Many unknowable diseases formed.  3.Triggerstr What triggerstr customer to act? The impurity of water is like a poison it give viral disease and health problems. The main aim of our project is not only analyse the impurity but also some social message like don't pollute the water resources.  4.Emotions: Before/After EM How do customer feel when they face a  Wany unknowable to understand the Eminence of water and models provide Decision in order to properly mitigate water.  8.Channels-of-Behaviours. 8.1 ONLINE Our project not need the online process. Because we done this project in the offline mode operations. So, it is an easy and simple process to work.  All living organisms to live a healthy and hygienic life  The turbidity sensor placed inside the water and analyse the water and analyse the	/Problems.	If large amount of	The main
water is turned into poison. By using our project, we identify and analyse the quality of water.  3. Triggerstr	In this modern	chemicals mixes with	Behaviour of this
poison. By using our project, we identify and analyse the quality of water.  3.Triggerstr dustomer to act?  The impurity of water is like a poison it give viral disease and health problems. The main aim of our project is not only analyse the impurity but also some social message like don't pollute the water resources.  4.Emotions:  Before/After EM How do customer feel when they face a  the water are decayed.  Many unknowable diseased.  Many unknowable diseases formed.  Docision in order to properly mitigate water.  8.Channels-of-Behaviours.  8.1 ONLINE  Our project not need the online process. Because we done this project in the offline mode operations. So, it is an easy and simple process to work.  8.1 ONLINE  Our project not need the online process. Because we done this project in the offline mode operations. So, it is an easy and simple process to work.  8.2 OFFLINE  The turbidity sensor placed inside the water and analyse the	world, the drinking	water algae formed and	Project is helps people
project, we identify and analyse the quality of water.  3.Triggerstr What triggerstr customer to act? The impurity of water is like a poison it give viral disease and health problems. The main aim of our project is not only analyse the impurity but also some social message like don't pollute the water resources.  4.Emotions: Before/After EM How do customer feel when they face a  Many unknowable disease and bliseases formed.  Many unknowable diseases mod diseases formed.  Many unknowable diseases mod buiseases formed.  Don't dump the Chemicals mixed in water resources. Avoid build a factory near water resources. By our project we not only identify the water quality but also give some social message to All living organisms to live a healthy and hygienic life  Many unknowable diseases formed.  Decision in order to properly mitigate water.  8.Channels-of-Behaviours.  8.1 ONLINE Our project not need the online process. Because we done this project in the offline mode operations. So, it is an easy and simple process to work.  8.1 ONLINE  Our project not need the online process. Because we done this project in the offline mode operations. So, it is an easy and simple process to work.  8.2 OFFLINE The turbidity sensor placed inside the water and analyse the	water is turned into	purity and vitamin in	to understand the
analyse the quality of water.  3. Triggerstr What triggerstr customer to act? The impurity of water is like a poison it give viral disease and health problems. The main aim of our project is not only analyse the impurity but also some social message like don't pollute the water resources.  4. Emotions: Before/After EM How do customer feel when they face a  10. Our Solution. Don't dump the Watch also solution. Waste and reduce the chemicals mixed in water resources. Avoid build a factory near water resources. By our project we not only identify the water quality but also give some social message to live a healthy and hygienic life  Decision in order to properly mitigate water.  8. Channels-of-Behaviours.  8.1 ONLINE Our project not need the online process. Because we done this project in the offline mode operations. So, it is an easy and simple process to work.  All living organisms to live a healthy and hygienic life  8.2 OFFLINE The turbidity sensor placed inside the water and analyse the	poison. By using our	the water are decayed.	Eminence of water and
water.  3.Triggerstr What triggerstr customer to act? The impurity of water is like a poison it give viral disease and health problems. The main aim of our project is not only analyse the impurity but also some social message like don't pollute the water resources.  4.Emotions: Before/After EM How do customer feel when they face a  10.Our Solution. Don't dump the chemicals mixed in water reduce the chemicals mixed in water resources. Avoid build a factory near water resources. By our project we not only identify the water quality but also give some social message to live a healthy and hygienic life  10.Our Solution. 8.Channels-of- Behaviours. 8.1 ONLINE Our project not need the online process. Because we done this project in the offline mode operations. So, it is an easy and simple process to work.  8.2 OFFLINE The turbidity sensor placed inside the water and analyse the	project, we identify and	Many unknowable	models provide
3.Triggerstr What triggerstr customer to act? The impurity of water is like a poison it give viral disease and health problems. The main aim of our project is not only analyse the impurity but also some social message like don't pollute the water resources.  4.Emotions: Before/After EM How do customer feel when they face a  10.Our Solution. Don't dump the Waste and reduce the chemicals mixed in water resources. Avoid build a factory near water resources. By our project we not only identify the water quality but also give some social message to live a healthy and hygienic life  8.Channels-of- Behaviours. 8.1 ONLINE Our project not need the online process. Because we done this project in the offline mode operations. So, it is an easy and simple process to work.  8.2 OFFLINE The turbidity sensor placed inside the water and analyse the	analyse the quality of	diseases formed.	Decision in order to
What triggerstr customer to act? The impurity of water is like a poison it give viral disease and health problems. The main aim of our project is not only analyse the impurity but also some social message like don't pollute the water resources.  4.Emotions: Before/After EM How do customer feel when they face a  Don't dump the Waste and reduce the Chemicals mixed in water resources. Avoid build a factory near water resources. By our project we not only identify the water quality but also give some social message to live a healthy and hygienic life  Don't dump the Waste and reduce the Our project not need the online process. Because we done this project in the offline mode operations. So, it is an easy and simple process to work.  8.1 ONLINE Our project not need the online process. Because we done this project in the offline mode operations. So, it is an easy and simple process to work.  8.2 OFFLINE The turbidity sensor placed inside the water and analyse the	water.		properly mitigate water.
customer to act?  The impurity of water is like a poison it give viral disease and health problems. The main aim of our project is not only analyse the impurity but also some social message like don't pollute the water resources.  4.Emotions:  Before/After EM How do customer feel when they face a  Waste and reduce the chemicals mixed in water resources. Avoid build a factory near water resources. By our project we not only identify the water quality but also give some social message to live a healthy and hygienic life  8.1 ONLINE  Our project not need the online process. Because we done this project in the offline mode operations. So, it is an easy and simple process to work.  All living organisms to live a healthy and hygienic life  8.2 OFFLINE  The turbidity sensor placed inside the water and analyse the	3.Triggerstr	10.Our Solution.	8.Channels-of-
The impurity of water is like a poison it give viral disease and health problems. The main aim of our project is not only analyse the impurity but also some social message like don't pollute the water resources.  4.Emotions:  Before/After EM How do customer feel when they face a  Chemicals mixed in water resources. Avoid build a factory near water resources. By our project we not only identify the water quality but also give some social message to live a healthy and hygienic life  Our project not need the online process. Because we done this project in the offline mode operations. So, it is an easy and simple process to work.  All living organisms to live a healthy and hygienic life  8.2 OFFLINE The turbidity sensor placed inside the water and analyse the	What triggerstr	Don't dump the	Behaviours.
water is like a poison it give viral disease and health problems. The main aim of our project is not only analyse the impurity but also some social message like don't pollute the water resources.  4.Emotions:  Before/After EM How do customer feel when they face a  water resources. Avoid build a factory near water resources. By our project we not only identify the water quality but also give some social message to All living organisms to live a healthy and hygienic life  water resources. Avoid build a factory near water resources. By our project we not only identify the water quality but also give some social message to live a healthy and hygienic life  8.2 OFFLINE The turbidity sensor placed inside the water and analyse the	customer to act?	Waste and reduce the	8.1 ONLINE
give viral disease and health problems. The main aim of our project is not only analyse the impurity but also some social message like don't pollute the water resources.  4.Emotions:  Before/After EM How do customer feel when they face a  build a factory near water resources. By our project we not only identify the water quality but also give some social message to All living organisms to live a healthy and hygienic life  build a factory near water resources. By our project we not only identify the water quality but also give some social message to All living organisms to live a healthy and hygienic life  8.2 OFFLINE The turbidity sensor placed inside the water and analyse the	The impurity of	chemicals mixed in	Our project not
health problems. The main aim of our project is not only analyse the impurity but also some social message like don't pollute the water resources.  Health problems. The water roject we not only identify the water quality but also give some social message to don't pollute the water resources.  All living organisms to live a healthy and hygienic life  4.Emotions:  Before/After EM How do customer feel when they face a  Water resources. By our project in the offline mode operations. So, it is an easy and simple process to work.  8.2 OFFLINE The turbidity sensor placed inside the water and analyse the	water is like a poison it	water resources. Avoid	need the online
main aim of our project is not only analyse the impurity but also some social message like don't pollute the water resources.  4.Emotions:  Before/After EM How do customer feel when they face a  project we not only identify the water quality but also give some social message to All living organisms to live a healthy and hygienic life  project we not only identify the water operations. So, it is an easy and simple process to work.  All living organisms to live a healthy and hygienic life  8.2 OFFLINE The turbidity sensor placed inside the water and analyse the	give viral disease and	build a factory near	process. Because we
is not only analyse the impurity but also some social message like don't pollute the water resources.  4.Emotions:  Before/After EM How do customer feel when they face a  identify the water quality but also give some social message to All living organisms to live a healthy and hygienic life  3.2 OFFLINE The turbidity sensor placed inside the water and analyse the	health problems. The	water resources. By our	done this project in the
impurity but also some social message like don't pollute the water resources.  4.Emotions: Before/After EM How do customer feel when they face a  quality but also give some social message to All living organisms to live a healthy and hygienic life  8.2 OFFLINE The turbidity sensor placed inside the water and analyse the	main aim of our project	project we not only	offline mode
social message like don't pollute the water resources.  All living organisms to live a healthy and hygienic life  4.Emotions: Before/After EM How do customer feel when they face a  some social message to All living organisms to live a healthy and hygienic life  8.2 OFFLINE The turbidity sensor placed inside the water and analyse the	is not only analyse the	identify the water	operations. So, it is an
don't pollute the water resources.  All living organisms to live a healthy and hygienic life  4.Emotions: Before/After EM How do customer feel when they face a  All living organisms to live a healthy and hygienic life  8.2 OFFLINE The turbidity sensor placed inside the water and analyse the	impurity but also some	quality but also give	easy and simple process
resources.  live a healthy and hygienic life  4.Emotions:  Before/After EM How do customer feel when they face a  live a healthy and hygienic life  8.2 OFFLINE The turbidity sensor placed inside the water and analyse the	social message like	some social message to	to work.
hygienic life  4.Emotions:  Before/After EM  How do customer feel when they face a  hygienic life  8.2 OFFLINE  The turbidity sensor placed inside the water and analyse the	don't pollute the water	All living organisms to	
hygienic life  4.Emotions:  Before/After EM  How do customer feel when they face a  hygienic life  8.2 OFFLINE  The turbidity sensor placed inside the water and analyse the	•		
Before/After EM How do customer feel when they face a  The turbidity sensor placed inside the water and analyse the		•	
How do customer feel sensor placed inside the when they face a water and analyse the	4.Emotions:		8.2 OFFLINE
when they face a water and analyse the	Before/After EM		The turbidity
when they face a water and analyse the			•
	when they face a		water and analyse the
	problem or job and		quality of water. Then

**CHAPTER 4** 

# **REQUIREMENT ANALYSIS**

# **4.1 FUNCTIONAL REQUIREMENTS**

FR No.	Functional Requirement (Epic)	Sub Requirement (Story / Sub-Task)
FR-1	User Requirement	Monitoring river water quality in means of characters like DO, Ammonia, pH, etc.
FR-2	User Registration	Manual Sign-up using E-mail ID and Password Manual Sign-up using Mobile Number and Password
FR-3	User Confirmation	Confirmation via Email Confirmation via Message
FR-4	Product Delivery and Installation	Installed Wireless sensor Inline by river bed and Data representation using web UI
FR-5	Alert & Notification	Once the threshold value is crossed and then then process of alert begins

# **4.2 NON-FUNCTIONAL REQUIREMENTS**

FR No.	Non-Functional Requirement	Description
NFR-1	Usability	Have clear and understandable instructions. Easier to use. Even illiterate farmers can use the product without any problems
NFR-2	Security	The application must be secured with a two-factor authentication password, and the access key will be assigned according to the user's need.
NFR-3	Reliability	Hardware requires regular inspection and service. The software may be updated over time as needed. An immediate notification is activated in case of any system failure.
NFR-4	Performance	The application must have a user-friendly user interface and logic. It should have minimal energy requirements. Reported data and alerts must be very accurate and up-to-date.
NFR-5	Availability	All functions will be available to the end user whenever they need them. Real-time graphical monitoring data will be available 24/7 through the web application.
NFR-6	Scalability	The product is available 24/7, Monitored data from the river is provided live to the user. Once the changes reach the threshold, it notifies the user through the web UI as well as an email or SMS to the provided mobile number.

# **CHAPTER 5**

# **PROJECT DESIGN**

# **5.1 DATA FLOW DIAGRAM**

A data-flow graph is a collection of arcs and nodes in which the nodes are either places where variables are assigned or used, and the arcs show the relationship between the places where a variable is assigned and where the assigned value is subsequently used.

Our Data Flow Diagram shows the entire process from the entry of the Application to the exit which is controlled by the User. Here, after the user login the app moves on to the profile section where the user can see the materials to be selected then the measurement what he need to acquire is to be chosen. Final output can be shown in the separate page.

The Data Flow Graph of our proposed solution is shown below:




Fig4.Data Flow GrapH

#### **5.2 SOLUTION AND TECHNICAL ARCHITECTURE**

For Solution Architecture,

- The Quality of the Water will be determined by our IoT process.
- While consuming the impure water causing various diseases, this can be stopped by Controlling pollutants.
- We provide proper solution to overcome this disaster. Perfect measuring is done in our experiment.

# Real - Time River Water Quality Monitoring and Control System





Fig5. Solution Architecture

For Technical Architecture, Technical architecture—which is also often referred to as application architecture, IT architecture, business architecture, etc.—refers to creating a structured software solution that will meet the business needs and expectations while providing a strong technical plan for the growth of the software application through its lifetime. IT architecture is equally important to the business team and the information technology team. Technical architecture includes the major components of the system, their relationships, and the contracts that define the interactions between the components. The goal of technical architects is to achieve all the business needs with an application that is optimized for both performance and security. IT architects plan for things they know are coming in the future and for things they don't yet envision or dream. Taking the time to design the architecture at the start will prevent major design changes, code refactoring, and expensive rework later in the project.



#### **5.3 USER STORIES**

A user story is an informal, general explanation of a software feature written from the perspective of the end user. Its purpose is to articulate how a software feature will provide value to the customer. It's tempting to think that user stories are, simply put, software system requirements. But they're not.

A key component of agile software development is putting people first, and a user story puts end users at the center of the conversation. These stories use non?technical language to provide context for the development team and their efforts. After reading a user story, the team knows why they are building, what they're building, and what value it creates. User stories are one of the core components of an agile program. They help provide a user-focused framework for daily work — which drives collaboration, creativity, and a better product overall.




Fig6. Customer Journey

# **PROJECT PLANNING & SCHEDULING**

# **6.1 SPRINT PLANNING AND ESTIMATION**

--- ...- .--.. .-....


Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team Members
Sprint-1	Registration	USN-1	As a user, I can register for the application by entering my email, password, and confirming my password.	2	High	STE:: í G P, NIGI! HA R N
Sprint-1	Registration via Facebook	USN-2	As a user, I can register for the application through Facebook	2	Low	STEFFY G P, NIGISHA R N
Sprint-1	registration via Gmail	USN-3	As a user, I can register for the application through Gmail	2	Medium	STEFFY G P, NIGISHA R N
Sprint-2	Confirmation	USN	As a user I will receive confirmation email once I have registered or the application	1	High	SUBARNA MUKILA D, NIGISHA R N


Sprint-2	Login	USN-5	As a user, I can log into the application by entering email & password	1	High	SUBARNA MUKILA D, NIGISHA R N
Sprint-2	IBM cloud service	USN-6	Get access to IBM cloud services	2	High	SUBARNA MUKILA D, NIGISHA R N
Sprint-3	Create IBM Watson and device settings	USN-7	To create the IBM Watson IOT platform and Intergrate the microcontroller with it to send sensed data to cloud	2	High	SHRUTHI S, SUBARNA MUKILA D
Sprint-3	Create node red service	USN-8	To create a node red service to integrate the IBM Watson along with Web UI	2	Medium	SHRUTHI S, SUBARNA MUKILA D
Sprint-3	Create Web UI	USN-9	To create Web UI to access the data from cloud And display all parameters	2	Medium	SHRUTHI S, SUBARNA MUKILA D
Sprint-3	To develop a python code	USN-10	Create python code to sense the physical quantity and store data	1	Medium	SHRUTHI S, SUBARNA MUKILA D
Sprint-4	Publish data to cloud	USN-11	Publish data that is sensed by the microcontroller to the cloud	3	High	STEFFY G P, SHRUTHI S
Sprint-4	Fast SMS service	USN-12	Use fast SMS to send alert message once the parameters like ph , turbidity and temperature goes beyond the threshold	3	High	STEFFY G P, SHRUTHI S
Sprint-4	Testing	USN-13	Testing of project and final deliverables	3	Medium	STEFFY G P, SHRUTHI S

# **6.2 SPRINT DELIVERY SCHEDULE**

Sprint	Total Story Points	Duration	Sprint Start Date	Sprint End Date (Planned)	Story Points Completed (as on Planned End Date)	Sprint Release Date (Actual)
Sprint 1	20	6 Days	24 Oct 2022	29 Oct 2022	20	29 Oct 2022
Sprint 2	20	6 Days	31 Oct 2022	05 Nov 2022	20	05 Nov 2022
Sprint 3	20	6 Days	07 Nov 2022	12 Nov 2022	20	12 Nov 2022
Sprint 4	20	6 Days	14 Nov 2022	19 Nov 2022	20	19 Nov 2022

# 6.3 REPORTS FROM JIRA





**CHAPTER 7** 

### **CODING & SOLUTIONING**

#### 7.1 FEATURE 1

### IBM WATSON IOT PLATFORM

The very first process in this project section is to develop the IBM IoT Platform. This IoT platform is the core formula for all the connection process. As the only way of connecting several applications is the basic work of the cloud platform. The process of signing in to the cloud process is the large process which carries verification segments too. After creating the Cloud Profile, lets move to device creation part.

### **DEVICE CREATION**


Now the next step is to create a device, we have created a device with following details.

Device Type: 1234 Device Id: 12345

With following details, we have created a device and the code for this device carries the requirements which satisfies the project specification. We used temperature, humidity and the pH value in the code.

- 1. temperature 0 to 100
- 2. humidity 0 to 100
- 3. ph value 0 to 14

While, the device is made to run the results are appeared in the Recent Events tab near the Device part.



# **NODE-RED SERVICE**

After registering to the IBM IoT Platform and created the device, now we move on to the Node-Red Service, in this here we can create the Web user interface and the Web Application by designing the circuit. Our Node-Red Circuit designing are as follows.

The first step is to install the IBM IoT block from the node-red service and we have set three functions namely, temp, hum, pH these three functions processes temperature, humidity and the pH value. And the three functions are connected to the msg.payload button. At separately the functions are designed in the wave of chart, where temperature and humidity are designed in the Line Chart and pH value as Gauge chart.

After this, we set two buttons of the Switch board, Light ON and Light OFF. This button works as if it pressed to light ON, the python code displays "led is on", if light OFF, it shows " led is off".

Now for connecting to web we use "http" extension. And also, for connection to the Application we use MIT app application with get option function in Node-Red. The Node-Red website is copied and added "/sensor" to review the output.

For simulating the Node-Red Service, there appears "Deploy" button.




Fig. Node-Red Circuit Design

# **USER INTERFACE**

After the successful simulation of the Node-Red Service, User Interface is created. Our Web UI includes Temperature, Humidity, pH Value in accordance with Switch Board of Light ON and Light OFF. The Temperature and Humidity varies from 0 to 100. And the pH varies from 0 to 14.

Our Executed User Interface from the Node-Red is shown below.




Fig. Node-Red Page Web Use Interface

### MIT APP INVENTOR

This phase is the most priority requirement of our project. Using an application helps users to monitor in easy way. MIT App inventor helps to design our application. We have created 6 Screens for our App.

The First screen, lets you get started with the application. The Second Screen is the login Page and following the registration page screen, we have kept the buttons sign in with gmail and email. Through the respective screen the user can sign up with the application. Also we have place the notify condition, when the details goes wrong, it alerts "Check your Credentials". As the


details are correct it moves on to the next screen. We have set the credentials as 1234 for both username and password. Here we display the Login Page of our Application



Following the Login Page, Selection of process is shown with three categories such as Temperature, Humidity and pH value and at last Logout button.

When the category is selected the page moves on to the Output Display Page where we can see all the three results as the python code is made simulated.

The last page contains Switch board of Light ON and Light OFF. As same as user interface, here also when we press these buttons the output of led on or off is displayed in the Python code.



# **7.2 FEATURE 2**

# **PYTHON CODE**

Our Python Code is basic and easy to understand. The programs carries our device details and the requirements of the project are kept defined. All conditions are made properly and the output is done successfully.

# **CODING**

import time import sys import ibmiotf.application

```
import ibmiotf.device
import random
#Provide your IBM Watson Device Credentials
Organization = "hwaz8c"
DeviceType = "1234"
deviceID = "12345"
authMethod = "token"
authToken = "123456789"
# Initialize GPTO
def mycommandcallback(cmd):
 print("command received: %s" % cmd.data['command'])
 status=cmd.data['command']
 if status =="light on":
  print ("led is on")
 elif status =="lightoff":
  print("led is off")
 else:
  print("please send proper command")
trv:
deviceOptions = {"org": Organization, "type": DeviceType, "id": deviceID, "auth-
method":authMethod, "auth-token": authToken }
deviceCli= ibmiotf.device.Client(deviceOptions)
#.....
except Exception as e:
  print("Caught exception connecting device: %s" % str(e))
  sys.exit()
# connect and send a data point "hello" with value "world" into the cloud as an event of type
"greeting" 10 times
deviceCli.connect()
while True:
 #Get Sensor Data from DHT11
 temp=random.randint(90,110)
 Humid=random.randint(60,100)
 PH=int(7)
 data={ 'temp' : temp, 'Humid' : Humid , 'PH' : PH}
 #print data
 def myOnPublishCallback():
  print ("Published Temperature = %s C" % temp, "Humidity = %s %%" % Humid, "Ph value= 7, to
IBM Watson")
```

```
success = deviceCli.publishEvent("IoTSensor", "json", data, qos=0, on_publish=myOnPublishCallback) if not success:    print ("Not connected to IoTF") time.sleep(10)    deviceCli.commandCallback = mycommandcallback #disconnect the device and application from the cloud deviceCli.disconnect()
```

### **CHAPTER 8**

### **TESTING**

#### 8.1 TEST CASES

As the code is made to run, the system waits to connect with IoT platform. On account of connection with the IBM Watson Platform, the code displays the output with relevant details. The output is shown in Cloud platform, the links to Node-Red also to the UI section. Finally when the Application is operated, the output is also displayed in it.

In our python code, we used temperature, humidity and pH value with the following conditions,

temp=random.randint(0,100) Humid=random.randint(0,100) pH=random.randint(0,14) The output of our Code is shown below,



Fig. Python Output

#### **8.2 USER ACCEPTANCE TESTING**

As the completion of the application development, the app should give as much support to the user. The developer must make sure of the avoidance of the disability in working of application by the user. All the appearance of the app should able to be configurable to the user. The usage of the application must satisfy the user at 100%. All the specifications must be simple and easy to use.




Fig. Application Output

### **CHAPTER 9**

# **RESULTS**

# 9.1 PERFORMANCE METRICS

The performance and the working of the code is very quick and the results appears in quick succession. Our code is linked with the most used IBM Watson IoT Platform which works with much perfection. This cloud platform is very secure to use and configure easily. As the code is simulated within seconds the result appears. We have done lot of works using this

loT platform which is very simple and good user friendly platform. Below we display our connected IoT platform which delivers the results as the code is run.




Fig. Platform Output

#### **CHAPTER 10**

#### **ADVANTAGES & DISADVANTAGES**

#### **ADVANTAGES**

Water quality standards also protect iconic, locally grown products such as wild rice and walleye. Protecting human health — Some pollutants pose risks to human health. Water quality standards protect human health and avoid the costs related to medical care, productivity loss, and even loss of life. This helps us to understand how the levels of nutrients, dissolved oxygen, temperature, salinity and phytoplankton change over time and how best to manage these conditions. Water quality is critical to environmental and ecosystem health. By monitoring water quality, researchers, scientists, and regulators

can understand the impact of human activities, seasonal fluctuations, and weather events. Water quality data helps inform sustainable decision making and comprehensive regulatory policy.

#### **DISADVANTAGES**

It is difficult to collect the water samples from all the area of the water body. The cost of analysis is lofty. The lab testing and analysis takes some time and hence the lab results does not reflect real time water quality measurement due to delay in measurement. Relationship and capacity challenges in water quality monitoring are discussed based on a rational approach to decision-making. Such an approach considers the costs and benefits of individuals and organizations in decision-making with regard to water quality monitoring. Both benefits and costs can be material (i.e. increase or decrease of financial resources) and immaterial (e.g. loss or gain of time, reputation).

### **CHAPTER 11**

#### CONCLUSION

This way of monitoring the water quality made us effortless. Water monitoring is a crucial part of maintaining many environments including industrial buildings, commercial properties and healthcare establishments. Technology has advanced to the extent that there are now highly sophisticated, accurate and convenient water monitoring systems which offer a whole host of benefits. The major cause of water impurity by industrial wastes and also human acts. By analyzing the quality of water we can consume healthy state, but if we reduce the pollution causing acts we can gain more water ie.pure water even naturally. Stop polluting the river water and make environment clean and hygienic. Indicators are needed for monitoring the system from source to tap, including aesthetic changes, water quality indicators, suspicious activity, changes in water pressure and illness in the community. Action plans for management of both accidental and intentional pollution with biologicals and chemicals should include a base line understanding of the vulnerabilities and baseline quality. Triggers for action must be put in place: spill notification, rainfall, raw water turbidity, fecal indicators and public health indicators. The physical/chemical/biological and geological nature of the water system under study

must be considered. Site assessment is an important component of the risk/management framework. Integration of inventory of risks to the watershed, along with climate prediction factors and the monitoring of the raw ambient water quality are critical. Monitoring recovery after contamination events is essential, this will require that baseline data sets are available. Climatic factors and meteorological data continue to show a pattern associated with water quality impacts (during floods but even droughts) and are often associated with treatment and management failures. Thus meteorological data, weather forecasting and climate prediction scenarios should be integrated in the development of any assessment and management strategy.

### **CHAPTER 12**

#### **FUTURE SCOPE**

Environmental water quality monitoring aims to provide the data required for safeguarding the environment against adverse biological effects from multiple chemical contamination arising from anthropogenic diffuse emissions and point sources. Current monitoring approaches tend to emphasize either targeted exposure or effect detection. Here, we argue that, irrespective of the specific purpose, assessment of monitoring results would benefit substantially from obtaining and linking information on the occurrence of both chemicals and potentially adverse biological effects. As of now the water quality monitoring just a wave of seeds. The development of this process must be take advances in quick rate. In future, there will be reduction in pollution as water quality monitoring grows.

### **CHAPTER 13**

### **APPENDIX**

### SOURCE CODE

As we successfully developed and programmed our python code, lets this be the final code of execution.

```
import time
import sys
import ibmiotf.application
import ibmiotf.device
import random
#Provide your IBM Watson Device Credentials
Organization = "hwaz8c"
DeviceType = "1234"
deviceID = "12345"
authMethod = "token"
authToken = "123456789"
# Initialize GPTO
def mycommandcallback(cmd):
 print("command received: %s" % cmd.data['command'])
 status=cmd.data['command']
 if status =="light on":
  print ("led is on")
 elif status =="lightoff":
  print("led is off")
  print("please send proper command")
deviceOptions = {"org": Organization, "type": DeviceType, "id": deviceID, "auth-
method":authMethod, "auth-token": authToken }
deviceCli= ibmiotf.device.Client(deviceOptions)
#.....
```

except Exception as e:

```
print("Caught exception connecting device: %s" % str(e))
  sys.exit()
# connect and send a data point "hello" with value "world" into the cloud as an event of type
"greeting" 10 times
deviceCli.connect()
while True:
 #Get Sensor Data from DHT11
temp=random.randint(90,110)
 Humid=random.randint(60,100)
 PH=int(7)
 data={ 'temp' : temp, 'Humid' : Humid , 'PH' : PH}
 #print data
 def myOnPublishCallback() :
  print ("Published Temperature = %s C" % temp, "Humidity = %s %%" % Humid, "Ph value= 7, to
IBM Watson")
 success = deviceCli.publishEvent("IoTSensor", "json", data, gos=0,
on_publish=myOnPublishCallback)
 if not success:
  print ("Not connected to IoTF")
time.sleep(10)
 deviceCli.commandCallback = mycommandcallback
#disconnect the device and application from the cloud
deviceCli.disconnect()
```

# PROJECT DEMONSTRATION VIDEO UPLOADED HERE

**GITHUB LINK:** https://github.com/IBM-EPBL/IBM-Project-48121-1660804660

PROJECT DEMO LINK: https://www.youtube.com/embed/vkXEuOOB0MM

