

Sprint 1

| | |
|--------------|----------------------------------|
| Team ID | PNT2022TMID52447 |
| Project Name | Smart Fashion Recommender System |

Index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
<title>SHAJI Shopping</title>
<meta name="viewport" content="width=device-width, initial-scale=1">
<meta charset="utf-8">
<meta name="keywords" content="Cat Club Responsive web template, Bootstrap Web
Templates, Flat Web Templates, Android Compatible web template,
Smartphone Compatible web template, free webdesigns for Nokia, Samsung, LG,
SonyEricsson, Motorola web design" />
<script type="application/x-javascript"> addEventListener("load", function() {
setTimeout(hideURLbar, 0); }, false); function hideURLbar(){ window.scrollTo(0,1); }
</script>
<!-- bootstrap-css -->
<link href="static/css/bootstrap.css" rel="stylesheet" type="static/static/text/css"
media="all" />
<!--// bootstrap-css -->
<!-- css -->
<link rel="stylesheet" href="static/css/style.css" type="static/static/text/css"
media="all" />
<!--// css -->
<!-- font-awesome icons -->
<link href="static/css/font-awesome.css" rel="stylesheet">
<!-- //font-awesome icons -->
<!-- font -->
<link href="//fonts.googleapis.com/css?family=Pacifico" rel='stylesheet'
type='static/static/text/css'>
<link
href="//fonts.googleapis.com/css?family=Raleway:100,100i,200,200i,300,300i,400,400i,5
00,500i,600,600i,700,700i,800,800i,900,900i" rel="stylesheet">
<link
href="//fonts.googleapis.com/css?family=Roboto+Condensed:400,700italic,700,400italic,
300italic,300" rel='stylesheet' type='static/static/text/css'>
<!-- //font -->
<script src="static/js/jquery-1.11.1.min.js"></script>
<script src="static/js/bootstrap.js"></script>
<script type="text/javascript">
    jQuery(document).ready(function($) {
        $(".scroll").click(function(event){
```

```

        event.preventDefault();
        $('html,body').animate({scrollTop:$(this.hash).offset().top},1000);
    });
});
</script>
</head>
<body>
    <!-- banner -->
    <div class="banner">
        <div class="header">
            <div class="container">
                <div class="header-left">
                    <div class="w3layouts-logo">
                        <h1>
                            <a href="index.html">SHAJI <span>Shop</span></a>
                        </h1>
                    </div>
                </div>
                <div class="header-right">
                    <div class="top-nav">

                        <nav class="navbar navbar-default">
                            <div class="navbar-header">
                                <button type="button" class="navbar-toggle collapsed"
data-toggle="collapse" data-target="#bs-example-navbar-collapse-1">
                                    <span class="sr-only">Toggle navigation</span>
                                    <span class="icon-bar"></span>
                                    <span class="icon-bar"></span>
                                    <span class="icon-bar"></span>
                                </button>
                            </div>
                            <!-- Collect the nav links, forms, and other content for
toggling -->
                            <div class="collapse navbar-collapse" id="bs-example-navbar-
collapse-1">
                                <ul class="nav navbar-nav">

                                    <li><a href="/">Home</a></li>
                                    <li><a href="/AdminLogin">AdminLogin</a></li>
                                    <li><a href="/UserLogin">UserLogin</a></li>
                                    <li><a href="/NewUser">NewUser</a></li>

                                </ul>
                                <div class="clearfix"> </div>
                            </div>
                        </nav>

                    </div>
                    <div class="agileinfo-social-grids">

                    </div>
                    <div class="clearfix"> </div>
                </div>

                <div class="clearfix"> </div>
            </div>
        </div>
    </div>

```

```

        </div>
    </div>
    <div class="w3layouts-banner-slider">
        <div class="container">
            <div class="slider">
                <div class="callbacks_container">
                    <ul class="rslides callbacks callbacks1" id="slider4">
                        <li>
                            <div class="agileits-banner-info">
                                <h3>SHAJI <span>Product</span></h3>
                                <div class="w3-button">
                                    <a href="#">More</a>
                                </div>
                            </div>
                        </li>
                        <li>
                            <div class="agileits-banner-info">
                                <h3>SHAJI<span>Product</span></h3>
                                <div class="w3-button">
                                    <a href="#">More</a>
                                </div>
                            </div>
                        </li>
                    </ul>
                </div>
            <script src="static/js/responsiveslides.min.js"></script>
            <script>
                // You can also use "$(window).load(function() {"
                $(function () {
                    // Slideshow 4
                    $("#slider4").responsiveSlides({
                        auto: true,
                        pager:true,
                        nav:true,
                        speed: 500,
                        namespace: "callbacks",
                        before: function () {
                            $('.events').append("<li>before event fired.</li>");
                        },
                        after: function () {
                            $('.events').append("<li>after event fired.</li>");
                        }
                    });
                });
            </script>
            <!--banner Slider starts Here-->
        </div>
    </div>
</div>
<!-- //banner -->
<!-- banner-bottom -->
<div class="welcome">
    <div class="container">

```

```

        </div>
    </div>
    <!-- banner-bottom -->

    <!-- copyright -->
    <div class="copyright">
        <div class="container">
            <p>©. All rights reserved | Design by <a href="#">JGUVISH team</a></p>
        </div>
    </div>
    <!-- //copyright -->
    <script src="static/js/responsiveslides.min.js"></script>
    <script src="static/js/SmoothScroll.min.js"></script>
    <script type="text/javascript" src="static/js/move-top.js"></script>
    <script type="text/javascript" src="static/js/easing.js"></script>
    <!-- here stars scrolling icon -->
    <script type="text/javascript">
        $(document).ready(function() {
            /*
            var defaults = {
                containerID: 'toTop', // fading element id
                containerHoverID: 'toTopHover', // fading element hover id
                scrollSpeed: 1200,
                easingType: 'linear'
            };
            */

            $().UItoTop({ easingType: 'easeOutQuart' });

        });
    </script>
    <!-- //here ends scrolling icon -->
</body>
</html>

```

Adminhome.html:

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml">
<head>
    <title>Online</title>
<meta name="viewport" content="width=device-width, initial-scale=1">
<meta charset="utf-8">
<meta name="keywords" content="Cat Club Responsive web template, Bootstrap Web
Templates, Flat Web Templates, Android Compatible web template,
Smartphone Compatible web template, free webdesigns for Nokia, Samsung, LG,
SonyEricsson, Motorola web design" />
<script type="application/x-javascript"> addEventListener("load", function() {
setTimeout(hideURLbar, 0); }, false); function hideURLbar(){ window.scrollTo(0,1); }
</script>
<!-- bootstrap-css -->
<link href="static/css/bootstrap.css" rel="stylesheet" type="static/css" media="all"
/>
<!--// bootstrap-css -->
<!-- css -->
<link rel="stylesheet" href="static/css/style.css" type="static/css" media="all" />
<!--// css -->
<!-- font-awesome icons -->
<link href="static/css/font-awesome.css" rel="stylesheet">
<!-- //font-awesome icons -->
<!-- font -->
<link href="//fonts.googleapis.com/css?family=Pacifico" rel='stylesheet'
type='static/css'>
<link
href="//fonts.googleapis.com/css?family=Raleway:100,100i,200,200i,300,300i,400,400i,5
00,500i,600,600i,700,700i,800,800i,900,900i" rel="stylesheet">
<link
href="//fonts.googleapis.com/css?family=Roboto+Condensed:400,700italic,700,400italic,
300italic,300" rel='stylesheet' type='static/static/text/css'>
<!-- //font -->
<script src="static/js/jquery-1.11.1.min.js"></script>
<script src="static/js/bootstrap.js"></script>
<script type="text/javascript">
    jQuery(document).ready(function ($) {
        $(".scroll").click(function (event) {
            event.preventDefault();
            $('html,body').animate({ scrollTop: $(this.hash).offset().top }, 1000);
        });
    });
</script>
</head>
<body>
<div class="banner about-banner">
    <div class="header about-header">
        <div class="container">
            <div class="header-left">
                <div class="w3layouts-logo">
                    <h1>
```

```

        <a href="index.html">SHAJI<span>Shopping</span></a>
    </h1>
</div>
</div>
<div class="header-right">
    <div class="top-nav">
        <nav class="navbar navbar-default">
            <div class="navbar-header">
                <button type="button" class="navbar-toggle collapsed"
data-toggle="collapse" data-target="#bs-example-navbar-collapse-1">
                    <span class="sr-only">Toggle navigation</span>
                    <span class="icon-bar"></span>
                    <span class="icon-bar"></span>
                    <span class="icon-bar"></span>
                </button>
            </div>
            <!-- Collect the nav links, forms, and other content for
togglng -->
            <div class="collapse navbar-collapse" id="bs-example-navbar-
collapse-1">
                <ul class="nav navbar-nav">

                    <li><a href="/AdminHome">Home</a></li>
                    <li><a href="/NewProduct">NewProduct</a></li>
                    <li><a href="/ProductInfo">ProductInfo</a></li>
                    <li><a href="/ASalesInfo">SalesInfo</a></li>

                    <li><a href="/">Logout</a></li>

                </ul>
                <div class="clearfix"> </div>
            </div>
        </nav>
    </div>
    <div class="agileinfo-social-grids">
        <ul>
            <li><a href="#"><i class="fa fa-facebook"></i></a></li>
            <li><a href="#"><i class="fa fa-twitter"></i></a></li>
            <li><a href="#"><i class="fa fa-rss"></i></a></li>
            <li><a href="#"><i class="fa fa-vk"></i></a></li>
        </ul>
    </div>
    <div class="clearfix"> </div>
</div>
<div class="clearfix"> </div>
</div>
<div class="about-heading">
    <div class="container">

        <h2>&nbsp;</h2>
        <h2>&nbsp;</h2>

    </div>
</div>
</div>

```

```

    <form id="form1" runat="server" method="post" action="/adminlogin">
    <div>
        <h2 align="center"><span>User Details </span></h2>
        <table width="100%" border="0">
            <tr>
                <td width="22%">&nbsp;</td>
                <td width="28%">&nbsp;</td>
                <td width="47%">&nbsp;</td>
                <td width="3%">&nbsp;</td>
            </tr>
            <tr>
                <td>&nbsp;</td>
                <td colspan="2"><table width="80%" border="0">
                    <tr>
                        <td height="39" bgcolor="#78BBE6" scope="col" ><div align="center"
class="style6">Name</div></td>
                        <td height="39" bgcolor="#78BBE6" scope="col"><div align="center"
class="style6">Gender </div></td>
                        <td height="39" bgcolor="#78BBE6" scope="col" ><div align="center"
class="style6">Age </div></td>
                        <td height="39" bgcolor="#78BBE6" scope="col" ><div align="center"
class="style6">Email </div></td>
                        <td height="39" bgcolor="#78BBE6" scope="col"><div align="center"
class="style6">Mobile</div></td>
                    </tr>
                    {%for item in data%}
                <tr>
                    <td height="30"><div align="center"><span
class="style1">{{item[1]}}</span></div></td>
                    <td><div align="center"><span class="style1">{{item[2]}}</span></div></td>
                    <td><div align="center"><span class="style1">{{item[3]}}</span></div></td>
                    <td><div align="center"><span class="style1">{{item[4]}}</span></div></td>
                    <td><div align="center"><span class="style1">{{item[5]}}</span></div></td>
                </tr>
                {%endfor%}
            <tr>
                <td>&nbsp;</td>
                <td>&nbsp;</td>
                <td>&nbsp;</td>
                <td>&nbsp;</td>
                <td>&nbsp;</td>
            </tr>
        </table></td>
        <td>&nbsp;</td>
    </tr>
    </table>
    <p>&nbsp;</p>
    <p>&nbsp;</p>
    </div>
</form>
<!-- copyright -->
<div class="copyright">
    <div class="container">
        <p>© All rights reserved | Design by <a href="#">JGUUVISH team</a></p>
    </div>

```

```
</div>
<!-- //copyright -->
<script src="static/js/responsiveslides.min.js"></script>
<script src="static/js/SmoothScroll.min.js"></script>
<script type="text/javascript" src="static/js/move-top.js"></script>
<script type="text/javascript" src="static/js/easing.js"></script>
<!-- here stars scrolling icon -->
<script type="text/javascript">
    $(document).ready(function () {
        /*
        var defaults = {
            containerID: 'toTop', // fading element id
            containerHoverID: 'toTopHover', // fading element hover id
            scrollSpeed: 1200,
            easingType: 'linear'
        };
        */

        $().UItoTop({ easingType: 'easeOutQuart' });

    });
</script>
<!-- //here ends scrolling icon -->
</body>
</html>
```


AdminLogin:

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml">
<head>
  <title>Online Shopping</title>
<meta name="viewport" content="width=device-width, initial-scale=1">
<meta charset="utf-8">
<meta name="keywords" content="Cat Club Responsive web template, Bootstrap Web
Templates, Flat Web Templates, Android Compatible web template,
Smartphone Compatible web template, free webdesigns for Nokia, Samsung, LG,
SonyEricsson, Motorola web design" />
<script type="application/x-javascript"> addEventListener("load", function() {
setTimeout(hideURLbar, 0); }, false); function hideURLbar(){ window.scrollTo(0,1); }
</script>
<!-- bootstrap-css -->
<link href="static/css/bootstrap.css" rel="stylesheet" type="static/css" media="all"
/>
<!--// bootstrap-css -->
<!-- css -->
<link rel="stylesheet" href="static/css/style.css" type="static/css" media="all" />
<!--// css -->
<!-- font-awesome icons -->
<link href="static/css/font-awesome.css" rel="stylesheet">
<!-- //font-awesome icons -->
<!-- font -->
<link href="//fonts.googleapis.com/css?family=Pacifico" rel='stylesheet'
type='static/css'>
<link
href="//fonts.googleapis.com/css?family=Raleway:100,100i,200,200i,300,300i,400,400i,5
00,500i,600,600i,700,700i,800,800i,900,900i" rel="stylesheet">
<link
href="//fonts.googleapis.com/css?family=Roboto+Condensed:400,700italic,700,400italic,
300italic,300" rel='stylesheet' type='static/static/text/css'>
<!-- //font -->
<script src="static/js/jquery-1.11.1.min.js"></script>
<script src="static/js/bootstrap.js"></script>
<script type="text/javascript">
  jQuery(document).ready(function ($) {
    $(".scroll").click(function (event) {
      event.preventDefault();
      $('html,body').animate({ scrollTop: $(this.hash).offset().top }, 1000);
    });
  });
</script>
</head>
<body>
<div class="banner about-banner">
  <div class="header about-header">
    <div class="container">
      <div class="header-left">
        <div class="w3layouts-logo">
          <h1>
```

```

        <a href="index.html">SHAJI<span>Shopping</span></a>
    </h1>
</div>
</div>
<div class="header-right">
    <div class="top-nav">
        <nav class="navbar navbar-default">
            <div class="navbar-header">
                <button type="button" class="navbar-toggle collapsed"
data-toggle="collapse" data-target="#bs-example-navbar-collapse-1">
                    <span class="sr-only">Toggle navigation</span>
                    <span class="icon-bar"></span>
                    <span class="icon-bar"></span>
                    <span class="icon-bar"></span>
                </button>
            </div>
            <!-- Collect the nav links, forms, and other content for
togglng -->
            <div class="collapse navbar-collapse" id="bs-example-navbar-
collapse-1">
                <ul class="nav navbar-nav">

                    <li><a href="/">Home</a></li>
                    <li><a href="/AdminLogin">AdminLogin</a></li>
                    <li><a href="/UserLogin">UserLogin</a></li>
                    <li><a href="/NewUser">NewUser</a></li>

                </ul>
                <div class="clearfix"> </div>
            </div>
        </nav>
    </div>
    <div class="agileinfo-social-grids">
        <ul>
            <li><a href="#"><i class="fa fa-facebook"></i></a></li>
            <li><a href="#"><i class="fa fa-twitter"></i></a></li>
            <li><a href="#"><i class="fa fa-rss"></i></a></li>
            <li><a href="#"><i class="fa fa-vk"></i></a></li>
        </ul>
    </div>
    <div class="clearfix"> </div>
</div>
<div class="clearfix"> </div>
</div>
<div class="about-heading">
    <div class="container">

        <h2> &nbsp;</h2>
        <h2> &nbsp;</h2>

    </div>
</div>
</div>
    <form id="form1" runat="server" method="post" action="/adminlogin">
</div>

```

```

<table class="nav-justified">
  <tr>
    <td class="style1">
      &nbsp;</td>
    <td>
      &nbsp;</td>
    <td>
      &nbsp;</td>
    <td>
      &nbsp;</td>
  </tr>
  <tr>
    <td class="style1">
      &nbsp;</td>
    <td colspan="2">
      Admin Login Here..!</td>
    <td>
      &nbsp;</td>
  </tr>
  <tr>
    <td class="style1">
      &nbsp;</td>
    <td>
      &nbsp;</td>
    <td>
      &nbsp;</td>
    <td>
      &nbsp;</td>
  </tr>
  <tr>
    <td class="style1">
      &nbsp;</td>
    <td>
      UserName</td>
    <td>
      <input id="uname" type="text" name="uname" /></td>
    <td>
      &nbsp;</td>
  </tr>
  <tr>
    <td class="style1">
      &nbsp;</td>
    <td>
      Password</td>
    <td>
      <input id="password" type="password" name="password" /></td>
    <td>
      &nbsp;</td>
  </tr>
  <tr>
    <td class="style1">
      &nbsp;</td>
    <td>
      &nbsp;</td>

```

```

        <td>
            &nbsp;</td>
        <td>
            &nbsp;</td>
    </tr>
    <tr>
        <td class="style1">
            &nbsp;</td>
        <td>
            &nbsp;</td>
        <td>
            <input id="Submit1" type="submit" value="submit" />&nbsp;<input id="Reset1" type="reset" value="reset" /></td>
        <td>
            &nbsp;</td>
    </tr>
    <tr>
        <td class="style1">
            &nbsp;</td>
        <td>
            &nbsp;</td>
        <td>
            &nbsp;</td>
        <td>
            &nbsp;</td>
    </tr>
    <tr>
        <td class="style1">
            &nbsp;</td>
        <td>
            &nbsp;</td>
        <td>
            &nbsp;</td>
        <td>
            &nbsp;</td>
    </tr>
    <tr>
        <td class="style1">
            &nbsp;</td>
        <td>
            &nbsp;</td>
        <td>
            &nbsp;</td>
        <td>
            &nbsp;</td>
    </tr>
</table>

</div>
</form>
<!-- copyright -->
<div class="copyright">
    <div class="container">
        <p>© All rights reserved | Design by <a href="#">JGUVISH team</a></p>
    </div>

```

```

</div>
<!-- //copyright -->
<script src="static/js/responsiveslides.min.js"></script>
<script src="static/js/SmoothScroll.min.js"></script>
<script type="text/javascript" src="static/js/move-top.js"></script>
<script type="text/javascript" src="static/js/easing.js"></script>
<!-- here stars scrolling icon -->
<script type="text/javascript">
    $(document).ready(function () {
        /*
        var defaults = {
            containerID: 'toTop', // fading element id
            containerHoverID: 'toTopHover', // fading element hover id
            scrollSpeed: 1200,
            easingType: 'linear'
        };
        */

        $().UItoTop({ easingType: 'easeOutQuart' });

    });
</script>
<!-- //here ends scrolling icon -->
</body>
</html>

```

ASalesinfo:

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml">
<head>
    <title>Online</title>
<meta name="viewport" content="width=device-width, initial-scale=1">
<meta charset="utf-8">
<meta name="keywords" content="Cat Club Responsive web template, Bootstrap Web
Templates, Flat Web Templates, Android Compatible web template,
Smartphone Compatible web template, free webdesigns for Nokia, Samsung, LG,
SonyEricsson, Motorola web design" />
<script type="application/x-javascript"> addEventListener("load", function() {
setTimeout(hideURLbar, 0); }, false); function hideURLbar(){ window.scrollTo(0,1); }
</script>
<!-- bootstrap-css -->
<link href="static/css/bootstrap.css" rel="stylesheet" type="static/css" media="all"
/>
<!--// bootstrap-css -->
<!-- css -->
<link rel="stylesheet" href="static/css/style.css" type="static/css" media="all" />
<!--// css -->
<!-- font-awesome icons -->
<link href="static/css/font-awesome.css" rel="stylesheet">
<!-- //font-awesome icons -->
<!-- font -->
<link href="//fonts.googleapis.com/css?family=Pacifico" rel='stylesheet'
type='static/css'>
<link
href="//fonts.googleapis.com/css?family=Raleway:100,100i,200,200i,300,300i,400,400i,5
00,500i,600,600i,700,700i,800,800i,900,900i" rel="stylesheet">
<link
href="//fonts.googleapis.com/css?family=Roboto+Condensed:400,700italic,700,400italic,
300italic,300" rel='stylesheet' type='static/static/text/css'>
<!-- //font -->
<script src="static/js/jquery-1.11.1.min.js"></script>
<script src="static/js/bootstrap.js"></script>
<script type="text/javascript">
    jQuery(document).ready(function ($) {
        $(".scroll").click(function (event) {
            event.preventDefault();
            $('html,body').animate({ scrollTop: $(this.hash).offset().top }, 1000);
        });
    });
</script>
</head>
<body>
<div class="banner about-banner">
    <div class="header about-header">
        <div class="container">
            <div class="header-left">
                <div class="w3layouts-logo">
                    <h1>
```

```

        <a href="index.html">SHAJI<span>Shopping</span></a>
    </h1>
</div>
</div>
<div class="header-right">
    <div class="top-nav">
        <nav class="navbar navbar-default">
            <div class="navbar-header">
                <button type="button" class="navbar-toggle collapsed"
data-toggle="collapse" data-target="#bs-example-navbar-collapse-1">
                    <span class="sr-only">Toggle navigation</span>
                    <span class="icon-bar"></span>
                    <span class="icon-bar"></span>
                    <span class="icon-bar"></span>
                </button>
            </div>
            <!-- Collect the nav links, forms, and other content for
toggling -->
            <div class="collapse navbar-collapse" id="bs-example-navbar-
collapse-1">
                <ul class="nav navbar-nav">

                    <li><a href="/AdminHome">Home</a></li>
                    <li><a href="/NewProduct">NewProduct</a></li>
                    <li><a href="/ProductInfo">ProductInfo</a></li>

                    <li><a href="/AReviewInfo">ReviewInfo</a></li>
                    <li><a href="/">Logout</a></li>

                </ul>
                <div class="clearfix"> </div>
            </div>
        </nav>
    </div>
    <div class="agileinfo-social-grids">
        <ul>
            <li><a href="#"><i class="fa fa-facebook"></i></a></li>
            <li><a href="#"><i class="fa fa-twitter"></i></a></li>
            <li><a href="#"><i class="fa fa-rss"></i></a></li>
            <li><a href="#"><i class="fa fa-vk"></i></a></li>
        </ul>
    </div>
    <div class="clearfix"> </div>
</div>
<div class="clearfix"> </div>
</div>
<div class="about-heading">
    <div class="container">

        <h2>&nbsp;</h2>
        <h2>&nbsp;</h2>

    </div>
</div>
</div>

```



```

        <td>&nbsp;</td>
        <td>&nbsp;</td>
        <td>&nbsp;</td>
        <td>&nbsp;</td>
        <td>&nbsp;</td>
        <td>&nbsp;</td>
        <td>&nbsp;</td>
    </tr>
</table>
<p>&nbsp;</p>
<p>&nbsp;</p>
</div>
</form>
<!-- copyright -->
<div class="copyright">
    <div class="container">
        <p>© All rights reserved | Design by <a href="#">Online Shopping</a></p>
    </div>
</div>
<!-- //copyright -->
<script src="static/js/responsiveslides.min.js"></script>
<script src="static/js/SmoothScroll.min.js"></script>
<script type="text/javascript" src="static/js/move-top.js"></script>
<script type="text/javascript" src="static/js/easing.js"></script>
<!-- here stars scrolling icon -->
<script type="text/javascript">
    $(document).ready(function () {
        /*
        var defaults = {
        containerID: 'toTop', // fading element id
        containerHoverID: 'toTopHover', // fading element hover id
        scrollSpeed: 1200,
        easingType: 'linear'
        };
        */

        $().UItoTop({ easingType: 'easeOutQuart' });

    });
</script>
<!-- //here ends scrolling icon -->
</body>
</html>

```

NewProduct.html:

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml">
<head>
    <title>SHAJI Shopping</title>
<meta name="viewport" content="width=device-width, initial-scale=1">
<meta charset="utf-8">
<meta name="keywords" content="Cat Club Responsive web template, Bootstrap Web
Templates, Flat Web Templates, Android Compatible web template,
Smartphone Compatible web template, free webdesigns for Nokia, Samsung, LG,
SonyEricsson, Motorola web design" />
<script type="application/x-javascript"> addEventListener("load", function() {
setTimeout(hideURLbar, 0); }, false); function hideURLbar(){ window.scrollTo(0,1); }
</script>
<!-- bootstrap-css -->
<link href="static/css/bootstrap.css" rel="stylesheet" type="static/css" media="all"
/>
<!--// bootstrap-css -->
<!-- css -->
<link rel="stylesheet" href="static/css/style.css" type="static/css" media="all" />
<!--// css -->
<!-- font-awesome icons -->
<link href="static/css/font-awesome.css" rel="stylesheet">
<!-- //font-awesome icons -->
<!-- font -->
<link href="//fonts.googleapis.com/css?family=Pacifico" rel='stylesheet'
type='static/css'>
<link
href="//fonts.googleapis.com/css?family=Raleway:100,100i,200,200i,300,300i,400,400i,5
00,500i,600,600i,700,700i,800,800i,900,900i" rel="stylesheet">
<link
href="//fonts.googleapis.com/css?family=Roboto+Condensed:400,700italic,700,400italic,
300italic,300" rel='stylesheet' type='static/static/text/css'>
<!-- //font -->
<script src="static/js/jquery-1.11.1.min.js"></script>
<script src="static/js/bootstrap.js"></script>
<script type="text/javascript">
    jQuery(document).ready(function ($) {
        $(".scroll").click(function (event) {
            event.preventDefault();
            $('html,body').animate({ scrollTop: $(this.hash).offset().top }, 1000);
        });
    });
</script>
</head>
<body>
<div class="banner about-banner">
    <div class="header about-header">
        <div class="container">
            <div class="header-left">
                <div class="w3layouts-logo">
                    <h1>
```

```

        <a href="index.html">SHAJI<span>Shopping</span></a>
    </h1>
</div>
</div>
<div class="header-right">
    <div class="top-nav">
        <nav class="navbar navbar-default">
            <div class="navbar-header">
                <button type="button" class="navbar-toggle collapsed"
data-toggle="collapse" data-target="#bs-example-navbar-collapse-1">
                    <span class="sr-only">Toggle navigation</span>
                    <span class="icon-bar"></span>
                    <span class="icon-bar"></span>
                    <span class="icon-bar"></span>
                </button>
            </div>
            <!-- Collect the nav links, forms, and other content for
togglng -->
            <div class="collapse navbar-collapse" id="bs-example-navbar-
collapse-1">
                <ul class="nav navbar-nav">

                    <li><a href="/AdminHome">Home</a></li>
                    <li><a href="/NewProduct">NewProduct</a></li>
                    <li><a href="/ProductInfo">ProductInfo</a></li>
                    <li><a href="/ASalesInfo">SalesInfo</a></li>

                    <li><a href="/">Logout</a></li>

                </ul>
                <div class="clearfix"> </div>
            </div>
        </nav>
    </div>
    <div class="agileinfo-social-grids">
        <ul>
            <li><a href="#"><i class="fa fa-facebook"></i></a></li>
            <li><a href="#"><i class="fa fa-twitter"></i></a></li>
            <li><a href="#"><i class="fa fa-rss"></i></a></li>
            <li><a href="#"><i class="fa fa-vk"></i></a></li>
        </ul>
    </div>
    <div class="clearfix"> </div>
</div>
<div class="clearfix"> </div>
</div>
<div class="about-heading">
    <div class="container">

        <h2>&nbsp;</h2>
        <h2>&nbsp;</h2>

    </div>
</div>
</div>

```

[illegible]

```

        </label></td>
        <td>&nbsp;</td>
    </tr>
    <tr>
        <td>&nbsp;</td>
        <td>SubCategory</td>
        <td><select name="subcat" id="subcat">
            <option value="--Select--">--Select--</option>
            <option value="Topwear">Topwear</option>
            <option value="Bottomwear">Bottomwear</option>
            <option value="Dress">Dress</option>
            <option value="Innerwear">Innerwear</option>
            <option value="Socks">Socks</option>
            <option value="Apparel Set">Apparel Set</option>
            <option value="Shoes">Shoes</option>
            <option value="Flip Flops">Flip Flops</option>
            <option value="Sandal">Sandal</option>
            <option value="TV">TV</option>

        </select></td>
        <td>&nbsp;</td>
    </tr>
    <tr>
        <td>&nbsp;</td>
        <td>ProductType</td>
        <td><select name="ptype" id="ptype">
            <option value="--Select--">--Select--</option>
            <option value="Tops">Tops</option>
            <option value="Capris">Capris</option>
            <option value="Dresses">Dresses</option>
            <option value="Shorts">Shorts</option>
            <option value="Tshirts">Tshirts</option>
            <option value="Skirts">Skirts</option>
            <option value="Jeans">Jeans</option>
            <option value="Leggings">Leggings</option>
            <option value="Innerwear Vests">Innerwear Vests</option>

            <option value="Churidar">Churidar</option>
            <option value="Sandals">Sandals</option>

        </select></td>
        <td>&nbsp;</td>
    </tr>
    <tr>
        <td>&nbsp;</td>
        <td>Colour</td>
        <td><input name="color" type="text" id="color" /></td>
        <td>&nbsp;</td>
    </tr>
    <tr>
        <td>&nbsp;</td>
        <td>Usage</td>
        <td><label>
            <input name="usage" type="text" id="usage" />
        </label></td>

```

```

        <td>&nbsp;</td>
    </tr>
    <tr>
        <td>&nbsp;</td>
        <td>ProductTitle</td>
        <td><input name="ptitle" type="text" id="ptitle" /></td>
        <td>&nbsp;</td>
    </tr>

    <tr>
        <td>&nbsp;</td>
        <td>Price</td>
        <td><input name="price" type="text" id="price" /></td>
        <td>&nbsp;</td>
    </tr>

    <tr>
        <td>&nbsp;</td>
        <td>Image</td>
        <td><input name="fileupload" type="file" id="fileupload" /></td>
        <td>&nbsp;</td>
    </tr>
    <tr>
        <td>&nbsp;</td>
        <td>&nbsp;</td>
        <td>&nbsp;</td>
        <td>&nbsp;</td>
    </tr>
    <tr>
        <td>&nbsp;</td>
        <td>&nbsp;</td>
        <td><label>
            <input type="submit" name="Submit" value="Submit">
        </label>
        <label>
            <input name="Reset" type="reset" id="Reset" value="Reset">
        </label></td>
        <td>&nbsp;</td>
    </tr>
    <tr>
        <td>&nbsp;</td>
        <td>&nbsp;</td>
        <td>&nbsp;</td>
        <td>&nbsp;</td>
    </tr>
</table>

```

```

</form>

```

```

    <!-- copyright -->
    <div class="copyright">
        <div class="container">
            <p>© All rights reserved | Design by <a href="#">JGUVISH team</a></p>
        </div>
    </div>

```

```
</div>
<!-- //copyright -->
<script src="static/js/responsiveslides.min.js"></script>
<script src="static/js/SmoothScroll.min.js"></script>
<script type="text/javascript" src="static/js/move-top.js"></script>
<script type="text/javascript" src="static/js/easing.js"></script>
<!-- here stars scrolling icon -->
<script type="text/javascript">
    $(document).ready(function () {
        /*
        var defaults = {
            containerID: 'toTop', // fading element id
            containerHoverID: 'toTopHover', // fading element hover id
            scrollSpeed: 1200,
            easingType: 'linear'
        };
        */

        $().UItoTop({ easingType: 'easeOutQuart' });

    });
</script>
<!-- //here ends scrolling icon -->
</body>
</html>
```

NewReview.html:

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml">
<head>
  <title>SHAJI Shopping</title>
<meta name="viewport" content="width=device-width, initial-scale=1">
<meta charset="utf-8">
<meta name="keywords" content="Cat Club Responsive web template, Bootstrap Web
Templates, Flat Web Templates, Android Compatible web template,
Smartphone Compatible web template, free webdesigns for Nokia, Samsung, LG,
SonyEricsson, Motorola web design" />
<script type="application/x-javascript"> addEventListener("load", function() {
setTimeout(hideURLbar, 0); }, false); function hideURLbar(){ window.scrollTo(0,1); }
</script>
<!-- bootstrap-css -->
<link href="static/css/bootstrap.css" rel="stylesheet" type="static/static/text/css"
media="all" />
<!--// bootstrap-css -->
<!-- css -->
<link rel="stylesheet" href="static/css/style.css" type="static/static/text/css"
media="all" />
<!--// css -->
<!-- font-awesome icons -->
<link href="css/font-awesome.css" rel="stylesheet">
<!-- //font-awesome icons -->
<!-- font -->
<link href="//fonts.googleapis.com/css?family=Pacifico" rel='stylesheet'
type='static/static/text/css'>
<link
href="//fonts.googleapis.com/css?family=Raleway:100,100i,200,200i,300,300i,400,400i,5
00,500i,600,600i,700,700i,800,800i,900,900i" rel="stylesheet">
<link
href="//fonts.googleapis.com/css?family=Roboto+Condensed:400,700italic,700,400italic,
300italic,300" rel='stylesheet' type='static/static/text/css'>
<!-- //font -->
<script src="static/js/jquery-1.11.1.min.js"></script>
<script src="static/js/bootstrap.js"></script>
<script type="text/javascript">
  jQuery(document).ready(function ($) {
    $(".scroll").click(function (event) {
      event.preventDefault();
      $('html,body').animate({ scrollTop: $(this.hash).offset().top }, 1000);
    });
  });
</script>
</head>
<body>
<div class="banner about-banner">
  <div class="header about-header">
    <div class="container">
      <div class="header-left">
        <div class="w3layouts-logo">
```



```

        <h1>
            <a href="#">SHAJI<span>Shopping</span></a>
        </h1>
    </div>
</div>
<div class="header-right">
    <div class="top-nav">
        <nav class="navbar navbar-default">
            <div class="navbar-header">
                <button type="button" class="navbar-toggle collapsed"
data-toggle="collapse" data-target="#bs-example-navbar-collapse-1">
                    <span class="sr-only">Toggle navigation</span>
                    <span class="icon-bar"></span>
                    <span class="icon-bar"></span>
                    <span class="icon-bar"></span>
                </button>
            </div>
            <!-- Collect the nav links, forms, and other content for
toggling -->
            <div class="collapse navbar-collapse" id="bs-example-navbar-
collapse-1">
                <ul class="nav navbar-nav">
                    <li><a href="/UserHome">Home</a></li>
                    <li><a href="/hello">Chat</a></li>
                    <li><a href="/UOrderInfo">OrderInfo</a></li>
                    <li><a href="/UReviewInfo">ReviewInfo</a></li>
                    <li><a href="/">Logout</a></li>
                </ul>
                <div class="clearfix"> </div>
            </div>
        </nav>
    </div>
    <div class="agileinfo-social-grids">
        <ul>
            <li><a href="#"><i class="fa fa-facebook"></i></a></li>
            <li><a href="#"><i class="fa fa-twitter"></i></a></li>
            <li><a href="#"><i class="fa fa-rss"></i></a></li>
            <li><a href="#"><i class="fa fa-vk"></i></a></li>
        </ul>
    </div>
    <div class="clearfix"> </div>
</div>
<div class="clearfix"> </div>
</div>
<div class="about-heading">
    <div class="container">
        <h2>&nbsp;</h2>
    </div>
</div>

```

```

</div>

<form id="form1" name="form1" method="post" action="/ureview">
  <h2 align="center">&nbsp;&nbsp;&nbsp;Add New Review </h2>
  <table width="100%" border="0">
    <tr>
      <td colspan="2">&nbsp;&nbsp;&nbsp;</td>
      <td width="4%">&nbsp;&nbsp;&nbsp;</td>
    </tr>

    <tr>
      <td height="38">&nbsp;&nbsp;&nbsp;</td>
      <td>&nbsp;&nbsp;&nbsp;</td>
      <td colspan="2">&nbsp;&nbsp;&nbsp;</td>
      <td>&nbsp;&nbsp;&nbsp;</td>
      <td>&nbsp;&nbsp;&nbsp;</td>
    </tr>
    <tr>
      <td height="38">&nbsp;&nbsp;&nbsp;</td>
      <td>ProductName</td>
      <td colspan="2"><input name="pname" type="text" value="{ {pname} }"
id="pname"></td>
      <td>&nbsp;&nbsp;&nbsp;</td>
      <td>&nbsp;&nbsp;&nbsp;</td>
    </tr>

    <tr>
      <td width="34%" height="38">&nbsp;&nbsp;&nbsp;</td>
      <td width="14%">Rating</td>
      <td colspan="2"><div class="stars">
        <input class="star star-5" id="star-5" type="radio" name="star"
value="5"/>
        <label class="star star-5" for="star-5"></label>
        <input class="star star-4" id="star-4" type="radio" name="star"
value="4"/>
        <label class="star star-4" for="star-4"></label>
        <input class="star star-3" id="star-3" type="radio" name="star"
value="3"/>
        <label class="star star-3" for="star-3"></label>
        <input class="star star-2" id="star-2" type="radio" name="star"
value="2"/>
        <label class="star star-2" for="star-2"></label>
        <input class="star star-1" id="star-1" type="radio" name="star"
value="1"/>
        <label class="star star-1" for="star-1"></label>
      </div> <input type="hidden" name="ar" id="ar"></td>
      <td width="15%">&nbsp;&nbsp;&nbsp;</td>
      <td width="10%">&nbsp;&nbsp;&nbsp;</td>
    </tr>

    <tr>
      <td height="35">&nbsp;&nbsp;&nbsp;</td>
      <td height="35">Review</td>

```

```

        <td colspan="2"><label>
            <textarea name="feed" id="feed"></textarea>
        </label></td>
        <td>&nbsp;</td>
        <td>&nbsp;</td>
    </tr>

    <tr>
        <td colspan="2" valign="top">&nbsp;</td>
        <td colspan="3" valign="bottom">&nbsp;</td>
        <td>&nbsp;</td>
    </tr>
    <tr>
        <td colspan="2" valign="top">&nbsp;</td>
        <td colspan="3" valign="bottom"><div align="left">
            <input name="btn" type="submit" id="btn" value="Submit">
            <input type="reset" name="Submit2" value="Reset">
        </div></td>
        <td>&nbsp;</td>
    </tr>
    <tr>
        <td colspan="2" valign="top">&nbsp;</td>
        <td colspan="3">&nbsp;</td>
        <td>&nbsp;</td>
    </tr>
    <tr>
        <td colspan="2">&nbsp;</td>
        <td colspan="3">&nbsp;</td>
        <td>&nbsp;</td>
    </tr>
</table>
</form>
<!-- copyright -->
<div class="copyright">
    <div class="container">
        <p>© All rights reserved | Design by <a href="#">JGUVISH team</a></p>
    </div>
</div>
<!-- //copyright -->
<script src="static/js/responsiveslides.min.js"></script>
<script src="static/js/SmoothScroll.min.js"></script>
<script type="text/javascript" src="static/js/move-top.js"></script>
<script type="text/javascript" src="static/js/easing.js"></script>
<!-- here stars scrolling icon -->
<script type="text/javascript">
    $(document).ready(function () {
        /*
        var defaults = {
            containerID: 'toTop', // fading element id
            containerHoverID: 'toTopHover', // fading element hover id
            scrollSpeed: 1200,
            easingType: 'linear'
        };
        */

```

```
        $.UItoTop({ easingType: 'easeOutQuart' });  
    });  
</script>  
<!-- //here ends scrolling icon -->  
</body>  
</html>
```