HTML CODING

```
<!DOCTYPE html>
<html lang="en">
 <head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-</pre>
scale=1, shrink-to-fit=no">
  <meta name="description" content="">
  <meta name="author" content="">
  link
href="https://fonts.googleapis.com/css?family=Montserrat:100,20
0,300,400,500,600,700,800,900" rel="stylesheet">
  <title>Web Phishing Detection</title>
  <!-- Bootstrap core CSS -->
  k href="vendor/bootstrap/css/bootstrap.min.css"
rel="stylesheet">
  <!-- Additional CSS Files -->
  k rel="stylesheet" href="assets/css/fontawesome.css">
  k rel="stylesheet" href="assets/css/style.css">
  k rel="stylesheet" href="assets/css/owl.css">
```

```
k rel="stylesheet" href="assets/css/lightbox.css">
 </head>
<body>
 <!--header-->
<header class="main-header clearfix" role="header">
 <div class="logo">
  <a href="#"><em>Web Phishing</em> Detection </a>
 </div>
 <a href="#menu" class="menu-link"><i class="fa fa-
bars''></i></a>
 <nav id="menu" class="main-nav" role="navigation">
  <a href="#section1">Home</a>
   <a href="#section2">About
Us < /a >
    </nav>
 </header>
<!-- ** Main Banner Area Start ** -->
```

```
<section class="section main-banner" id="top" data-</pre>
section="section1">
   <video autoplay muted loop id="bg-video">
     <source src="assets/images/drops flares - FREE Video</pre>
Background HD Loops 1080p(1080P_HD).mp4"
type="video/mp4" />
   </video>
   <div class="video-overlay header-text">
     <div class="caption">
       <h6>WEB PHISHING DETECTION</h6>
       <h2><em>your </em> websites </h2>
       <div class="main-button">
          <div class="scroll-to-section"><a
href="#section2">Discover more</a></div>
       </div>
     </div>
   </div>
 </section>
 <!-- ** Main Banner Area End ** -->
 <section class="features">
  <div class="container">
   <div class="row">
    <div class="col-lg-4 col-12">
```

There are a number of users who purchase products online and make payments through e-banking. There are ebanking websites that ask users to provide sensitive data such as username, password & credit card details, etc.

often for malicious reasons. This
type of e-banking website is known as a phishing website. Web
service is one of the key communications software services for the
Internet. Web phishing is one of many security threats to web
services on the Internet.

```
</div>
       <div class="content-hide">
        Veb phishing aims to steal private information,
such as usernames, passwords, and credit card details, by way of
impersonating a legitimate entity.
        Web phishing aims to steal
private information, such as usernames, passwords, and credit
card details, by way of impersonating a legitimate entity.
        <div class="scroll-to-section"></a></div>
      </div>
      </div>
     </div>
    </div>
    <div class="col-lg-4 col-12">
     <div class="features-post third-features">
      <div class="features-content">
       <div class="content-show">
        <h4><i class="fa fa-book"></i>Project Objectives</h4>
       </div>
       <div class="content-hide">
        You well be able to understand the problem to
classify if it is a regression or a classification kind of problem.
        You well be able to understand
the problem to classify if it is a regression or a classification kind
of problem.
        <div class="scroll-to-section"></a></div>
      </div>
```

```
</div>
    </div>
   </div>
  </div>
 </div>
</section>
<section class="section why-us" data-section="section2">
 <div class="container">
  <div class="row">
   <div class="col-md-12">
    <div class="section-heading">
     <h2>verify url?</h2>
    </div>
   </div>
   <div class="col-md-12">
    <div id='tabs'>
     <11l>
      <a href='#tabs-1'>Web Phishing Detection</a>
      <a href='#tabs-2'>About</a>
      <a href='#tabs-3'>Project Objectives</a>
     <section class='tabs-content'>
      <article id='tabs-1'>
       <div class="row">
```

There are a number of users who purchase products online and make payments through e-banking. There are e-banking websites that ask users to provide sensitive data such as username, password & credit card details, etc., often for malicious reasons. This type of e-banking website is known as a phishing website. Web service is one of the key communications software services for the Internet. Web phishing is one of many security threats to web services on the Internet.

There are a number of users who purchase

products online and make payments through e-banking. There

are e-banking websites that ask users to provide sensitive data such as username, password & credit card details, etc., often for malicious reasons. This type of e-banking website is known as a phishing website. Web service is one of the key communications software services for the Internet. Web phishing is one of many security threats to web services on the Internet.

```
</div>
</div>
</div>
</article>
<article id='tabs-3'>
<div class="row">
<div class="col-md-6">
<img src="assets/images/Phishing-vector - Copy.png" alt="">
</div>
</div>
</div>
</div class="col-md-6">
</div>
</div class="col-md-6">
</div class="row-ng" alt="">
</div>
</div>
</div class="row-ng" alt="">
</div>
</div>
</div>
</div class="row-ng" alt="">
</div>
</div class="row-ng" alt="">
</div>
</div>
</div>
</div class="row-ng" alt="">
</div>
</div
```

* You will be able to understand the problem to classify if it is a regression or a classification kind of problem.

* You will be able to know how to pre-process/clean the data using different data pre-processing techniques.

 $<\!\!p\!\!>^*$ Applying different algorithms according to the dataset $<\!\!/p\!\!>$

* You will be able to know how to find the accuracy of the model.

* You will be able to build web applications using the Flask framework.

```
</div>
        </div>
       </article>
      </section>
     </div>
    </div>
   </div>
  </div>
 </section>
 <section class="section coming-soon" data-section="section3">
  <div class="container">
   <div class="row">
    <div class="col-md-7 col-xs-12">
     <div class="continer centerIt">
      <div style="color:wheat">WEB PHISHING
DETECTION</h4>
       </div>
      </div>
     </div>
    </div>
    <div class="col-md-5">
     <div class="right-content">
      <div class="top-content">
```

<h6>Register your free account</h6>

```
</div>
      <form id="contact" action="" method="get">
       <div class="row">
        <div class="col-md-12">
         <fieldset>
          <input name="name" type="text" class="form-
control" id="name" placeholder="Your Name" required="">
         </fieldset>
        </div>
        <div class="col-md-12">
         <fieldset>
          <input name="email" type="text" class="form-
control" id="email" placeholder="Your Email" required="">
         </fieldset>
        </div>
        <div class="col-md-12">
         <fieldset>
          <input name="phone-number" type="text"
class="form-control" id="phone-number" placeholder="Your
Phone Number" required="">
         </fieldset>
        </div>
        <div class="col-md-12">
         <fieldset>
```

```
<button type="submit" id="form-submit"
class="button">Get it now</button>
           <form id="contact" action="" method="get">
            <div class="row">
             <div class="col-md-12">
              <fieldset>
                <input name="Enter url" type="link"</pre>
class="url" id="url" placeholder="link">
                <button type="submit" id="form-submit"
class="button">Enter the url</button>
              </fieldset>
             </div>
          </fieldset>
         </div>
        </div>
      </form>
     </div>
    </div>
   </div>
  </div>
 </section>
 <!-- Scripts -->
 <!-- Bootstrap core JavaScript -->
```

```
<script src="vendor/jquery/jquery.min.js"></script>
  <script
src="vendor/bootstrap/js/bootstrap.bundle.min.js"></script>
  <script src="assets/js/isotope.min.js"></script>
  <script src="assets/js/owl-carousel.js"></script>
  <script src="assets/js/lightbox.js"></script>
  <script src="assets/js/tabs.js"></script>
  <script src="assets/js/video.js"></script>
  <script src="assets/js/slick-slider.js"></script>
  <script src="assets/js/custom.js"></script>
  <script>
    //according to loftblog tut
    $('.nav li:first').addClass('active');
    var showSection = function showSection(section, isAnimate)
{
      var
      direction = section.replace(/#/, ''),
      regSection = $('.section').filter('[data-section=''' + direction
+ ''']'),
      regSectionPos = regSection.offset().top - 0;
      if (isAnimate) {
       $('body, html').animate({
        scrollTop: regSectionPos },
```

```
800);
 } else {
  $('body, html').scrollTop(reqSectionPos);
 }
};
var checkSection = function checkSection() {
 $('.section').each(function () {
  var
  this = (this),
  topEdge = $this.offset().top - 80,
  bottomEdge = topEdge + $this.height(),
  wScroll = $(window).scrollTop();
  if (topEdge < wScroll && bottomEdge > wScroll) {
   var
   currentId = $this.data('section'),
   reqLink = ('a').filter('[href*=\\#' + currentId + ']');
   reqLink.closest('li').addClass('active').
   siblings().removeClass('active');
  }
 });
};
$('.main-menu, .scroll-to-section').on('click', 'a', function (e) {
```

```
if($(e.target).hasClass('external')) {
    return;
}
e.preventDefault();
$('#menu').removeClass('active');
showSection($(this).attr('href'), true);
});

$(window).scroll(function () {
    checkSection();
});
</script>
</body>
</html>
```