SETTING UP APPLICATION ENVIRONMENT

INSTALL IBM CLOUD CLI

Date	17 NOV 2022
Team id	PNT2022TMID49595
Project name	Smart Fashion Recommender Application
Team members	Srivathsava.M
	Balamurugan.A
	Mathivanan.M
	Vinod kumar.L

STEP 1:

Login to your IBM Cloud https://cloud.ibm.com/login and in-search bar you can type Container registery and click to get started

STEP 2:

Follow and do the step given in this page one by one https://cloud.ibm.com/registry/ start

STEP 3:

Run the command in power shell, (New-Object
Net.WebClient).DownloadString('https://clis.cloud.ibm.com /install/powershell')

```
[arch@ARcH ~]$ ibmcloud
NAME:
  ibmcloud - A command line tool to interact with IBM Cloud
  Find more information at: https://ibm.biz/cli-docs

USAGE:
  [environment variables] ibmcloud [global options] command [arguments...] [command options]

VERSION:
  2.12.1+b8488a1-2022-10-31T15:08:10+00:00

COMMANDS:
  account      Manage accounts, users, orgs and spaces
  api          Set or view target API endpoint
  billing      Retrieve usage and billing information
  catalog      Manage catalog
  cf           Run Cloud Foundry CLI with IBM Cloud CLI context
  config       Write default values to the config
  cr           Manage IBM Cloud Container Registry content and configuration.
  dev          Create, develop, deploy, and monitor applications
  enterprise   Manage enterprise, account groups and accounts.
  iam          Manage identities and access to resources
  login        Log user in
  logout       Log user out
  plugin       Manage plug-ins and plug-in repositories
  regions      List all the regions
  resource     Manage resource groups and resources
  resources    List all resources
  sl           Manage Classic infrastructure services
  target       Set or view the targeted region, account, resource group, org or space
  update       Update CLI to the latest version
  version      Print the version
  help, h      Show help

Enter 'ibmcloud help [command]' for more information about a command.

ENVIRONMENT VARIABLES:
  IBMCLOUD_COLOR=false               Do not colorize output
  IBMCLOUD_VERSION_CHECK=false       Do not check latest version for update
  IBMCLOUD_HTTP_TIMEOUT=5            A time limit for HTTP requests
  IBMCLOUD_API_KEY=api_key_value     API Key used for login
  IBMCLOUD_CR_VPC_URL=url_value               The custom server URL to use when obtaining an instance identity token
and IAM token as a VPC VSI compute resource. This value will replace the default server endpoint of the VPC VSI in
stance identity token service.
  IBMCLOUD_CR_TOKEN=cr_token_value            Compute resource token used for login. Can either be a token string or
a path to a @file.
  IBMCLOUD_CR_PROFILE=profile_value           The name, ID, or CRN of the linked trusted IAM profile to be used when
obtaining the IAM access token. If authenticating as a VPC VSI compute resource, only specifying a trusted profile
```

STEP 4:

Finally, you will get the IBM CLOUD CLI in your desktop