

DATE



PROJECT NAME

TEAM ID

02 NOVEMBER 2022



INDUSTRY SPECIFIC INTELLIGENT FIRE MANAGEMENT SYSTEM

PNT2022TMID40881



DATE  
PROJECT NAME  
TEAM ID

02 NOVEMBER 2022  
INDUSTRY SPECIFIC INTELLIGENT FIRE MANAGEMENT SYSTEM  
PNT2022TMID40881



DATE

PROJECT NAME

TEAM ID

02 NOVEMBER 2022

INDUSTRY SPECIFIC INTELLIGENT FIRE MANAGEMENT SYSTEM

PNT2022TMID40881

The screenshot displays the Node-RED web interface in a browser. The address bar shows the URL `https://careereducation.smbx.com/244838a3ce385420`. The interface includes a left sidebar with node categories (common, function), a central workspace with a flow named 'Flow 1' containing an inject node, a 'Hello Node Red' node, and a 'msg.payload' node, and a right sidebar with a debug console. The debug console shows a series of messages with timestamps and payloads.

Timestamp	Node	Payload
11/2/2022, 12:46:20 PM	node: msg.payload	msg.payload : number
		1667373380831
11/2/2022, 12:49:32 PM	node: msg.payload	msg.payload : number
		1667373572550
11/2/2022, 12:50:16 PM	node: msg.payload	msg.payload : number
		1667373616373
11/2/2022, 12:52:13 PM	node: msg.payload	msg Hello Node Red : undefined
		undefined
11/2/2022, 12:52:55 PM	node: msg.payload	msg Hello Node Red : undefined
		undefined