

# CREATE UI TO INTERACT WITH APPLICATION

**Design an application with following specification**

- 1. Login page**
- 2. SignIn page**
- 3. Forgot password page**

## **Login page:-**

```
<!DOCTYPE>
<html>
<head>web page</head>
<meta name="viewport" content="width=device-width, initial-scale=1">
<style>
body {
  font-family: Arial;
  color: white;
}
.split {
  height: 100%;
  width: 50%;
  position: fixed;
  z-index: 1;
  top: 0;
  overflow-x: hidden;
  padding-top: 20px;
}
.left {
  left: 0;
  background-color: #111;
}
.right {
  right: 0;
  background-color: red;
}
.centered {
  position: absolute
  top: 40%;
  left: 50%;
  transform: translate(-50%, -50%);
  text-align: center;}
```

```
.cen {
  position: absolute;
  top: 48%;
  left: 50%;
  transform: translate(-50%, -50%);
  text-align: center;
}
```

```
.centered img {
  width: 150px;
  border-radius: 50%;
}
```

```
.signinbtn {
  width: auto;
  padding: 10px 18px;
  background-color: blue;
  text-align: center;
  cursor: pointer;
}
```

```
</style>
```

```
<body>
```

```
<div class="split left">
```

```
  <div class="centered">
```

```
    <h3><marquee width="80%" direction="left" height="40px"><b>Welcome
    Back!</b></marquee></h3>
```

```
    <p>To Please Connect With Us!!!</p>
```

```
  <br>
```

```
<br>
```

```
  <button type="button" class="signinbtn"><a
  href="file:///C:/Users/hp/Desktop/LOG%20IN%20PAGE/Signin.html">Sign
  In</a></button>
```

```
  </div>
```

```
</div>
```

```
<div class="split right">
```

```
  <div class="cen">
```

```
    <h3><marquee width="80%" direction="left" height="40px"><b>Creat
    Account</b></marquee></h3>
```

```
    <br>
```

```
    <p>Or Use Email for Registration</p>
```

```
  <br>
```

```

<form>
<input type="text" name="Name" placeholder="Name" maxlength="30">
</form>
<form>
<input type="email" id="email" placeholder="Email">
</form>
<form>
<input type="password" id="password" placeholder="Password" maxlength="8">
</form>
<br>
<br>
  <button type="button" class="signinbtn">Sign Up</button>
</div>
</div>
</body>
</html>

```

### **SignIn page:-**

```

<!DOCTYPE>
<html>
<head>web page</head>
<meta name="viewport" content="width=device-width, initial-scale=1">
<style>
body {
  font-family: Arial;
  color: white;
}
.split {
  height: 100%;
  width: 50%;
  position: fixed;
  z-index: 1;
  top: 0;
  overflow-x: hidden;
  padding-top: 20px;
}
.left {
  left: 0;
  background-color: #111;
}

```

```
.right {
  right: 0;
  background-color: red;
}

.centered {
  position: absolute;
  top: 40%;
  left: 50%;
  transform: translate(-50%, -50%);
  text-align: center;
}

.cen {
  position: absolute;
  top: 48%;
  left: 50%;
  transform: translate(-50%, -50%);
  text-align: center;
}

.centered img {
  width: 150px;
  border-radius: 50%;
}

.signinbtn {
  width: auto;
  padding: 10px 18px;
  background-color: blue;
  text-align: center;
  cursor: pointer;
}

.forgot{
  background-color: green;
  cursor: pointer;
}

.M{
  cursor: pointer;
  color: blue;
}

</style>
<body>
<div class="split left">
  <div class="centered">
```

```

    <h3><marquee width="80%" direction="left" height="40px"><b>Welcome
Back!</b></marquee></h3>
    <p>You can sign in to access with your existing account</p>
</div>
</div>
<div class="split right">
    <div class="cen">
        <h3><marquee width="80%" direction="left" height="40px"><b>Sign
In</b></marquee></h3>
        <br>
        <form>
            <input type="text" name="UserName(or)Email" placeholder="Name or Email" required>
        </form>
        <form>
            <input type="password" id="password" placeholder="Password" maxlength="10">
        </form>
        <br>
        <input type="checkbox" id="checkbox" name="checkbox" value="work">
        <label for="checkbox" align="center" style="color:blue">Remember Me</label>
        &nbsp;&nbsp;&nbsp;<button type="button" class="forgot"><a
href="file:///C:/Users/hp/Desktop/LOG%20IN%20PAGE/forgot.html">Forgot
Password?</a></button>
        <br>
        <br>
        <button type="button" class="signinbtn">Sign In</button>
        <br>
        <br>
        <p>New Here?<div class="M">Create Account</div></p>
    </div>
</div>
</body>
</html>

```

### **Forgot page:-**

```

<!DOCTYPE>
<html xmlns="http://www.w3.org/1999/html">
<head>
    <title>FORGOT PASSWORD</title>
    <link rel="stylesheet" type="text/css" href="login.css">
    <script type="text/javascript" src="js.js"></script>

```

```
<style>
body{
margin:0;
padding:0;
background:url(3293465.jpg)no-repeat center center fixed;
-webkit-background-size:cover;
-moz-background-size:cover;
-o-background-size:cover;
font-family:sans-serif;
}
.box{
background:#f5f5f5;
color:red;
top:50%;
left:50%;
position:absolute;
transform:translate(-50%,-50%);
box-sizing:border-box;
padding:70px 30px;
}
.logo{
width:100px;
height:100px;
position:absolute;
top:-50px;
left:calc(50%-50px);
}
h1{
margin:0;
padding:0 0 20px;
text-align:center;
font-size:25px;
color:blue;
}
p{
margin:#f49126;
font-weight:bold;
}
input{
margin-bottom:10px;
}
```

```
input[type="text"],input[type="password"],input[type="email"]{
border:none;
border-bottom:1px solid #fff;
background:transparent;
outline:none;
height:40px;
color:#673ab7;
font-size:16px;
}
input[type="submit"]{
border:none;
outline:none;
height:30px;
width:200px;
background:#2196f3;
color:#fff;
font-size:20px;
border-radius:60px;
}
input[type="submit"]:hover
{
cursor:pointer;
background:#0097a7;
}
a{
text-decoration:none;
font-size:16px;
line-height:20px;
color:#069818;
}
a:hover{
color:red;
}
div{
animation-name:mymove;
animation-duration:5s;
}.G{
height:30px;
width:30px;
}
```

```

.L{
    height:30px;
    width:30px;
}
.c{
    text-align:center;
    color:green;}
</style>
</head>
<body>
<div class="box">
    

    <h1><b>Rest Password</b></h1><br>
    <form name="myform3" onsubmit="return jscript2()" src="js.js" action="forgot1.php"
method="POST">
        <p>Enter Email Id</p>
        <div id="img2"><input type="Email"
name="emailname" placeholder="Enter Email Id" required=""></div><br>

<!--    <p>Password</p>-->
<!--    <input type="password" name="upswd" placeholder="Enter Password"><br>-->
<!--    <br>-->

    <div id="errorBox"></div>
    <input type="submit" name="" value="Send Request"><br>
    <br><br>
    <a href="login.html">Existing user,LogIn?</a>
    <br><br>
    <a href="Register.html"><a
href="file:///C:/Users/hp/Desktop/LOG%20IN%20PAGE/login.html">Register For New
Account?</a>
    <br>
    <br>
    <div class="c">
        <p>SignIn With?</p>
    </div>
    <p1>
        <a href="https://accounts.google.com/">
            Google
        </a>
    </p1>

```



```
<p2>
  <a href="https://www.linkedin.com/login?fromSignIn=true&trk=guest_homepage-
basic_nav-header-signin">
    Linkedin
  </a>
</p2>
</form>
</div>
</body>
</html>
```