GLOBAL SALES DATA ANALYTICS

Team ID - IBM-Project-48968-1660814672 <u>SPRINT 1</u>

OVERVIEW:

- Initially,we have created a Log-In / Registration for the web application using HTML and CSS code.Below we have attached the CODE & SCREEN SHOT of the user interface page.
- As a user, I can Log-In or Register into the Application by giving out my registered E-mail ID and Password.
- Finally we have created a web application to Log-In and Register.

HTML FILE:

```
<html>
<head>
<title> Login And Registration Form</title>
<link rel="stylesheet" href="register.css">
</head>
<body>
<div class="hero">
```

```
<div class="form-box">
<div class="button-box">
<div id="btn"></div>
<button type="button" class="toggle-btn"
onclick="login()">Log In</button>
<button type="button" class="toggle-btn"
onclick="register()">Register</button>
</div>
<div class="social-icons">
<a href="index.html"><img src="google.png"></a>
<a href="index.html"> <img src="twitter.png"></a>
         <a href="index.html"> <img src="facebook.png"></a>
</div>
<form id="login" class="input-group">
<input type="text" class="input-field"</pre>
placeholder="User Id" required>
<input type="text" class="input-field"</pre>
placeholder="Enter Password" required>
<input type="checkbox" class="chech-box"> <span>
Remember Password</span>
<a href="index.html" button type="submit"
class="submit-btn">Log In</button></a>
</form>
<form id="register" class="input-group">
```

```
<input type="text" class="input-field" placeholder="User Id"</pre>
required>
<input type="email" class="input-field"</pre>
placeholder="Email Id" required>
<input type="text" class="input-field"</pre>
placeholder="Enter Password" required>
         <input type="checkbox" class="chech-box"> <span> I
agree to the terms & conditions</span>
<a href="index.html" button type="submit"
class="submit-btn">Register</button> </a>
</form>
</div>
</div>
<script>
var x = document.getElementById("login");
var y = document.getElementById("register");
var z = document.getElementById("btn");
function register() {
x.style.left = "-400px";
y.style.left = "50px";
z.style.left = "110px";
function login() {
```

CSS FILE:

```
*{
margin: 0;
padding: 0;
font-family: sans-serif;
}
.hero{
height: 100%;
width: 100%;
background-image: linear-
gradient(rgba(0,0,0,0.4),rgba(0,0,0,0.4)),url(bg3.jpg);
background-position: center;
background-size: cover;
```

```
position: absolute;
. form\text{-}box \{
width: 380px;
height: 480px;
position: relative;
margin: 6% auto;
background: #fff;
padding:5px;
overflow: hidden;
}
.button-box{
width: 220px;
margin: 35px auto;
position: relative;
  box-shadow: 0 0 20px 9px #ff61121f;
border-radius: 30px;
.toggle-btn{
padding: 10px 30px;
cursor: pointer;
background: transparent;
border: 0;
outline: none;
position: relative
```

```
}
#btn{
top: 0;
left: 0;
position:absolute;
width: 110px;
height: 100%;
  background: linear-gradient(to right, #ff105f, #ffad06);
border-radius: 30px;
transition: .5s;
overflow:hidden;
}
.social-icons{
margin: 30px auto;
text-align: center;
.social-icons img{
width: 30px;
margin: 0 12px;
box-shadow: 0 0 20px 0 #7f7f7f3d;
cursor: pointer;
border-radius: 50%;
```

}

```
.input-group{
top: 180px;
position: absolute;
width: 280px;
transition: .5s;
}
. input-field \{\\
width: 100%;
padding: 10px 0;
margin: 5px 0;
border-left: 0;
border-top: 0;
border-right: 0;
border-bottom: 1px solid #999;
outline: none;
background: transparent;
.submit-btn{
width: 85%;
padding: 10px 30px;
cursor: pointer;
display: block;
margin :auto;
  background: linear-gradient(to right, #ff105f, #ffad06);
```

```
border: 0;
outline: none;
border-radius: 30px;
.chech-box{
  margin: 30px 10px 30px 0;
}
span{
color: #777;
font-size: 12px;
bottom: 68px;
position: absolute;
#login{
left: 50px;
#register {
left: 450px;
}
```



