

## ASSIGNMENT 4

TEAM ID	PNT2022TMID43019
PROJECT NAME	Nutrition Assistant Application
NAME	Krishnaveni

Question 1:

Pull an image from docker hub and run it in docker playground.

03:57:32

CLOSE SESSION

Instances

+ ADD NEW INSTANCE

192.168.0.8  
node1

cddvksm0\_cddvkvm0qau000a07j5g

IP  
192.168.0.8

OPEN PORT

Memory  
1.24% (49.52MiB / 3.906GiB)

CPU  
0.31%

SSH  
ssh ip172-18-0-22-cddvksm0qau000a07j50@direct.labs.pla

DELETE

EDITOR

```
#####
# WARNING!!!!
# This is a sandbox environment. Using personal credentials
# is HIGHLY discouraged. Any consequences of doing so are
# completely the user's responsibilities.
#
# The PwD team.
#####
[node1] (local) root@192.168.0.8 ~
$ docker pull hello-world
Using default tag: latest
latest: Pulling from library/hello-world
2db29710123e: Pull complete
Digest: sha256:e18f0a77aefabe047a671ab3ec3eed05414477c951ab1a6f352a06974245fe7
Status: Downloaded newer image for hello-world:latest
docker.io/library/hello-world:latest
[node1] (local) root@192.168.0.8 ~
$ docker run hello-world
```

Activate Windows  
Go to Settings to activate Windows.

03:57:05

CLOSE SESSION

Instances

+ ADD NEW INSTANCE

192.168.0.8  
node1

cddvksm0\_cddvkvm0qau000a07j5g

IP  
192.168.0.8

OPEN PORT

Memory  
1.26% (50.45MiB / 3.906GiB)

CPU  
0.39%

SSH  
ssh ip172-18-0-22-cddvksm0qau000a07j50@direct.labs.pla

DELETE

EDITOR

```
2. The Docker daemon pulled the "hello-world" image from the Docker Hub.
   (amd64)
3. The Docker daemon created a new container from that image which runs the
   executable that produces the output you are currently reading.
4. The Docker daemon streamed that output to the Docker client, which sent it
   to your terminal.

To try something more ambitious, you can run an Ubuntu container with:
$ docker run -it ubuntu bash

Share images, automate workflows, and more with a free Docker ID:
https://hub.docker.com/

For more examples and ideas, visit:
https://docs.docker.com/get-started/

[node1] (local) root@192.168.0.8 ~
$
```

Activate Windows  
Go to Settings to activate Windows.


## Question 2:

Create a docker file for the jobportal application and deploy it in Docker desktop application.

### DOCKERFILE:

```
1 FROM python:3.8-buster
2
3 WORKDIR /app
4
5 COPY requirements.txt /app/
6
7 RUN pip install -r requirements.txt
8
9 COPY . /app/
10
11 RUN cp .env.dev.sample .env
12
13 EXPOSE 8000
14
15 RUN chmod +x entrypoint.sh
16
17 CMD ["sh", "entrypoint.sh"]
```


### DEPLOYMENT OF JOBPORTAL APPLICATION:




The screenshot shows the Docker Desktop interface. On the left sidebar, the 'Containers' tab is selected. The main area displays a list of containers. A toggle switch for 'Only show running containers' is present. A search bar is located at the top right of the container list. The container list has columns for NAME, IMAGE, STATUS, PORT(S), STARTED, and ACTIONS. Two containers are listed: 'agitated\_neumann' (Exited) and 'jolly\_turing' (Running). The 'jolly\_turing' container is highlighted, showing its image as 'jobportalapplication:latest' and its port as '1234:8000'. The bottom status bar shows system metrics: RAM 3.06GB, CPU 0.57%, and connection status 'Connected to Hub'.


NAME	IMAGE	STATUS	PORT(S)	STARTED	ACTIONS
agitated_neumann 918d20882039	icr.io/helloapp/ibm:latest	Exited (137)	49160:8080		▶ ⋮ 🗑
jolly_turing b62c0712bdd3	jobportalapplication:latest	Running	1234:8000	4 minutes ago	■ ⋮ 🗑

## OUTPUT:


 Find Jobs




**Web Developer**  
Web Developer at Motive Company.  
[Apply](#)




**WE'RE HIRING**  
**Android Developer**  
Android Developer at Believe Company.  
[Apply](#)




**iOS Developer**  
iOS Developer at Norway P&L Company.  
[Apply](#)




**Pen Tester**  
Pen Tester at AGC company.  
[Apply](#)




**Computer & Information Research Scientist**  
Computer & Information Research Scientist at GPSM company.  
[Apply](#)



**Computer & Information Systems Manager (CISM)**  
Computer & Information Systems Manager (CISM) at HYT company.  
[Apply](#)



**Computer Hardware Engineer**  
Computer Hardware Engineer at 7Tech company.  
[Apply](#)




**Big Data Engineer**  
Big Data Engineer at SMTG company.  
[Apply](#)

### Question 3:

Create a IBM container registry and deploy helloworld app or jobportapp.

### IBM CONTAINER REGISTRY DEPLOYMENT:

 Container Registry

Quick start

Namespaces 1

Repositories 1

**Images 1**

Trash 0

Settings

### Images


Location: Global

View by: Digest Search Create +

Repository@digest	Tags	Manifest type	Created	Size	Security status
helloapp/ibm@sha256:a3d35518ea7f...	latest	Docker	1 day ago	352 MB	20 issues

Items per page: 25 1-1 of 1 item 1 1 of 1 page


## OUTPUT:




## Question 4:


Create a Kubernetes cluster in IBM cloud and deploy helloworld image or jobportal image and also expose the same app to run in nodeport.

## CREATING KUBERNETES CLUSTER IN IBM CLOUD AND EXPOSING NODEPORT:




OUTPUT:


Find Jobs




**Web Developer**  
Web Developer at Motive Company.  
[Apply](#)




**WE'RE HIRING**  
**Android Developer**  
Android Developer at Believe Company.  
[Apply](#)




**iOS Developer**  
iOS Developer at Norway P&L Company.  
[Apply](#)




**Pen Tester**  
Pen Tester at AGC company.  
[Apply](#)




**Computer & Information Research Scientist**  
Computer & Information Research Scientist at GPSM company.  
[Apply](#)



**Computer & Information Systems Manager (CISM)**  
Computer & Information Systems Manager (CISM) at HYT company.  
[Apply](#)



**Computer Hardware Engineer**  
Computer Hardware Engineer at 7Tech company.  
[Apply](#)



**Big Data Engineer**  
Big Data Engineer at SMGT company.  
[Apply](#)