Building HTML Pages

Intex.html

```html
<!DOCTYPE html>
<html>
    <head>
        <title>skin diseases</title>
        <link rel="stylesheet" href="styles.css">
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<style>
    body {
        font-size: 20px;
        padding: 0%;
        margin: 0%;
    }
    #nav{
        background: #181719;
        text-decoration: none;
    }


     li {
        display: inline;


    }
    #nav ul{
                text-decoration: none;
                background-color: black;
                color: #00ffff;
                max-height: 5rem;
                min-height: 2rem;
                padding-top: 5px;
```

```css
            font-size: 20px;

        }


    #nav a{

        float: right;

        color:#fff;

        text-decoration: none;

        font-size :18px;

        padding-right: 15px;

    }

    h3, header {

        color: rgb(231, 64, 64);

        font-size: 30px;

        padding-left: 20px;




    }

    h3{

        font-weight: 100%;

        margin-left: 150px;

         font-size: 50px;

    }

    header {

        height: 8px;

        margin-left: 100px;

        font-size: 50px;

    }


    #showcase {

        background-image: url(' https://www.girvenfp.co.nz/wp-
content/uploads/2017/10/skin-disease.png');
```

```css
        height: 500px;

        padding-top: 0em;

        background-position:   right;


    }
    h4{

        font-size:30px ;

        text-align: center;

    }
    hr {

        background-color: yellow;

        height: 1px;

        width: 20%;

    }
    #right h5{

        font-size: 30px;

        height: 1px;

        margin-left: 10px;


    }
    #left h5{

        font-size: 30px;

        height:1px;

        margin-left: 10px;

    }


</style>

    </head>

    <body>

        <div class="container">

            <nav id="nav">
```

```html
<ul> Skinnovation
<li><a href="login.html">Prediction</a></li>
<li><a href="regiser.html">Register</a></li>
<li><a href="login.html">Login</a></li>
<li><a href="index1.html">Home</a></li>
</ul>
</nav>
</div>
<section id="showcase">
<div class="container">
    <header>Different types of </header>
    <h3>Skin Disorders</h3>


</div></section>


<section>
        <h4>ABOUT PROJECT<hr></h4>
    <article id="left">
        <h5>Problem</h5>
        <p>Skin diseases include all conditions that irritate,
clog or damage your skin, as well as skin cancer. You may inherit a skin
condition or develop a skin disease. Many skin diseases cause itchiness, dry
skin or rashes. Often, you can manage these symptoms with medication, proper
skin care and lifestyle changes.Skin disorders vary greatly in symptoms and
severity. They can be temporary or permanent, and may be painless or painful.
Some have situational causes, while others may be genetic. Some skin
conditions are minor, and others can be life-threatening.</p>
        </article>
        <article id="right">
        <h5>Solution</h5>
        <p>Skin diseases are conditions that affect your skin.
These diseases may cause rashes, inflammation, itchiness or other skin
changes. Some skin conditions may be genetic, while lifestyle factors may
cause others. Skin disease treatment may include medications, creams or
ointments, or lifestyle changes.</p>
```

```html
            </article>
            <article>
                <h4>WE CLASSIFY<hr></h4>
                <center>
                <img
src="https://d3i71xaburhd42.cloudfront.net/975c1cb47e2bd3d54ad1d4f606dda86d039
0d3fa/2-Figure1-1.png" alt="classify" width="" height="350px" id="img">


                </center>
            <p>A skin disease detection and classification system is a system
used for detecting whether a disease is present or not, and then classifying
the type of disease, if present. The classification is based on decisions
taken using the features extracted through the feature extraction
methods.</p></article>
            </section>



    </body>
</html>
```

Register.html

```html
<!DOCTYPE html>
<html>
    <head>
        <style>
            #nav ul{
                text-decoration: none;
                background-color: black;
                color: #00ffff;
                max-height: 5rem;
                min-height: 2rem;
                padding-top: 5px;
                font-size: 20px;
            }
            li{
                float: right;
                display: inline;

            }
#nav a{
        color: #fff;
        text-decoration: none;
```

```css
        font-size :18px;
        padding-right: 15px;
            }
.registerbtn {

  background-color: #4CAF50;
  color: white;
  margin-top: 10px;
  border: none;
  cursor: pointer;
  margin-left: 100px;
  height: 50px;
  width: 100px;
  opacity: 0.9;

}
.registerbtn a{
    font-size: 18px;
    color: black;
    text-decoration: none;
}
.registerbtn:hover {
  opacity: 1;
}
body{
    margin: 0;
    padding: 0;
}
.container{
    margin-top: 5px;
    top: 50%;
    left: 50%;
    position: absolute;
    transform: translate(-50%,-50%);
}
.card{
    margin-top: 5px;
    height: 15em;
    background:rgb(255, 187, 99);
    padding: 60px 40px 50px 40px;
    border-radius: 10px;
}
#name {
    margin-top: 10px;
    border: black;
    margin-left: 50px;
    margin-right: 50px;
    margin-bottom: 10px;
```

```
        padding: 10px;
}
#acc {
    font-size: 18px;
    margin-top: 20px;
    margin-left: 50px;
}
#img{
    display: block;
  margin-left: auto;
  margin-right: auto;
  width: 50%;
}
#button {
    font-size: 18px;
    color: black;
    text-decoration: none;
}
        </style>
    </head>
    <body>
        <div>
            <nav id="nav">
            <ul>Skinnovation
            <li><a href="regiser.html">Register</a></li>
            <li><a href="login.html">Login</a></li>
            <li><a href="index1.html">Home</a></li>
            </ul>
            </nav>
            </div>
            <div class="container">
                <img src="https://img.icons8.com/plasticine/400/edit-user-
male.png" height="200px" id="img">
                <div class="card">
                    <input type="text" name="fistname" placeholder="Enter Your
Name" required id="name"><br>
                    <input type="email" name="email" placeholder="Enter Email
ID" required id="name"><br>
                    <input type="text" name="password" placeholder="Enter
Password" required id="name"><br>
                    <button type="submit" class="registerbtn" id="button"><a
href="prediction.html"><b>Register</b></a></button><br>
                    <div id="acc">
                    Already have an account? <a href="login.html">Login</a>
                </div></div>
            </div>
            </body>
</html>
```

Login .html

```html
<!DOCTYPE html>
<html>
    <head>
        <style>
            body{
    margin: 0;
    padding: 0;
}
            #nav ul{
                text-decoration: none;
                background-color: black;
                color: #00ffff;
                max-height: 5rem;
                min-height: 2rem;
                padding-top: 5px;
                font-size: 20px;
            }
            li{
                float: right;
                display: inline;

            }
#nav a{
        color: #fff;
        text-decoration: none;
        font-size :18px;
        padding-right: 15px;
            }
.container{
    margin-top: 5px;
```

```css
    top: 50%;

    left: 50%;

    position: absolute;

    transform: translate(-50%,-50%);

}
.loginbtn {


    background-color: #4CAF50;

    color: white;

    margin-top: 50px;

    margin-top: 50px;

    border: none;

    cursor: pointer;

    margin-left: 100px;

    height: 45px;

    width: 100px;

    opacity: 0.9;

  }

  .loginbtn:hover {

  opacity: 1;

}
#img{

    display: block;

  margin-left: auto;

  margin-right: auto;

  width: 50%;

}
.card{

    margin-top: 5px;

    height: 15em;

    background:rgb(255, 187, 99);
```

```css
    padding: 60px 40px 50px 40px;

    border-radius: 10px;

    margin-bottom: 5px;

}
#name {

    margin-top: 10px;

    border: black;

    margin-left: 50px;

    margin-right: 50px;

    margin-bottom: 10px;

    padding: 10px;

    width: max-content;

}
#button a{

    font-size: 18px;

    color: black;

    text-decoration: none;

}

        </style>

    </head>

    <body>

        <div>

            <nav id="nav">

            <ul> Skinnovation

            <li><a href="regiser.html">Register</a></li>

            <li><a href="login.html">Login</a></li>

            <li><a href="index1.html">Home</a></li>

            </ul>

            </nav>

            </div>

            <div class="container">
```

```html
            <img src="https://img.icons8.com/plasticine/400/edit-user-
male.png" height="200px" id="img">

            <div class="card">

                <input type="email" name="email" placeholder="Enter Email
ID"  id="name" required><br>

                <input type="text" name="password" placeholder="Enter
Password"  id="name" required><br>

                <button type="submit" class="loginbtn" id="button"><a
href="prediction.html"><b>Login</b></a></button><br>

            </div>

        </body>

</html>
```

Prediction page.html

```html
<!DOCTYPE html>
<html>
    <head>
        <style>
            body{
    margin: 0;
    padding: 0;
}
#nav{
        background: #181719;
        text-decoration: none;
    }

    li {
        display: inline;

    }
    #nav ul{
                text-decoration: none;
                background-color: black;
                color: #00ffff;
                max-height: 5rem;
                min-height: 2rem;
                padding-top: 5px;
                font-size: 20px;
            }


    #nav a{
        float: right;
```

```css
        color:#fff;
        text-decoration: none;
        font-size :18px;
        padding-right: 15px;
    }
    h4{
        text-align: center;
        font-weight: 150px;
        font-size: 30px;
    }
    hr{
        background-color: yellow;
        padding: 1px;
        width: 65%;
    }
    #img{
        float: right;
        box-sizing: border-box;
        width: 25%;
        padding: 30px;
        margin-right: 10em;
        margin-top: 0%;
    }
    #pr{
        margin-top: 50px;
        margin-left: 50px;
        float: left;
        padding: 0 30px;
        width: 50%;
        box-sizing: border-box;
        box-shadow: #181719;
    }
        </style>
</head>
<body>

    <div>
        <nav id="nav">
        <ul> Skin Diseases Detection
        <li><a href="logout.html">Logout</a></li>
        <li><a href="index1.html">Home</a></li>
        </ul>
        </nav>
        <h4 class="h">
            Skinnovation-AI-Based localization and classification of skin
diseases with erythema<hr>
        </h4>
        <article id="pr">
```

```html
		<p>Nowadays people are sufferring from skin diseases,More than 125
million people suffering from Psoriasis also skin cancer rate is rapidly
increasing over the last few decades especially Melanoma is most diversifying
skin cancer.If skin diseases are not treated at an earlier state,then it may
lead to complications in the body including spreading of the infection from
one individual to the other.This skin disease can be prevented by
investicating the infected region atb an early stage.The characterstic of the
skin images is diversified so that it is a challenging job to device an
efficient and robust algoritham for automatic detection of skin diseases and
its scverity.Skin tone and skin colour play an important role in skin diseases
detection.Color and coarseness of skin are visually different.Automatic
processing of such images for skin analysis requires quantitative
discriminator to differentiate the disease.</p>
	</article>
	<img src="C:\Users\ELCOT\Desktop\skin project\images/skin.jpg" max-
height="100px" id="img">
		</body>
</html>
```

Logout.html

```html
<!DOCTYPE html>
<html>
	<head>
		<style>
			body{
	margin: 0;
	padding: 0;

}
#nav{
		background: #181719;
		text-decoration: none;

	}

	 li {
		display: inline;

	}
	#nav ul{
			text-decoration: none;
			background-color: black;
			color: #00ffff;
			max-height: 5rem;
			min-height: 2rem;
			padding-top: 5px;
```

```css
            font-size: 20px;
        }


    #nav a{
        float: right;
        color:#fff;
        text-decoration: none;
        font-size :18px;
        padding-right: 15px;
    }
    .logoutbtn {

    background-color: #4CAF50;
    color: black;
    cursor: pointer;
    height: 45px;
    width: 100px;
    opacity: 0.9;
  }
  #button a{
    text-decoration: none;
    color: black;
  }
 .loginbtn:hover {
  opacity: 1;
}
.container{
    display: block;
    text-align: center;
    letter-spacing: 1px;
}
p{
    font-size: 20px;
    color: #4CAF50;

}
h3{
    font-size: 25px;
}
#img{
    padding: 5px;
    background-color: white;
}
        </style>
    </head>
    <body>
<div>
```

```html
        <nav id="nav">
        <ul> Skinnovation
        <li><a href="regiser.html">Register</a></li>
        <li><a href="login.html">Login</a></li>
        <li><a href="index1.html">Home</a></li>
        </ul>
        </nav>
        </div>
        <div class="container">
            <img src="C:\Users\ELCOT\Desktop\skin
project\images/logout.png" id="img">
            <h3>Successfully Logged Out!</h3>
            <p>Login for more information</p>
            <button type="submit" class="logoutbtn" id="button"><a
href="login.html"><b>Login</b></a></button>
        </div>
    </body>
</html>
```