

Assignment - 4

Question-1:

pull an image from docker hub and
run it in dockerplayground. pull
an image form docker hub



```
Command Prompt
Microsoft Windows [Version 10.0.19044.1766]
(c) Microsoft Corporation. All rights reserved.


C:\Users\ADMIN>docker push shabariganesan/docker_with_flask_form
Using default tag: latest
The push refers to repository [docker.io/shabariganesan/docker_with_flask_form]
An image does not exist locally with the tag: shabariganesan/docker_with_flask_form

C:\Users\ADMIN>docker pull shabariganesan/docker_with_flask_form
Using default tag: latest
latest: Pulling from shabariganesan/docker_with_flask_form
1671565cc8df: Pull complete
3e94d13e55e7: Pull complete
fa9c7528c685: Pull complete
53ad072f9cd1: Pull complete
d8b983117533: Pull complete
d8092d56ded5: Pull complete
c71afc637d59: Pull complete
864a10b3c704: Pull complete
4334b2fe8293: Pull complete
8944570703f4: Pull complete
f885911288d0: Pull complete
086f369ca59f: Pull complete
e113bd27b88e: Pull complete
Digest: sha256:c61f28873bf1c909786ce991b8b60cd976765077f344e34d50e6cce8cf8d95c3
Status: Downloaded newer image for shabariganesan/docker_with_flask_form:latest
docker.io/shabariganesan/docker_with_flask_form:latest

C:\Users\ADMIN>
```

run it in docker playground






Question-2:

Create a docker file for the jobportal application and deploy it in docker application.

Creating a docker file for the jobportal application



running in docker desktop 1

Question-3: Create IBM container registry and deploy helloworld app or jobportalapp create an IBM container registry




deploy helloworld or jobportal


```
C:\Windows\system32\cmd.exe
54ac05a6fa8b: Retrying in 1 second
8d51c618126f: Retrying in 1 second
9ff6e4d40744: Waiting
a80d1d47b5a1: Waiting
055ed1b74428: Waiting
failed to lookup host: jp.lcr.io

C:\Users\ganesh\Desktop\job_portal>docker push jp.lcr.io/ganeshjob/job_portal
Using default tag: latest
The push refers to repository [jp.lcr.io/ganeshjob/job_portal]
15b3b1584025: layer already exists
8be94fb5e186: Pushed
48c2a744c12b: Layer already exists
9b72c7835466: Layer already exists
bfcddeb8136e: Layer already exists
1f123186824c: Layer already exists
3ddeb1152931: Pushed
180796cdf3b1: Pushed
54ac05a6fa8b: Retrying in 1 second
8d51c618126f: Pushed
9ff6e4d40744: Pushed
a80d1d47b5a1: Pushed
055ed1b74428: Pushing [-----] 89.8MB/134PB
C:\Users\ganesh\Desktop\job_portal>docker push jp.lcr.io/ganeshjob/job_portal
Using default tag: latest
The push refers to repository [jp.lcr.io/ganeshjob/job_portal]
15b3b1584025: Layer already exists
8be94fb5e186: Layer already exists
48c2a744c12b: Layer already exists
9b72c7835466: Layer already exists
bfcddeb8136e: Layer already exists
1f123186824c: Layer already exists
3ddeb1152931: Layer already exists
180796cdf3b1: Layer already exists
54ac05a6fa8b: Pushed
8d51c618126f: Layer already exists
9ff6e4d40744: Layer already exists
a80d1d47b5a1: Layer already exists
055ed1b74428: Pushed
latest: digest: sha256:e93189a7c97eeb95086668a54e895cf61a36eda039998c8c7a21a7a7961fc207 size: 3952

C:\Users\ganesh\Desktop\job_portal>
C:\Users\ganesh\Desktop\job_portal>
```



Question-4: Create a kubernetes cluster in ibm cloud and deploy helloworld image or jobportal image andalso expose the same app to run in noteport



Creating a kubernetes cluster in ibm cloud

deploy helloworld image or jobportal image and also expose the same app to run in noteport

```
C:\Windows\System32\cmd.exe
10/16/2022 12:28 PM 3,721 windows shortcut.txt
08/25/2022 08:40 PM 2,897 YouTube.lnk
24 File(s) 804,677,196 bytes
9 Dir(s) 79,221,886,976 bytes free

C:\Users\gani\Desktop>cd deploy
The system cannot find the path specified.

C:\Users\gani\Desktop>kubectl apply -f kubernetes/depoly.yaml
error: the path "kubernetes/depoly.yaml" does not exist

C:\Users\gani\Desktop>kubectl apply -f depoly.yaml
error: the path "depoly.yaml" does not exist

C:\Users\gani\Desktop>kubectl apply -f C:\Users\gani\Desktop\deploy.yaml
deployment.apps/flask-app created

C:\Users\gani\Desktop>
```

Services

Pods

Search

Workloads > Pods

Deployment

Waiting for more data to display chart... Waiting for more data to display chart...

Running

Service

Workloads > Pods > flask-app-79447b5c8c-4t9w > Logs

Logs

```

C:\Windows\System32\cmd.exe
C:\Windows\system32>kubectl expose deployment flask-app --type=NodePort --name=flask-service
The Service "flask-service" is invalid: metadata.name: Invalid value: "flask-service": a DNS-1035 label must consist of lower case alphanumeric characters or '-', start with an alphabetic character, and end with an alphanumeric character (e.g. "my-name", or "abc-123", regex used for validation is "[a-z]([-a-z0-9]*[a-z0-9])?")
C:\Windows\system32>kubectl expose deployment flask-app --type=NodePort --name=flask-service
The Service "flask-service" is invalid: metadata.name: Invalid value: "flask-service": a DNS-1035 label must consist of lower case alphanumeric characters or '-', start with an alphabetic character, and end with an alphanumeric character (e.g. "my-name", or "abc-123", regex used for validation is "[a-z]([-a-z0-9]*[a-z0-9])?")
C:\Windows\system32>kubectl expose deployment flask-app --type=NodePort --name=flask-service
The Service "flask-service" is invalid: metadata.name: Invalid value: "flask-service": a DNS-1035 label must consist of lower case alphanumeric characters or '-', start with an alphabetic character, and end with an alphanumeric character (e.g. "my-name", or "abc-123", regex used for validation is "[a-z]([-a-z0-9]*[a-z0-9])?")
C:\Windows\system32>kubectl expose deployment flask-app --type=NodePort --name=flask-service
Error from server (AlreadyExists): services "flask-service" already exists
C:\Windows\system32>
C:\Windows\system32>kubectl -n kubernetes-dashboard get deploy
^C
C:\Windows\system32>kubectl -n kubernetes-dashboard get deploy
No resources found in kubernetes-dashboard namespace.
C:\Windows\system32>kubectl -n kubernetes-dashboard get deploy
No resources found in kubernetes-dashboard namespace.
C:\Windows\system32>kubectl proxy
Starting to serve on 127.0.0.1:9001
^C
C:\Windows\system32>kubectl -n kubernetes-dashboard get deploy
^C
C:\Windows\system32>kubectl -n kubernetes-dashboard get deploy
No resources found in kubernetes-dashboard namespace.
C:\Windows\system32>kubectl -n kubernetes-dashboard get pods
No resources found in kubernetes-dashboard namespace.
C:\Windows\system32>kubectl expose deployment flask-app --type=NodePort --name=flask-service
Error from server (AlreadyExists): services "flask-service" already exists
C:\Windows\system32>kubectl get ing
NAME          CLASS  HOSTS      ADDRESS      PORTS      AGE
flask-app-ingress  cnone  *          *             80         27m
C:\Windows\system32>kubectl get svc
NAME          TYPE          CLUSTER-IP      EXTERNAL-IP    PORT(S)          AGE

```