



# Creating Node-Red Service

## Step 1:



## Step 2:



## Step 3:

```
Select node-red
npm audit fix --force

Run 'npm audit' for details.
npm notice
npm notice New patch version of npm available! 8.19.2 -> 8.19.3
npm notice Changelog: https://github.com/npm/cli/releases/tag/v8.19.3
npm notice Run npm install -g npm@8.19.3 to update!
npm notice


C:\Users\Admin>node-red
4 Nov 23:27:42 - [info]
Welcome to Node-RED
=====
4 Nov 23:27:42 - [info] Node-RED version: v3.0.2
4 Nov 23:27:42 - [info] Node.js version: v18.12.0
4 Nov 23:27:42 - [info] Windows_NT 10.0.19044 x64 LE
4 Nov 23:27:44 - [info] Loading palette nodes
4 Nov 23:27:47 - [info] Settings file : C:\Users\Admin\.node-red\settings.js
4 Nov 23:27:47 - [info] Context store : 'default' [module=memory]
4 Nov 23:27:47 - [info] User directory : C:\Users\Admin\.node-red
4 Nov 23:27:47 - [warn] Projects disabled : editorTheme.projects.enabled=false
4 Nov 23:27:47 - [info] Flows file : C:\Users\Admin\.node-red\flows.json
4 Nov 23:27:47 - [info] Creating new flow file
4 Nov 23:27:47 - [warn]

-----
Your flow credentials file is encrypted using a system-generated key.
If the system-generated key is lost for any reason, your credentials
file will not be recoverable, you will have to delete it and re-enter
your credentials.

You should set your own key using the 'credentialSecret' option in
your settings file. Node-RED will then re-encrypt your credentials
file using your chosen key the next time you deploy a change.
-----
4 Nov 23:27:47 - [warn] Encrypted credentials not found
4 Nov 23:27:47 - [info] Server now running at http://127.0.0.1:1880/
4 Nov 23:27:47 - [info] Starting flows
4 Nov 23:27:47 - [info] Started flows

Activate Windows
Go to Settings to activate Windows.
```

## Step 4:



Successfully created Node-red Service.