

Source code

DATE	19 November 2022
TEAM ID	PNT2022TMID01420
PROJECT NAME	Smart fashion recommender application

#Register.html

```
<html>

<head>

    <script type="text/javascript" src="formtest.js"> </script>

</head>

<body style="background:linear-gradient(rgba(205, 228, 243, 0.856),#f1eeefec);">

<form method="POST" onsubmit="return validate()">

<br>

<center><h3 style="color:rgb(146, 69, 248);font-family: 'Times New Roman', Times, serif;"
>Create&nbsp;Account.. </h3></center>

</br>

<center>

<input type="text" id="first" placeholder="First Name" size="22%" style="height:5%;"
required>&nbsp;

<input type="text" id="last" placeholder="Last Name" size="22%" style="height:5%;"
required></br></br>

<input type="date" id="birth" style="width:70%;" required></br></br>

<input type="radio" id="gender" >&nbsp;<label>Male</label> &nbsp;&nbsp;&nbsp;

<input type="radio" id="gender" >&nbsp;<label>Female</label></br></br>

<input type="number" id="contact" placeholder="Phone no" style="height:5%; width:70%;"
required ></br></br>

<select id="state" style="width:70%;height:5%;" >

<option selected disabled hidden> -Choose State-</option>

<option>Tamilnadu</option>
```



```

</style>

<script type="text/javascript" src="logintest.js"></script>

</head>

<body background="citybg.jpg" style="background-size:cover;">

<div class="form-box" style="width: 350px;height:370px;position:relative;margin:9%
auto;background: rgba(54, 51, 51, 0.671);padding:5px;">

<form method="POST" onsubmit="return validate()" action="fash.html">

    <h3 style="text-align: center;font-size:xx-large;font-style: italic;color:rgb(149, 247,
149);">Login here..</h3>

</br>

    &nbsp;&nbsp;&nbsp;&nbsp;&nbsp;

    &nbsp;<input type="text" required id="uname" placeholder="UserName" size="26%"
style="border:none;outline: none;background: none;border-bottom:1px solid green;padding-
bottom:8px;color:white;" ></br>

</br>

</br>

    &nbsp;&nbsp;&nbsp;&nbsp;&nbsp;

    &nbsp;<input type="password" id="passwd" required placeholder="Password"
size="26%" style="border: none;outline: none;background: none;border-bottom:1px solid
green;padding-bottom:8px;color:white;">

</br>

</br>

</br>

</br>

    &nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;<input type="submit" name="login" value="Sign in"
style="background:none;width:62%;height:8%;color:rgb(233, 231, 240);border-color:
green;font-size:medium;">

</br>

</br>

<p style="color:white;margin-left: 73px;">Don't have an account ? <a href="form.html"
style="color: lightsalmon;">Register</a> </p>

</form>

```

```
</div>
</body>
</html>
```

#main.html

```
<html>
<head> <title>Fashion smart</title>
<link rel="stylesheet" href="fash.css">
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC"
crossorigin="anonymous">
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js"
integrity="sha384-
MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
crossorigin="anonymous"></script>
<script>
  window.watsonAssistantChatOptions = {
    integrationID: "0f776b87-48a3-4e22-94a3-4f4ae2826506", // The ID of this integration.
    region: "au-syd", // The region your integration is hosted in.
    serviceInstanceID: "5e86a50a-4ed5-4fce-b2c1-47eeddbf7f6e", // The ID of your service
instance.
    onLoad: function(instance) { instance.render(); }
  };
  setTimeout(function(){
    const t=document.createElement('script');
    t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest') +
"/WatsonAssistantChatEntry.js";
    document.head.appendChild(t);
  });
</script>
</head>
<body>
```

```

<nav class="navbar navbar-expand-lg navbar-dark bg-gradient-info">

  <div class="container-fluid">

    <a class="navbar-brand px-3 bg-danger" href="#">Giftskill</a>

    <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-
target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-
expanded="false" aria-label="Toggle navigation">

      <span class="navbar-toggler-icon"></span>

    </button>

    <div class="collapse navbar-collapse" id="navbarSupportedContent">

      <ul class="navbar-nav me-auto mb-2 mb-lg-0">

        <li class="nav-item">

          <a class="nav-link active px-4" aria-current="page" href="#">Home</a>

        </li>

        <li class="nav-item">

          <a class="nav-link px-4" href="#">Products</a>

        </li>

        <li class="nav-item">

          <a class="nav-link px-4" href="#">About</a>

        </li>

      </ul>

      <form class="d-flex">

        <input class="form-control me-3 mt-2 px-4" type="search" placeholder="Search"
aria-label="Search">

        <button class="btn btn-outline-dark mt-2 " type="submit">Search</button>

      </form>

    </div>

  </div>

</nav>

</body>

```

#shirt.html

```
<head>

<link rel="stylesheet" href="style.css">

</head>

<body style="background:linear-gradient(#8ecbf493,rgba(198, 195, 195, 0.5)); margin:
auto;">

  <header>

    <h1> Men's Fashion..</h1>

  </header>

  <br>

  <div class="card">

    

    <p class="price">$19.99</p>
    <p><button>Add to Cart</button></p>
  </div>

  <div class="card">

    

    <p class="price">$19.99</p>
    <p><button>Add to Cart</button></p>
  </div>

  <div class="card">

    

    <p class="price">$19.99</p>
    <p><button>Add to Cart</button></p>
  </div>

  <div class="card">

    

    <p class="price">$19.99</p>
```

<p><button>Add to Cart</button></p>

</div>

<div class="card">

<p class="price">\$19.99</p>

<p><button>Add to Cart</button></p>

</div>

<div class="card">

<p class="price">\$19.99</p>

<p><button>Add to Cart</button></p>

</div>

<div class="card">

<p class="price">\$19.99</p>

<p><button>Add to Cart</button></p>

</div>

<div class="card">

<p class="price">\$19.99</p>

<p><button>Add to Cart</button></p>

</div>

<div class="card">


```
<p class="price">$19.99</p>
<p><button>Add to Cart</button></p>
</div>
<div class="card">
  

  <p class="price">$19.99</p>
  <p><button>Add to Cart</button></p>
</div>

<br>
  <center><a href="shop.html">Go Back</a></center>
  <br>
</body>
```

#card.html

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial scale=1.0">
    <link rel="stylesheet" href="card.css">
  </head>
  <body>
    <div class="container">
      <div class="card">
        <div class="front">
          
          <div class="image">
```



```

        
        
    </div>

    <div class="cardno">*****</div>

    <div class="flexbox">
        <div class="box">
            <span>Card holder</span>
            <div class="holdername">Full name</div>
        </div>
        <div class="box">
            <span>expires</span>
            <div class="expiration">
                <span class="month">mm</span>
                <span class="year">yy</span>
            </div>
        </div>
    </div>

    </div>

    </div>

    </div>

    <div class="back">
        <div class="stripe"></div>
        <div class="box">
            <span>CVV</span>
            <div class="cvv">
                
            </div>
            
        </div>
    </div>
</div>

</div>

```

```
<form action="pay.html">
<div class="inputbox">
  <span>Card number</span>
  <input type="text" maxlength="16" class="cardnumber">
</div>
<div class="inputbox">
  <span>Card holder</span>
  <input type="text" class="cardholder">
</div>
<div class="flexbox">
  <div class="inputbox">
    <span>Expiration mm</span>
    <select class="month-input">
      <option value="month" selected disabled hidden>month</option>
      <option value="01" >01</option>
      <option value="02" >02</option>
      <option value="03" >03</option>
      <option value="04" >04</option>
      <option value="05" >05</option>
      <option value="06" >06</option>
      <option value="07" >07</option>
      <option value="08" >08</option>
      <option value="09" >09</option>
      <option value="10" >10</option>
      <option value="11" >11</option>
      <option value="12" >12</option>
    </select>
  </div>
  <div class="inputbox">
    <span>Expiration yy</span>
```

```
<select class="year-input">
  <option value="year" selected disabled hidden>year</option>
  <option value="2021" >2021</option>
  <option value="2022" >2022</option>
  <option value="2023" >2023</option>
  <option value="2024" >2024</option>
  <option value="2025" >2025</option>
  <option value="2026" >2026</option>
  <option value="2027" >2027</option>
  <option value="2028" >2028</option>
  <option value="2029" >2029</option>
  <option value="2030" >2030</option>
  <option value="2031" >2031</option>
  <option value="2032" >2032</option>
</select>
```

```
</div>
```

```
<div class="inputbox">
```

```
  <span>CVV</span>
```

```
  <input type="text" maxlength="4" class="cvv-input">
```

```
</div>
```

```
</div>
```

```
<input type="submit" value="submit" class="submit">
```

```
</form>
```

```
</div>
```

```
<script>
```

```
  document.querySelector('.cardnumber').oninput={() =>{
```

```
    document.querySelector('.cardno').innerText=document.querySelector('.cardnumber').value;
```

```
  }
```

```
  document.querySelector('.cardholder').oninput={() =>{
```

```

document.querySelector('.holdername').innerText=document.querySelector('.cardholder').value;
}
document.querySelector('.month-input').oninput={() =>{
    document.querySelector('.month').innerText=document.querySelector('.month-input').value;
}
document.querySelector('.year-input').oninput={() =>{
    document.querySelector('.year').innerText=document.querySelector('.year-input').value;
}
document.querySelector('.cvv-input').onmouseenter={() =>{
    document.querySelector('.front').style.transform='perspective(1000px) rotateY(-180deg)';
    document.querySelector('.back').style.transform='perspective(1000px) rotateY(0deg)';
}
document.querySelector('.cvv-input').onmouseleave={() =>{
    document.querySelector('.front').style.transform='perspective(1000px) rotateY(0deg)';
    document.querySelector('.back').style.transform='perspective(1000px) rotateY(180deg)';
}
document.querySelector('.cvv-input').oninput={() =>{
    document.querySelector('.cvv').innerText=document.querySelector('.cvv-input').value;
}

```

```

</script>
</body>
</html>

```

#pay.html

```

<html>
<head>

```

```
<link
href="https://fonts.googleapis.com/css?family=Nunito+Sans:400,400i,700,900&display=swa
p" rel="stylesheet">
```

```
</head>
```

```
<style>
```

```
body {
```

```
    text-align: center;
```

```
    padding: 40px 0;
```

```
    background: #EBF0F5;
```

```
}
```

```
h1 {
```

```
    color: #88B04B;
```

```
    font-family: "Nunito Sans", "Helvetica Neue", sans-serif;
```

```
    font-weight: 900;
```

```
    font-size: 40px;
```

```
    margin-bottom: 10px;
```

```
}
```

```
p {
```

```
    color: #404F5E;
```

```
    font-family: "Nunito Sans", "Helvetica Neue", sans-serif;
```

```
    font-size: 20px;
```

```
    margin: 0;
```

```
}
```

```
i {
```

```
    color: #9ABC66;
```

```
    font-size: 100px;
```

```
    line-height: 200px;
```

```
    margin-left: -15px;
```

```
}
```

```
.card {
```

```
    background: white;
```

```
padding: 60px;
border-radius: 4px;
box-shadow: 0 2px 3px #C8D0D8;
display: inline-block;
margin: 0 auto;
}
</style>
<body>
  <div class="card">
    <div style="border-radius:200px; height:200px; width:200px; background: #F8FAF5;
margin:0 auto;">
      <i class="checkmark">✓</i>
    </div>
    <h1>Success</h1>
    <p>We received your purchase request;<br/> we'll be in touch shortly!</p>
  </div>
</body>
</html>
```