


Team ID	PNT2022PMID49597
Project Name	Project – PLASMA DONOR APPLICATION
Name	Suswin. P
Roll Number	950019104049

Assignment-3

1. Create user table with user with email, username, roll number, password.



IBM Db2 on Cloud

Load Data Load History **Tables** Views Indexes Aliases MQTs Sequences Application objects

Find schemas or tables Refresh

Tables

New table +

Name	Schema	Properties
USER	ZXD72229	...


Total: 1, selected: 1

Table definition

USER

Name	Data type	Nullable	Length	Scale
USERNAME	VARCHAR	N	35	0
PASSWORD	VARCHAR	N	35	0
EMAIL	VARCHAR	N	35	0

View data




IBM Db2 on Cloud

Load Data Load History **Tables** Views Indexes Aliases MQTs Sequences Application objects

ZXD72229.USER Back

USERNAME	PASSWORD	EMAIL
There is no data here yet		

2. Perform UPDATE, DELETE Queries with user table.




The screenshot shows the IBM Db2 on Cloud SQL editor interface. The left sidebar displays the database structure for 'ZXD72229', including 'Tables', 'USER', 'Views', 'MQTs', 'Aliases', and 'Nicknames'. The main editor area shows a SQL script with two INSERT statements:

```
1 INSERT INTO user VALUES('Suswin palaniswamy','0410','suswinpalaniswamy@gmail.com');
2 INSERT INTO user VALUES('Sanjay','0000','sanjays00@gmail.com');
3
```

The 'History' tab is active, showing a table of executed scripts:

Script	Date	Status	Runtime
Untitled - 7	Nov 3, 2022 11:56:54 PM	1	0.016 s
UPDATE USER SET USERNAME = 'Suswin', WHERE EMAIL = 'suswinpal...			0.016 s
Untitled - 6	Nov 3, 2022 11:52:13 PM	1	0.007 s



The screenshot shows the IBM Db2 on Cloud interface displaying the 'ZXD72229.USER' table. The table has three columns: 'USERNAME', 'PASSWORD', and 'EMAIL'. The data is as follows:

USERNAME	PASSWORD	EMAIL
Sanjay	0000	sanjays00@gmail.com
Suswin palaniswamy	0410	suswinpalaniswamy@gmail.com
Suswin palaniswamy	0410	suswinpalaniswamy@gmail.com

The interface also includes a 'Back' button and an 'Export to CSV' button.

IBM Db2 on Cloud

Data objects Saved objects

Filter objects

Tables

USER

Views

MQTs

Aliases

Nicknames

```
1 DELETE FROM user WHERE username='Sanjay';
2
```

History

Find history

Script	Date	Status	Runtime
Untitled - 6	Nov 3, 2022 11:52:13 PM	✓ 1	0.007 s
DELETE FROM user WHERE username='Sanjay'		✓	0.007 s
Untitled - 5	Nov 3, 2022 11:49:48 PM	✓ 2	0.010 s

IBM ASSIGNMEN....docx

Show all

Type here to search

25°C Cloudy

ENG US 23:52 03/11/2022

IBM Db2 on Cloud

Load Data Load History Tables Views Indexes Aliases MQTs Sequences Application objects

ZXD72229.USER

Back

Export to CSV

USERNAME	PASSWORD	EMAIL
Suswin palaniswamy	0410	suswinpalaniswamy@gmail.com
Suswin palaniswamy	0410	suswinpalaniswamy@gmail.com

IBM ASSIGNMEN....docx

Show all

Type here to search

25°C Cloudy

ENG US 23:52 03/11/2022

3. Connect python code to db2.

App.py

```
from flask import Flask, render_template ,request,redirect,session,url_for
import ibm_db
import re
app = Flask(__name__)

conn=ibm_db.connect("DATABASE=bludb;HOSTNAME=b0aebb68-94fa-46ec-a1fc-
1c999edb6187.c3n41cmd0nqnrk39u98g.databases.appdomain.cloud;PORT=31249;SECURITY=SSL;;SSLServer
Certificate=DigiCertGlobalRootCA.crt;UID=zxd72229;PWD=XEdSEnZ2jpYUndqg",'','')

if __name__=='main_':
    app.run(debug=True)
```

4. Create a flask app with registration page, login page and welcome page. By default load the registration page once the user enters all the fields store the data in database and navigate to login page authenticate user username and password. If the user is valid show the welcome page.

App.py

```
from flask import Flask, render_template, request, redirect, url_for, session
import ibm_db
import re

app =Flask(__name__)

app.secret_key='a'

conn =ibm_db.connect("DATABASE=bludb;HOSTNAME=b0aebb68-94fa-46ec-a1fc-
1c999edb6187.c3n41cmd0nqnrk39u98g.databases.appdomain.cloud;PORT=31249;USERNAME=zxd72229;PASSW
ORD=XEdSEnZ2jpYUndqg;SECURITY=SSL;SSLSERVERCERTIFICATE=DigiCertGlobalRootCA.crt;","", "")

@app.route("/",methods=[ 'GET', 'POST'])
def register():
    msg=''
    if request.method=='POST':
        username =request.form['username']
        password =request.form['password']
        email =request.form['email']
        sql="SELECT * FROM user WHERE username =?"
        stmt= ibm_db.prepare(conn,sql)
        ibm_db.bind_param(stmt,1, username)
        ibm_db.execute(stmt)
        account =ibm_db.fetch_assoc(stmt)
        print(account)
        if account:
            msg='Account already exists !'
        elif not re.match(r'[^@]+@[^@]+\.[^@]+', email):
            msg='Invalid email address !'
        elif not re.match(r'[A-Za-z0-9]+', username):
            msg='name must contain only characters and numbers !'
        else:
            insert_sql="INSERT INTO user VALUES (?, ?, ?)"
            prep_stmt=ibm_db.prepare(conn,insert_sql)
            ibm_db.bind_param(prepare_stmt,1, username)
            ibm_db.bind_param(prepare_stmt,2, password)
```

```

        ibm_db.bind_param(prepare_stmt,3, email)
        ibm_db.execute(prepare_stmt)
        msg='You have successfully registered !'
    elif request.method=='POST':
        msg='Please fill out the form !'
    return render_template('reg.html',msg=msg)

@app.route('/login',methods=['GET', 'POST'])
def login():
    global userid
    msg=''

    if request.method=='POST':
        username =request.form['username']
        password =request.form['password']
        sql="SELECT * FROM user WHERE username =? AND password=?"
        stmt=ibm_db.prepare(conn,sql)
        ibm_db.bind_param(stmt,1, username)
        ibm_db.bind_param(stmt,2, password)
        ibm_db.execute(stmt)
        account =ibm_db.fetch_assoc(stmt)
        print(account)
        if account:
            session['loggedin'] =True
            session['id'] = account['USERNAME']
            userid= account['USERNAME']
            session['username'] = account['USERNAME']
            msg='Logged in successfully !'

            msg='Logged in successfully !'
            return render_template('wel.html',msg=msg)
        else:
            msg='Incorrect username / password !'
    return render_template('login.html',msg=msg)

if __name__ == '__main__':
    app.run(host='0.0.0.0')
    app.run(debug=True)

```

Reg.html

```

<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Plasma Donor Register</title>

    <!-- bootstrap csscdn-->
    <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css"
        integrity="sha384-JcKb8q3iqJ61gNV9KgB8thSsNjpsL0n8PARn9HuZOnIxN0hoP+VmmDGMN5t9UJ0Z"
crossorigin="anonymous">
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.css">
    <!--css stylesheet -->
    <link rel="stylesheet" href="/static/css/style.css">
    <!-- font styles cdn-->
    <link rel="preconnect" href="https://fonts.gstatic.com">

```

```

    <link href="https://fonts.googleapis.com/css2?family=Alegreya&display=swap"
rel="stylesheet">
    <link href="https://fonts.googleapis.com/css2?family=Alegreya:wght@600&display=swap"
rel="stylesheet">
</head>

<body>
    <!-- bootstrap navbar-->
    <!--navbar ends -->
    <!-- Login form -->
    <div class="login text-center mt-5">

        <form action="/" method="post">
            <h2 class="form-text-h2"> Register Form </h2>
            <div class="msg">{{ msg }}</div>
            <input type="text" class="form-control" name="username" placeholder="Enter Your
Username" id="username"
                required>
            <input type="password" class="form-control" name="password" placeholder="Enter
Your Password" id="password"
                required>
            <input type="email" class="form-control" name="email" placeholder="Enter Your
Email ID" id="email" required>
            <button type="submit" id="button" class="btn btn-primary"> Register </button>
            <div class="note mt-3 text-center">
                <!--Register form -->
                <p> already have an account ? please <a href="/login">login! </a></p>

            </div>
        </form>

    </div>
</body>
</html>

```

Login.html

```

<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Plasma Donor Login</title>
    <!-- favicon -->
    <!--<link rel="shortcut icon" href="/assets/img/favicon.ico" type="image/x-icon">-->
    <!--<link rel="icon" href="/assets/img/favicon.ico" type="image/x-icon">-->
    <link rel="icon" type="image/png" sizes="16x16" href="/assets/img/favicon-32x32.png">
    <!-- bootstrap csscdn-->
    <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css"
        integrity="sha384-JcKb8q3iqJ61gNV9KGb8thSsNjpSL0n8PARn9HuZOnIxN0hoP+VmmDGMN5t9UJ0Z"
crossorigin="anonymous">
    <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/font-awesome/4.7.0/css/font-awesome.css">
    <!--css stylesheet -->
    <link rel="stylesheet" href="/static/css/style2.css">

```

```

    <!-- font styles cdn-->
    <link rel="preconnect" href="https://fonts.gstatic.com">
    <link href="https://fonts.googleapis.com/css2?family=Alegreya&display=swap"
rel="stylesheet">
    <link href="https://fonts.googleapis.com/css2?family=Alegreya:wght@600&display=swap"
rel="stylesheet">
</head>

<body>

    <div class="login text-center mt-5">

        <form action="/login" method="post">
            <h2 class="form-text-h2"> Login Form </h2>
            <div class="msg">{{ msg }}</div>
            <div class="form-group mb-3">
                <label class="label" for="username">Username</label>
                <input type="text" class="form-control" placeholder="Username" name="username"
required>
            </div>
            <div class="form-group mb-3">
                <label class="label" for="password">Password</label>
                <input type="password" class="form-control" placeholder="Password"
name="password" required>
            </div>

            <button type="submit" id="button" class="btn btn-primary"> Login </button>
            <div class="note mt-3 text-center">
                <!--Register form -->
                <p> Don't have an account yet? Click here to <a href="/">register! </a></p>
            </div>
        </form>
    </div>

</body>

</html>

```

Wel.html

```

<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Plasma Donor Register</title>

    <!-- bootstrap csscdn-->
    <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css"
integrity="sha384-JcKb8q3iqJ61gNV9KGb8thSsNjPL0n8PARn9HuZOnIxN0hoP+VmmDGMN5t9UJ0Z"
crossorigin="anonymous">
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.css">
    <!--css stylesheet -->
    <link rel="stylesheet" href="/static/css/style.css">
    <!-- font styles cdn-->
    <link rel="preconnect" href="https://fonts.gstatic.com">

```

```

    <link href="https://fonts.googleapis.com/css2?family=Alegreya&display=swap"
rel="stylesheet">
    <link href="https://fonts.googleapis.com/css2?family=Alegreya:wght@600&display=swap"
rel="stylesheet">
</head>

<body>
  <!-- bootstrap navbar-->
  <!--navbar ends -->
  <!-- Home page -->
  <div class="login text-center mt-5">

    <p> Welcome to our Home Page!</p>
    <p> We are happy to have more donors who are willing to save lives with their
blood.</p>
    <p> We are also happy to be able help our recipients find donors easily through our
site.</p>

  </div>

</body>

</html>

```

Style.css

```

* {
  margin: 0;
  padding: 0;
}

body {
  background-color: rgb(25, 184, 233)!important;
  display: flex;
  flex-direction: column;
  align-items: center;
  justify-content: center;
}

form {
  display: flex;
  flex-direction: column;
  align-items: center;
  justify-content: center;
  background-color: rgb(163, 238, 42);
  width: 40%;
  height: 450px;
  border-radius: 50px;
  margin: 100px;
  gap: 25px;
}

h2 {
  font-size: large;
  font-weight: bolder;
}

input {
  width: 80%!important;
}

div {

```



```
display: flex;
align-items: center;
justify-content: center;
flex-direction: column;
width: 90%;
}

.form-text-vk {
font-size: small;
padding-bottom: 10px;
}

.form-text-h2 {
font-size: x-large;
padding-top: 10px;
}
```

Output:

Plasma Donor Register

127.0.0.1:5000

Register Form

Suswin Palaniswamy

suswinpalaniswamy@gmail.com


Register

already have an account ? please [login!](#)

Type here to search

25°C Cloudy

ENG US 22:02 03/11/2022



Register Form

You have successfully registered !

Enter Your Username

Enter Your Password

Enter Your Email ID

Register

already have an account ? please [login!](#)



Login Form

Username

Suswin Palaniswamy

Password

....

Login

Don't have an account yet? Click here to [register!](#)





Welcome to our Home Page!

We are happy to have more donors who are willing to save lives with their blood.

We are also happy to be able help our recipients find donors easily through our site.

