SPRINT-4

TEAM ID	PNT2022TMID01394
Project Title	Inventory Management System for Retailers
DATE	14-11-2022
MARK	20 Points

Functional Requirement:

- ➢ **Stock Report**
    - o **Adding New Stock**
    - o **Managing the Old Stocks & New Stocks**
- ➢ **Updated Customer Dashboard**
    - o **Adding New Customers**
    - o **Maintaining the Customer Trading details**

- ➢ **Contact us page**

- ➢ **Staff page**

OUTPUT:

Stocks Detail Report

Dashboard | Add Products | Products

	PRODUCT CODE	PRODUCT TITLE	PRODUCT BRAND	TOTAL STOCK	COST PER ITEM	TOTAL COST	SUBJECT
	001	Mouse	HP	51	255	13005	stocks

TCE-Inventory_Mananging_system- copyright © 2022

Sales Report

Dashboard | Sell Products | Sales Report

	NAME	EMAIL	MOBILE	ADDRESS	MATERIAL	PRICE	QUANTITY	DISCOUNT	TOTAL
	ANANTHA KUMAR S	714219106501@tnce.in	9965132865	19F maarapaalam,	Mouse	255	3	0	765

TCE-Inventory_Mananging_system- copyright © 2022

'

Product Management

Dashboard | Products | Add Products

Product code	product code
Product Title	Product name..
Product Brand	product brand....
Total Stock	enter the total stock
Cost Per Item	enter the cost one item
Total Cost	Total Cost....
Subject	Write something..

Submit

TCE-Inventory_Mananging_system- copyright © 2022

Code:

```
<app-header></app-header>
<div class="row">
  <div class="col-2">
    <app-navbar></app-navbar>
  </div>
```

```html
<div class="col-10 p-0">
  <div>
    <section class="mt-3">
      <div class="container-fluid">
        <div class="page-header ph-radius clearfix">
          <div class="float-left">
            <h3>Stocks Detail Report</h3>
          </div>
          <div class="float-right">
            <div class="d-flex">
              <nav aria-label="breadcrumb">
                <ol class="breadcrumb">
                  <li class="breadcrumb-item">
                    <a href="dashboard">Dashboard</a>
                  </li>
                  <li class="breadcrumb-item">
                    <a href="addreport">Add Products</a>
                  </li>
                  <li class="breadcrumb-item active" aria-current="report">
                    Products
                  </li>
                </ol>
              </nav>
            </div>
          </div>
        </div>

        <div class="row ">
          <div class="col-lg-12">
            <div class="content-wrapper">
              <!-- Table start -->
              <table id="sort-table" class="table table-responsive">
                <thead>
                  <tr>
                    <th class="nosort" style="width: 18px">
                    </th>
                    <th>Product code</th>
                    <th>Product Title</th>
                    <th>Product Brand</th>
                    <th>Total Stock</th>
                    <th>Cost Per Item</th>
                    <th>Total cost</th>
                    <th>SUBJECT</th>
                  </tr>
                  <tr *ngFor="let items of report">
                    <td style="cursor: pointer"
(click)="nextPage(items.id)">
                      &#9998;
```

```html
                        </td>
                        <td>{{ items.pcode }}</td>
                        <td>{{ items.ptitle }}</td>
                        <td>{{ items.pbrand }}</td>
                        <td>{{ items.tstock }}</td>
                        <td>{{ items.cpi }}</td>
                        <td>{{ items.tcost }}</td>
                        <td>{{ items.sub }}</td>
                      </tr>
                    </thead>
                  </table>
                  <!-- Table end -->
                </div>
              </div>
            </div>


        </section>
        <!-- //PAGE END -->
      </div>
      <app-footer></app-footer>
    </div>
</div> <app-header></app-header>
<div class="row">
  <div class="col-2">
    <app-navbar></app-navbar>
  </div>
  <div class="col-10 p-0">
    <div>
      <section class="mt-3">
        <div class="container-fluid">
          <div class="page-header ph-radius clearfix">
            <div class="float-left">
              <h3>Stocks Detail Report</h3>
            </div>
            <div class="float-right">
              <div class="d-flex">
                <nav aria-label="breadcrumb">
                  <ol class="breadcrumb">
                    <li class="breadcrumb-item">
                      <a href="dashboard">Dashboard</a>
                    </li>
                    <li class="breadcrumb-item">
                      <a href="addreport">Add Products</a>
                    </li>
                    <li class="breadcrumb-item active" aria-current="report">
                      Products
                    </li>
```

```html
                </ol>
              </nav>
            </div>
          </div>
        </div>

        <div class="row ">
          <div class="col-lg-12">
            <div class="content-wrapper">
              <!-- Table start -->
              <table id="sort-table" class="table table-responsive">
                <thead>
                  <tr>
                    <th class="nosort" style="width: 18px">
                    </th>
                    <th>Product code</th>
                    <th>Product Title</th>
                    <th>Product Brand</th>
                    <th>Total Stock</th>
                    <th>Cost Per Item</th>
                    <th>Total cost</th>
                    <th>SUBJECT</th>
                  </tr>
                  <tr *ngFor="let items of report">
                    <td style="cursor: pointer"
(click)="nextPage(items.id)">
                      &#9998;
                    </td>
                    <td>{{ items.pcode }}</td>
                    <td>{{ items.ptitle }}</td>
                    <td>{{ items.pbrand }}</td>
                    <td>{{ items.tstock }}</td>
                    <td>{{ items.cpi }}</td>
                    <td>{{ items.tcost }}</td>
                    <td>{{ items.sub }}</td>
                  </tr>
                </thead>
              </table>
              <!-- Table end -->
            </div>
          </div>
        </div>

      </section>
      <!-- //PAGE END -->
    </div>
    <app-footer></app-footer>
```

```html
        </div>
      </div>
    <app-header></app-header>
    <div class="row">
      <div class="col-2">
        <app-navbar></app-navbar>
      </div>
      <div class="col-10 p-0">
        <div>
          <section class="mt-3">
            <div class="container-fluid">
              <div class="page-header ph-radius clearfix">
                <div class="float-left">
                  <h3>Stocks Detail Report</h3>
                </div>
                <div class="float-right">
                  <div class="d-flex">
                    <nav aria-label="breadcrumb">
                      <ol class="breadcrumb">
                        <li class="breadcrumb-item">
                          <a href="dashboard">Dashboard</a>
                        </li>
                        <li class="breadcrumb-item">
                          <a href="addreport">Add Products</a>
                        </li>
                        <li class="breadcrumb-item active" aria-current="report">
                          Products
                        </li>
                      </ol>
                    </nav>
                  </div>
                </div>
              </div>

              <div class="row ">
                <div class="col-lg-12">
                  <div class="content-wrapper">
                    <!-- Table start -->
                    <table id="sort-table" class="table table-responsive">
                      <thead>
                        <tr>
                          <th class="nosort" style="width: 18px">
                          </th>
                          <th>Product code</th>
                          <th>Product Title</th>
                          <th>Product Brand</th>
                          <th>Total Stock</th>
                          <th>Cost Per Item</th>
```

```html
                        <th>Total cost</th>
                        <th>SUBJECT</th>
                    </tr>
                    <tr *ngFor="let items of report">
                        <td style="cursor: pointer"
(click)="nextPage(items.id)">
                            &#9998;
                        </td>
                        <td>{{ items.pcode }}</td>
                        <td>{{ items.ptitle }}</td>
                        <td>{{ items.pbrand }}</td>
                        <td>{{ items.tstock }}</td>
                        <td>{{ items.cpi }}</td>
                        <td>{{ items.tcost }}</td>
                        <td>{{ items.sub }}</td>
                    </tr>
                </thead>
            </table>
            <!-- Table end -->
        </div>
      </div>
    </div>
  </div>

  </section>
  <!-- //PAGE END -->
 </div>
 <app-footer></app-footer>
 </div>
</div>
<app-header></app-header>
<div class="row">
  <div class="col-2">
    <app-navbar></app-navbar>
  </div>
  <div class="col-10 p-0">
    <div>
      <section class="mt-3">
        <div class="container-fluid">
          <div class="page-header ph-radius clearfix">
            <div class="float-left">
              <h3>Sell Products</h3>
            </div>
            <div class="float-right">
              <div class="d-flex">
                <nav aria-label="breadcrumb">
                  <ol class="breadcrumb border-0">
                    <li class="breadcrumb-item">
```

```html
                            <a href="dashboard">Dashboard</a>
                        </li>
                        <li class="breadcrumb-item"><a
href="customer">Reports</a></li>
                        <li class="breadcrumb-item active" aria-current="page">
                          Sell Products
                        </li>
                    </ol>
                </nav>
            </div>
        </div>
    </div>
    <div class="content-wrapper">
        <div class="row mx-0 mt-2">
            <div class="col-lg-12">
                <div class="form-row row">
                    <div class="form-group col-md-4">
                        <label for="firstname">Customer Name</label>
                        <input type="text" class="form-control" id="name"
placeholder="anand" [(ngModel)]="name" />
                    </div>
                    <div class="form-group col-md-4">
                        <label for="Email">Email</label>
                        <input type="email" class="form-control" id="name"
placeholder="p********@gmail"
                            [(ngModel)]="email" />
                    </div>
                    <div class="form-group col-md-4">
                        <label for="mobile">Mobile</label>
                        <input type="number" class="form-control" id="mobile"
placeholder="+1 916 920 0130"
                            [(ngModel)]="mobile" />
                    </div>
                    <div class="form-group col-md-4 mt-4">
                        <label for="lasttname">Material</label>
                        <ng-select [items]="report" #select bindLabel="ptitle"
dropdownPosition="auto" bindValue="ptitle"
                            labelForId="album" placeholder="Select album"
[virtualScroll]="true" [(ngModel)]="material"
                            (change)="onAdd($event)">
                            <ng-template ng-option-tmp let-item="item" let-
search="searchTerm">
                                <div><span>Title:
</span><span>{{item.ptitle}}</span></div>
                                <small><b>P-code:</b> {{item.pcode}}</small>
                                <small><b>Brand:</b> {{item.pbrand}}</small>
                            </ng-template>
                        </ng-select>
```

```html
                </div>
                <div class="form-group col-md-4 mt-4">
                  <label for="price">price</label>
                  <input type="number" class="form-control" id="price"
placeholder="item"  [(ngModel)]="price" readonly />
                </div>
                <div class="form-group col-md-4 mt-4">
                  <label for="price">Quantity</label>
                  <input type="number" class="form-control"
(change)="changeData()" id="quantity" placeholder="item"  [(ngModel)]="qty" />
                </div>
                <div class="form-group col-md-4 mt-4">
                  <label for="price">Discount</label>
                  <input type="number" class="form-control" id="discount"
placeholder="item" [(ngModel)]="discount" />
                </div>
                <div class="form-group col-md-8 mt-4">
                  <label for="inputAddress">Shipping Address</label>
                  <textarea type="text" class="form-control"
id="inputAddress" placeholder="1234 Main St"
                    [(ngModel)]="address"></textarea>
                </div>
                <div class="form-group col-md-4 mt-4">
                  <label for="price">Total</label>
                  <input type="number" class="form-control" id="discount"
placeholder="item" readonly  [(ngModel)]="total" />
                </div>
              </div>
              <br><br><br>
              <div class="row text-center">
                <div class="col-12 text-center">
                  <button class="btn btn-success w-25"
(click)="onSubmit()">Sell Product</button>
                </div>
              </div>
            </div>
          </div>
        </div>
      </div>
    </section>
    <!-- //PAGE END -->
  </div>
  <app-footer></app-footer>
 </div>
</div> <app-header></app-header>
<div classs="col-12">
  <div id="content ">
```

```html
<!--============================ section_12
===============================-->
<section class="section_12">
  <div class="container">
    <div class="row">
      <article class="col-lg-12 col-md-12 col-sm-12 gmap">
        <div class="map">
          <iframe
            width="600"
            height="450"
            frameborder="0"
            style="border: 0"
            src="https://maps.google.com/maps?q=tamilnadu%20college%20of%2
0engineering&t=&z=13&ie=UTF8&iwloc=&output=embed"
          ></iframe>
        </div>
      </article>
    </div>
  </div>
  <div class="container">
    <div class="row">
      <article class="col-lg-3 col-md-4 col-sm-4 address">
        <h2>Addresses</h2>
        <address>
          <div class="info">
            <strong>Address 1:</strong>
            <span
              >Tamilnadu College Of Engineering<br />
              palaniyapa nager karumathampatti,coimbatore-641659</span
            >

            <strong>Telephones:</strong>
            <p>+91 996 513 2865 <br />+91 6384116186</p>
            <!--<strong>Address 2:</strong>
                    <span>The Company Name Inc.<br>palaniyapa nager
karumathampatti,coimbatore-641659</span>-->
          </div>
        </address>
      </article>
      <article class="col-lg-9 col-md-8 col-sm-8 address">
        <h2>Feedback</h2>
        <form id="contact-form" class="contact-form">
          <div class="success-message">Contact form submitted.</div>
          <div class="coll-1">
            <p class="mbot4">Name*</p>
            <label class="name">
              <input
                type="text"
```

```html
          placeholder=""
          data-constraints="@Required @JustLetters"
        />
        <span class="empty-message">*This field is required.</span>
        <span class="error-message">*This is not a valid
name.</span>
      </label>
    </div>
    <div class="coll-2">
      <p class="mbot4">E-mail*</p>
      <label class="email">
        <input
          type="text"
          placeholder=""
          data-constraints="@Required @Email"
        />
        <span class="empty-message">*This field is required.</span>
        <span class="error-message">*This is not a valid
email.</span>
      </label>
    </div>
    <div class="coll-3">
      <p class="mbot4">Phone</p>
      <label class="phone">
        <input
          type="text"
          placeholder=""
          data-constraints="@JustNumbers"
        />
        <span class="empty-message">*This field is required.</span>
        <span class="error-message">*This is not a valid
phone.</span>
      </label>
    </div>
    <label class="message">
      <span class="mbot4">Message*</span>
      <textarea
        placeholder=""
        data-constraints="@Required @Length(min=20,max=999999)"
      ></textarea>
      <span class="empty-message">*This field is required.</span>
      <span class="error-message">*The message is too short.</span>
    </label>
    <div>
      <a href="dashboard" data-type="submit" class="btn-link btn-
link1"
        >Submit</a
      >
```

```html
                <p class="req">*required fields</p>
            </div>
        </form>
    </article>
    </div>
    </div>
    </section>
    </div>
</div>
```

Common.css:

```css
nput[type=text], select, textarea{
  width: 100%;
  padding: 12px;
  border: 1px solid #ccc;
  border-radius: 4px;
  box-sizing: border-box;
  resize: vertical;
}
input[type=number], select, textarea{
  width: 100%;
  padding: 12px;
  border: 1px solid #ccc;
  border-radius: 4px;
  box-sizing: border-box;
  resize: vertical;
}

  /* Style the label to display next to the inputs */
  label {
    padding: 12px 12px 12px 0;
    display: inline-block;
  }

  /* Style the submit button */
  input[type=submit] {
    background-color: #04AA6D;
    color: white;
    padding: 12px 20px;
    border: none;
    border-radius: 4px;
    cursor: pointer;
    float: right;
  }
```

```css
  /* Style the container */
  .container {
    border-radius: 5px;
    background-color: #f2f2f2;
    padding: 20px;
  }

  /* Floating column for labels: 25% width */
  .col-25 {
    float: left;
    width: 25%;
    margin-top: 6px;
  }

  /* Floating column for inputs: 75% width */
  .col-75 {
    float: left;
    width: 75%;
    margin-top: 6px;
  }

  /* Clear floats after the columns */
  .row:after {
    content: "";
    display: table;
    clear: both;
  }
.job-card {
  border: 1px solid #dee5f1;
  background: #ffffff;
  margin-top: 10px;
}
.job-card .card-header {
  padding: 0.5rem 1.25rem;
  margin-bottom: 0;
  background-color: #f4f6fc;
  border: none;
  box-shadow: none;
  font-weight: 600;
}
.job-card .list-item {
  border-bottom: 1px solid #dee5f1;
  margin-top: 10px;
}
.job-status .form-control {
  font-size: 11px;
  height: calc(1.2em + 0.5rem + 2px);
  padding: 0.15rem 0.15rem;
```

```css
    background: transparent;
    font-weight: 700;
    width: 110px;
}
.job-status .btn {
    font-size: 11px !important;
    font-weight: 600;
    padding: 5px 10px !important;
    line-height: 11px;
    min-height: 22px;
    margin: 0px !important;
    vertical-align: top;
}
/*--//Job ID Time Line--*/

/* Table sticky header  */
.table-sticky-header .table {
    position: relative;
    width: 100%;
    float: left;
}
.table-sticky-header .table thead tr th {
    position: sticky;
    top: 0;
    z-index: 2;
    background: #dee5f1;
}

.labour-header-info {
    margin-bottom: 0;
    list-style: none;
    background-color: transparent;
    border-radius: 0;
    font-size: 13px;
    color: #fff;
    padding: 0.9rem;
}
.table-container.no-pagination .bottom {
    display: none;
}
.stockin-stockout-container {
    display: flex;
}
.page-loading {
    position: absolute;
    width: 100%;
    z-index: 999;
    background: rgb(255 255 255 / 50%);
```

```css
  height: 100%;
  margin: 0 auto;
  text-align: center;
  padding-top: 15%;
}
.page-loading h4 {
  font-weight: 600;
  font-size: 24px;
  color: #000000;
}
/*--Data Table--*/
table.dataTable thead .sorting:before,
table.dataTable thead .sorting:after,
table.dataTable thead .sorting_asc:before,
table.dataTable thead .sorting_asc:after,
table.dataTable thead .sorting_desc:before,
table.dataTable thead .sorting_desc:after,
table.dataTable thead .sorting_asc_disabled:before,
table.dataTable thead .sorting_asc_disabled:after,
table.dataTable thead .sorting_desc_disabled:before,
table.dataTable thead .sorting_desc_disabled:after {
  position: absolute;
  bottom: 0.9em;
  display: block;
  opacity: 1;
}

/* -------------------------------------------------
    SIDEBAR STYLE
-------------------------------------------------- */
.wrapper {
  display: flex;
  width: 100%;
  align-items: stretch;
}
#sidebar {
  min-width: 100%;
  max-width: 100%;
  background: #0277fd64;
  color: #fff;
  transition: all 0.3s;
  padding-top: 10px;
}
#sidebar.active {
  margin-left: -15%;
}
#sidebar ul li {
  text-align: left;
```

```css
    display: block;
    float: left;
    margin: 5px 10px;
    width: 100%;
}
#sidebar ul li a {
    padding: 10px;
    font-size: 1em;
    display: block;
    background-color: #fff;
    border-radius: 5px;
    font-weight: 600;
}
#sidebar ul li a:hover {
    background-color: #0276fd;
    color: #fff;
}
#sidebar ul li a.active {
    background-color: #0276fd;
    color: #fff;
}
#sidebar ul li a i {
    width: 24px;
}
#content {
    width: 85%;
    min-height: 100vh;
    transition: all 0.3s;
}
#content.active {
    width: 100%;
}
@media (max-width: 768px) {
    #my-header .navbar-brand {
        margin-left: 15px;
        width: 190px;
    }
    #sidebar {
        min-width: 20%;
        max-width: 20%;
        margin-left: -20%;
    }
    #sidebar.active {
        margin-left: 0;
    }
    #sidebarCollapse span {
        display: none;
    }
}
```

```css
  #content {
    width: 100%;
  }
  #sidebar ul li a {
    padding: 10px;
    font-size: 1em;
    display: block;
    background-color: #fff;
    border-radius: 5px;
    font-weight: 600;
  }

  #sidebar ul li a i {
    width: 16px;
  }
}
/*-- INDEX NEW DASHBOARD--*/

.ch-235 {
  min-height: 235px;
}
.ch-250 {
  min-height: 250px;
}
.ch-275 {
  min-height: 275px;
}
.ch-300 {
  min-height: 300px;
}

.index-card {
  background: #ffffff;
  border: 1px solid #dadfe5;
  box-shadow: none;
  -webkit-border-radius: 2px;
  -moz-border-radius: 2px;
  border-radius: 7px;
  margin-bottom: 1rem;
}
.index-card .card-header {
  background: #fff;
  border-bottom: 1px solid #dadfe5;
  padding: 0.75rem 1.05rem 0.75rem 1.05rem;
  border-radius: 7px 7px 0 0;
}
.index-card .card-header .card-title {
  margin: 0;
```

```css
    font-size: 1.25rem;
    font-weight: 600;
    line-height: 100%;
    color: #222222;
}
.index-card .card-body {
    padding: 1.25rem 1.25rem;
    position: relative;
}
.ticket-box {
    text-align: center;
}
.ticket-box h5 {
    font-weight: 600;
    color: #aaaaaa;
    margin-bottom: 0;
    font-size: 1rem;
}
.ticket-box .chart {
    width: 150px;
    height: 150px;
    margin: 0 auto;
}
.finance-box h2 {
    font-weight: 700;
    margin-bottom: 20px;
    font-size: 2.05rem;
}
.finance-box h6 {
    font-weight: 600;
    color: #606569;
}
.progress {
    height: 0.75rem !important;
    margin-bottom: 5px;
}
.dot-label {
    width: 10px;
    height: 10px;
    display: inline-block;
    border-radius: 100%;
    margin-right: 5px;
}
/*--Customers--*/
.customers-box .cbt-card h5 {
    background: transparent;
}
.customers-box h5 {
```

```css
    font-weight: 600;
    color: #ffffff;
    font-size: 1rem;
    padding: 5px 10px;
    width: 85%;
    margin-bottom: 15px;
    background: #333;
    border-radius: 8px;
}
.customers-box h2 {
    font-weight: 600;
    font-size: 1.15rem;
    color: #333;
    margin-bottom: 15px;
}
.customers-box h6 {
    font-weight: 600;
    font-size: 0.9rem;
    color: #888;
    margin-bottom: 5px;
}
.customers-box .cbt-card i {
    float: right;
    vertical-align: middle;
    margin-top: 5px;
}
/*--Billing--*/
.billing-box h2 {
    font-weight: 700;
    font-size: 1.75rem;
    color: #666;
    margin-bottom: 5px;
}
.billing-box h6 {
    font-weight: 600;
    color: #aaaaaa;
    margin-bottom: 7px;
    font-size: 1rem;
    margin-top: 10px;
}
.billing-box span {
    font-weight: 600;
    color: #aaaaaa;
}
.billing-box .bill-icon {
    display: inline-flex;
    width: 80px;
    height: 80px;
```

```css
    text-align: center;
    border-radius: 50%;
    align-items: center;
    justify-content: center;
    background: #eee;
}
.billing-box .bill-icon i {
    font-size: 1.5rem;
}


.action a {
    display: none;
}
.action:hover a {
    display: inline-block;
}
.print-des {
    padding: 0px 15px 15px 15px;
    border: 1px solid #e3e3e3;
    border-radius: 5px;
    box-shadow: 4px 4px 10px #e9e9e9;
}
label {
    font-weight: bold;
    font-size: 15px;
    margin-bottom: 0.8rem;
    color: #000;
}
```