

Assignment-4

Assignment Date	29 October 2022
Student Name	SHAFINIAN ARO A
Student Roll Number	211419205151
Maximum Marks	2 Marks

Question:

1. Pull an Image from docker hub and run it in docker playground.

Pull an image from docker hub.

```
Command Prompt
Microsoft Windows [Version 10.0.19044.2130]
(c) Microsoft Corporation. All rights reserved.



C:\Users\lenovo>docker pull dharshinipk/getting-started
Using default tag: latest
latest: Pulling from dharshinipk/getting-started
Digest: sha256:8dbeldd8c9fc72acca15d6dbe273409adb45a2a28a45336bcc0ca2b3ff5d7
Status: Image is up to date for dharshinipk/getting-started:latest
docker.io/dharshinipk/getting-started:latest

C:\Users\lenovo>docker pull dharshinipk/docker_flask_with_form
Using default tag: latest
Error response from daemon: manifest for dharshinipk/docker_flask_with_form:latest not found: manifest unknown: manifest unknown


C:\Users\lenovo>docker push dharshinipk/docker_flask_with_form
Using default tag: latest
The push refers to repository [docker.io/dharshinipk/docker_flask_with_form]
99633df762e2: Pushed
73ee95d8486b: Pushed
a79bf86c66cb: Pushed
583275d8d6c8: Pushed
bfc1deb8136e: Pushed
1f123186824c: Layer already exists
3d6eb1152931: Layer already exists
100796cdf3b1: Retrying in 1 second
54acb5a6fa8b: Pushing [----->] 71.27MB/528.7MB
8d51c618126f: Layer already exists
9ff6e4d46744: Pushing [----->] 8.333MB/10.95MB
a80d1d47b5a1: Layer already exists
655ed1b7a428: Layer already exists
net/http: TLS handshake timeout

C:\Users\lenovo>docker images
REPOSITORY          TAG       IMAGE ID       CREATED        SIZE
dharshinipk/docker_flask_with_form   latest    94ac771be3b1   23 hours ago   932MB
docker_flask_with_form               latest    94ac771be3b1   23 hours ago   932MB
dharshinipk/getting-started          latest    cb90f98fd791   6 months ago   28.8MB
docker/getting-started                latest    cb90f98fd791   6 months ago   28.8MB

C:\Users\lenovo>docker pull ubuntu:20.04
Error response from daemon: Head "https://registry-1.docker.io/v2/library/ubuntu/manifests/20.04": Get "https://auth.docker.io/token?account=dharshinipk&scope=repository%3Alibrary%3Aubuntu%3Apull&service=registry.docker.io": dialing auth.docker.io:443 no HTTPS proxy: connecting to 44.205.64.79:443: dial tcp 44.205.64.79:443: i/o timeout
```




- 2. Create a docker file for the jobportal application and deploy it in Docker desktop application.**




Deploy in docker application


```
C:\Users\sgan\Desktop>cd ..  
C:\Users\sgan\Desktop>cd job_portal  
C:\Users\sgan\Desktop\job_portal>docker build -t job_portal  
"docker build" requires exactly 1 argument.  
See "docker build --help".  
  
Usage: docker build [OPTIONS] PATH | URL | -  
  
Build an image from a Dockerfile  
  
C:\Users\sgan\Desktop\job_portal>dir  
Volume in drive C has no label.  
Volume Serial Number is 86A3-1D0B  
  
Directory of C:\Users\sgan\Desktop\job_portal  
  
10/25/2022 04:53 PM <DIR> .  
10/25/2022 04:53 PM <DIR> ..  
10/25/2022 04:11 PM 329 app.py  
10/22/2022 10:48 PM 148 Dockerfile  
10/22/2022 10:48 PM 1 requirements.txt  
10/25/2022 04:53 PM <DIR> static  
10/25/2022 04:53 PM <DIR> templates  
10/25/2022 04:53 PM <DIR> __pycache__  
3 files(s) 474 bytes  
5 dir(s) 77,947,954 bytes free  
  
C:\Users\sgan\Desktop\job_portal>docker build -t job_portal  
Invalid argument "job_portal." for "-t, --tag" flag: Invalid reference format  
See "docker build --help".  
  
C:\Users\sgan\Desktop\job_portal>docker build -t job_portal .  
[+] Building 443.6s (11/11) FINISHED  
=> [internal] load build definition from Dockerfile 0.0s  
=> [internal] load metadata for docker.io/library/python:3.9-slim 0.0s  
=> [internal] load .dockerignore 0.0s  
=> [internal] transfer context from Docker daemon 0.0s  
=> [internal] fetch https://github.com/docker/cli/releases/download/v20.10.17/docker-cli-20.10.17-linux-amd64.tar.gz 0.0s  
=> [builder] download image 0.0s  
=> [builder] import base image sha256:b3c2e111f4ad3093b3451639098ebecb70beabac2bf7127860fb1bbef67d81ff4 423.4s  
=> [builder] setup buildkit container 0.0s
```

Running in docker desktop



3. Create a IBM container registry and deploy helloworld app or jobportalapp.





Deploy helloworld or jobportal

```
C:\Windows\system32\cmd.exe
5a4b5a6f48b: Retrying in 1 second
8d51c618126f: Retrying in 1 second
9ff6e4d6744: Waiting
a90d1d47b5a1: Waiting
655ed1b7a428: Waiting
Failed to lookup host: jp.lcr.io


C:\Users\ganesh\Desktop\job_portal>docker push jp.lcr.io/ganeshjob/job_portal
Using default tag: latest
The push refers to repository [jp.lcr.io/ganeshjob/job_portal]
15b3b158a625: Layer already exists
9be04fb6e186: Pushed
48c2a74c12b: Layer already exists
9b72c7835466: Layer already exists
9fc1de90136e: Layer already exists
1f127186824c: Layer already exists
3d86b1152931: Pushed
18b796cdf3b1: Pushed
5a4b5a6f48b: Retrying in 1 second
8d51c618126f: Pushed
9ff6e4d6744: Pushed
a90d1d47b5a1: Pushed
655ed1b7a428: Pushing [-----] 99.80MB/124MB
^C

C:\Users\ganesh\Desktop\job_portal>docker push jp.lcr.io/ganeshjob/job_portal
Using default tag: latest
The push refers to repository [jp.lcr.io/ganeshjob/job_portal]
15b3b158a625: Layer already exists
9be04fb6e186: Layer already exists
48c2a74c12b: Layer already exists
9b72c7835466: Layer already exists
9fc1de90136e: Layer already exists
1f127186824c: Layer already exists
3d86b1152931: Layer already exists
18b796cdf3b1: Layer already exists
5a4b5a6f48b: Pushed
8d51c618126f: Layer already exists
9ff6e4d6744: Layer already exists
a90d1d47b5a1: Layer already exists
655ed1b7a428: Pushed
latest: digest: 39a256:e95109a7c97e9b9086668a54e89c761a58da939996cb7a21a7a7961fc287 size: 3952

C:\Users\ganesh\Desktop\job_portal>
C:\Users\ganesh\Desktop\job_portal>
```

4. Create a Kubernetes cluster in IBM cloud and deploy helloworld image or jobportal image and also expose the same app to run in nodeport.

Creating a kubernetes cluster in ibm cloud



Expose the same app to run in noteport

```
C:\Windows\System32\cmd.exe
10/16/2022 12:28 PM          3,721 windows shortcut.txt
08/25/2022 08:40 PM          2,897 YouTube.lnk
          24 File(s)      804,677,196 bytes
          9 Dir(s)      79,221,886,976 bytes free

C:\Users\gani\Desktop>cd deploy
The system cannot find the path specified.

C:\Users\gani\Desktop>kubectl apply -f kubernetes/depoly.yaml
error: the path "kubernetes/depoly.yaml" does not exist

C:\Users\gani\Desktop>kubectl apply -f depoly.yaml
error: the path "depoly.yaml" does not exist

C:\Users\gani\Desktop>kubectl apply -f C:\Users\gani\Desktop\deploy.yaml
deployment.apps/flask-app created

C:\Users\gani\Desktop>
```

```

C:\Windows\system32\cmd.exe
C:\Windows\system32\kubectl expose deployment flask-app --type=NodePort --name=flask-service
The Service "flask-service" is invalid: metadata.name: Invalid value: "flask-service": a DNS-1035 label must consist of lower case alphanumeric characters or '-', start with an alphabetic character, and end with an alphanumeric character (e.g. "my-name", or "abc-123", regex used for validation is "[a-z]([-a-z0-9]*[a-z0-9])?")

C:\Windows\system32\kubectl expose deployment flask-app --type=NodePort --name=flask-service
The Service "flask-service" is invalid: metadata.name: Invalid value: "flask-service": a DNS-1035 label must consist of lower case alphanumeric characters or '-', start with an alphabetic character, and end with an alphanumeric character (e.g. "my-name", or "abc-123", regex used for validation is "[a-z]([-a-z0-9]*[a-z0-9])?")

C:\Windows\system32\kubectl expose deployment flask-app --type=NodePort --name=flask-service
The Service "flask-service" is invalid: metadata.name: Invalid value: "flask-service": a DNS-1035 label must consist of lower case alphanumeric characters or '-', start with an alphabetic character, and end with an alphanumeric character (e.g. "my-name", or "abc-123", regex used for validation is "[a-z]([-a-z0-9]*[a-z0-9])?")

C:\Windows\system32\kubectl expose deployment flask-app --type=NodePort --name=flask-service
Error from server (AlreadyExists): services "flask-service" already exists

C:\Windows\system32\
C:\Windows\system32\kubectl -n kubernetes-dashboard get deploy
^C
C:\Windows\system32\kubectl -n kubernetes-dashboard get deploy
No resources found in kubernetes-dashboard namespace.

C:\Windows\system32\kubectl -n kubernetes-dashboard get deploy
No resources found in kubernetes-dashboard namespace.

C:\Windows\system32\kubectl proxy
Starting to serve on 127.0.0.1:9001
^C
C:\Windows\system32\kubectl -n kubernetes-dashboard get deploy
^C
C:\Windows\system32\kubectl -n kubernetes-dashboard get deploy
No resources found in kubernetes-dashboard namespace.

C:\Windows\system32\kubectl -n kubernetes-dashboard get pods
No resources found in kubernetes-dashboard namespace.

C:\Windows\system32\kubectl expose deployment flask-app --type=NodePort --name=flask-service
Error from server (AlreadyExists): services "flask-service" already exists

C:\Windows\system32\kubectl get ing
NAME      CLASS      HOSTS      ADDRESS      PORTS      AGE
flask-app-ingress  none      *          *            80         27m

C:\Windows\system32\kubectl get svc
NAME      TYPE      CLUSTER-IP      EXTERNAL-IP      PORT(S)      AGE

```