

```
import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
```

In [2]:

```
data=pd.read_excel("/content/Crude Oil Prices Daily.xlsx")
```

In [3]:

```
data.isnull().any()
```

Out[3]:

```
Date                False
Closing Value        True
dtype: bool
```

In [4]:

```
data.isnull().sum()
```

Out[4]:

```
Date                0
Closing Value        7
dtype: int64
```

In [5]:

```
data.dropna(axis=0,inplace=True)
```

In [6]:

```
data.isnull().sum()
```

Out[6]:

```
Date                0
Closing Value        0
dtype: int64
```

In [7]:

```
data_oil=data.reset_index()['Closing Value']
data_oil
```

Out[7]:

```
0      25.56
1      26.00
2      26.53
3      25.85
4      25.87
...
8211   73.89
8212   74.19
8213   73.05
8214   73.78
8215   73.93
Name: Closing Value, Length: 8216, dtype: float64
```

In [8]:

```
from sklearn.preprocessing import MinMaxScaler
scaler=MinMaxScaler(feature_range=(0,1))
data_oil=scaler.fit_transform(np.array(data_oil).reshape(-1,1))
```

In [9]:

```
data_oil
```

Out[9]:

```
array([[0.11335703],
       [0.11661484],
       [0.12053902],
```

```

...,
[0.46497853],
[0.47038353],
[0.47149415]])


```

In [10]:

```
plt.plot(data_oil)
```

Out[10]:

```
[]
```



```

training_size=int(len(data_oil)*0.65)
test_size=len(data_oil)-training_size
train_data,test_data=data_oil[0:training_size:],data_oil[training_size:len
(data_oil),:1]

```

In [12]:

```
training_size,test_size
```

Out[12]:

```
(5340, 2876)
```

In [13]:

```
train_data.shape
```

Out[13]:

```
(5340, 1)
```

In [14]:

```

def create_dataset(dataset,time_step=1):
    dataX,dataY=[],[]
    for i in range(len(dataset)-time_step-1):
        a=dataset[i:(i+time_step),0]
        dataX.append(a)
        dataY.append(dataset[i+time_step,0])
    return np.array(dataX),np.array(dataY)

```

In [15]:

```

time_step=10
x_train,y_train=create_dataset(train_data,time_step)
x_test,y_test=create_dataset(test_data,time_step)

```

In [16]:

```
print(x_train.shape),print(y_train.shape)
```

```
(5329, 10)
```

```
(5329,)
```

Out[16]:

```
(None, None)
```

```
print(x_test.shape),print(y_test.shape)
(2865, 10)
(2865,)
```

Out[17]:

```
(None, None)
```

In [18]:

```
x_train
```

Out[18]:

```
array([[0.11335703, 0.11661484, 0.12053902, ..., 0.10980305, 0.1089886 ,
        0.11054346],
       [0.11661484, 0.12053902, 0.11550422, ..., 0.1089886 , 0.11054346,
        0.10165852],
       [0.12053902, 0.11550422, 0.1156523 , ..., 0.11054346, 0.10165852,
        0.09906708],
       ...,
       [0.36731823, 0.35176958, 0.36080261, ..., 0.36391234, 0.37042796,
        0.37042796],
       [0.35176958, 0.36080261, 0.35354657, ..., 0.37042796, 0.37042796,
        0.37879461],
       [0.36080261, 0.35354657, 0.35295424, ..., 0.37042796, 0.37879461,
        0.37916482]])
```

In [19]:

```
x_train=x_train.reshape(x_train.shape[0],x_train.shape[1],1)
x_test=x_test.reshape(x_test.shape[0],x_test.shape[1],1)
```

In [20]:

```
from tensorflow.keras.models import Sequential
from tensorflow.keras.layers import Dense
from tensorflow.keras.layers import LSTM
```

In [22]:

```
model=Sequential()
```

In [23]:

```
model.add(LSTM(50,return_sequences=True,input_shape=(10,1)))
model.add(LSTM(50,return_sequences=True))
model.add(LSTM(50))
```

In [24]:

```
model.add(Dense(1))
```

In [25]:

```
model.summary()
```

```
Model: "sequential_1"
```

| Layer (type) | Output Shape | Param # |
|---------------|----------------|---------|
| ===== | | |
| lstm (LSTM) | (None, 10, 50) | 10400 |
| lstm_1 (LSTM) | (None, 10, 50) | 20200 |
| lstm_2 (LSTM) | (None, 50) | 20200 |
| dense (Dense) | (None, 1) | 51 |
| ===== | | |

Total params: 50,851
Trainable params: 50,851
Non-trainable params: 0
