


Project Design Phase-II Technology Stack  
(Architecture & Stack)

Date	30 October 2022
Team ID	PNT2022TMID46022
Project Name	Project - Smart Farmer-IoT enabled smart farming application.
Maximum Marks	4 Marks

Technical Architecture:

The Deliverable shall include the architectural diagram as below and the information as per the table1 & table 2



Guidelines:

1. Include all the processes (As an application logic / Technology Block)
2. Provide infrastructural demarcation (Local / Cloud)
3. Indicate external interfaces (third party API's etc.)
4. Indicate Data Storage components / services
5. Indicate interface to machine learning models (if applicable)

Table-1 : Components & Technologies:

S.No	Component	Description	Technology
1.	User Interface	How user interacts with application e.g., Web UI, Mobile App, Chatbot etc.	MIT app
2.	Application Logic-1	Logic for a process in the application	Node red/IBM Watson/MIT app
3.	Application Logic-2	Logic for a process in the application	Node red/IBM Watson/MIT app
4.	Application Logic-3	Logic for a process in the application	Node red/IBM Watson/MIT app
5.	Database	Data Type, Configurations etc.	MySQL, NoSQL, etc.
6.	Cloud Database	Database Service on Cloud	IBM cloud.
7.	Temperature sensor	Monitors the temperature of the crop	
8.	Humidity sensor	Monitors the humidity	
9.	Soil moisture sensor (Tensiometers)	Monitors the soil temperature	
10.	Weather sensor	Monitors the weather	
11.	Solar panel		
12.	RTC module	Date and time configuration	
13.	Relay	To get the soil moisture data	

Table-2: Application Characteristics:

S.No	Characteristics	Description	Technology
1.	Open-Source Frameworks	MIT app, Node-Red	Software
2.	Security Implementations	Drone technology, pesticide monitoring, Mineral identification in soil	Hardware