## SETUP MOBILE APPLICATION ENVIRONMENT

Project Date	September2022
Team ID	PNT2022TMID34297
Project Name	Containment Zone Alerting Application

## Geofence in Android App:

/\*

\* Copyright (C) 2014 The Android Open Source Project

\*

- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at

\*

\* http://www.apache.org/licenses/LICENSE-2.0

\*

- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.

\*/

package com.example.android.wearable.geofencing;

import static com.example.android.wearable.geofencing.Constants.ANDROID\_BUILDING\_ID;

import static com.example.android.wearable.geofencing.Constants.ANDROID\_BUILDING\_LA TITUDE;

import static com.example.android.wearable.geofencing.Constants.ANDROID\_BUILDING\_LO NGITUDE;

import static com.example.android.wearable.geofencing.Constants.ANDROID\_BUILDING\_RA DIUS\_METERS;

import static com.example.android.wearable.geofencing.Constants.CONNECTION\_FAILURE\_RESOLUTION\_REQUEST;

import static com.example.android.wearable.geofencing.Constants.GEOFENCE\_EXPIRATION \_TIME;

import static com.example.android.wearable.geofencing.Constants.TAG;

import static com.example.android.wearable.geofencing.Constants.YERBA\_BUENA\_ID;

import static com.example.android.wearable.geofencing.Constants.YERBA\_BUENA\_LATITU DE;

import static com.example.android.wearable.geofencing.Constants.YERBA\_BUENA\_LONGIT UDE;

import static com.example.android.wearable.geofencing.Constants.YERBA\_BUENA\_RADIUS\_METERS;

import android.app.Activity;

import android.app.PendingIntent;

import android.content.Intent;

import android.content.IntentSender;

import android.os.Bundle;

import android.util.Log;

import android.widget.Toast;

import com.google.android.gms.common.ConnectionResult;

```
import com.google.android.gms.common.api.GoogleApiClient.ConnectionCallbacks;
import com.google.android.gms.common.GooglePlayServicesUtil;
import com.google.android.gms.common.api.GoogleApiClient;
import com.google.android.gms.common.api.GoogleApiClient.OnConnectionFailedListener;
import com.google.android.gms.location.Geofence;
import com.google.android.gms.location.LocationServices;
import java.util.ArrayList;
import java.util.List;
public class MainActivity extends Activity implements ConnectionCallbacks,
    OnConnectionFailedListener {
  // Internal List of Geofence objects. In a real app, these might be provided by an API based on
  // locations within the user's proximity.
  List<Geofence> mGeofenceList;
  // These will store hard-coded geofences in this sample app.
  private SimpleGeofence mAndroidBuildingGeofence;
  private SimpleGeofence mYerbaBuenaGeofence;
  // Persistent storage for geofences.
  private SimpleGeofenceStore mGeofenceStorage;
  private LocationServices mLocationService;
  // Stores the PendingIntent used to request geofence monitoring.
  private PendingIntent mGeofenceRequestIntent;
  private GoogleApiClient mApiClient;
```

```
// Defines the allowable request types (in this example, we only add geofences).
private enum REQUEST_TYPE {ADD}
private REQUEST_TYPE mRequestType;
@Override
protected void onCreate(Bundle savedInstanceState) {
  super.onCreate(savedInstanceState);
  // Rather than displaying this activity, simply display a toast indicating that the geofence
  // service is being created. This should happen in less than a second.
  if (!isGooglePlayServicesAvailable()) {
    Log.e(TAG, "Google Play services unavailable.");
    finish();
    return;
  }
  mApiClient = new GoogleApiClient.Builder(this)
       .addApi(LocationServices.API)
       .addConnectionCallbacks(this)
       .addOnConnectionFailedListener(this)
       .build();
  mApiClient.connect();
  // Instantiate a new geofence storage area.
  mGeofenceStorage = new SimpleGeofenceStore(this);
  // Instantiate the current List of geofences.
  mGeofenceList = new ArrayList<Geofence>();
```

```
createGeofences();
  }
  /**
   * In this sample, the geofences are predetermined and are hard-coded here. A real app might
   * dynamically create geofences based on the user's location.
   */
  public void createGeofences() {
    // Create internal "flattened" objects containing the geofence data.
    mAndroidBuildingGeofence = new SimpleGeofence(
        ANDROID_BUILDING_ID,
                                         // geofenceId.
        ANDROID_BUILDING_LATITUDE,
        ANDROID_BUILDING_LONGITUDE,
        ANDROID_BUILDING_RADIUS_METERS,
        GEOFENCE_EXPIRATION_TIME,
        Geofence.GEOFENCE_TRANSITION_ENTER | Geofence.GEOFENCE_TRANSITI
ON EXIT
    );
    mYerbaBuenaGeofence = new SimpleGeofence(
        YERBA BUENA ID,
                                   // geofenceId.
        YERBA_BUENA_LATITUDE,
        YERBA_BUENA_LONGITUDE,
        YERBA_BUENA_RADIUS_METERS,
        GEOFENCE_EXPIRATION_TIME,
        Geofence.GEOFENCE_TRANSITION_ENTER | Geofence.GEOFENCE_TRANSITI
ON_EXIT
    );
    // Store these flat versions in SharedPreferences and add them to the geofence list.
```

```
mGeofenceStorage.setGeofence(ANDROID_BUILDING_ID, mAndroidBuildingGeofence
);
     mGeofenceStorage.setGeofence(YERBA_BUENA_ID, mYerbaBuenaGeofence);
     mGeofenceList.add(mAndroidBuildingGeofence.toGeofence());
     mGeofenceList.add(mYerbaBuenaGeofence.toGeofence());
   }
   @Override
  public void onConnectionFailed(ConnectionResult connectionResult) {
     // If the error has a resolution, start a Google Play services activity to resolve it.
     if (connectionResult.hasResolution()) {
       try {
         connectionResult.startResolutionForResult(this,
              CONNECTION_FAILURE_RESOLUTION_REQUEST);
       } catch (IntentSender.SendIntentException e) {
         Log.e(TAG, "Exception while resolving connection error.", e);
       }
     } else {
       int errorCode = connectionResult.getErrorCode();
       Log.e(TAG, "Connection to Google Play services failed with error code" + errorCode);
     }
  /**
   * Once the connection is available, send a request to add the Geofences.
   */
   @Override
  public void onConnected(Bundle connectionHint) {
```

// Get the PendingIntent for the geofenc...