

```
<?php
session_start();
ob_start();
    require_once('db_config.php');
?>
```

```
<!DOCTYPE html>
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
    <meta charset="utf-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>Record Expense</title>
    <!-- BOOTSTRAP STYLES-->
    <link href="assets/css/bootstrap.css" rel="stylesheet" />
    <!-- FONTAWESOME STYLES-->
    <link href="assets/css/font-awesome.css" rel="stylesheet" />
    <!-- MORRIS CHART STYLES-->
    <!-- CUSTOM STYLES-->
    <link href="assets/css/custom.css" rel="stylesheet" />
    <!-- GOOGLE FONTS-->
    <link href='http://fonts.googleapis.com/css?family=Open+Sans' rel='stylesheet' type='text/css' />
    <!-- TABLE STYLES-->
    <link href="assets/js/dataTables/dataTables.bootstrap.css" rel="stylesheet" />

    <!-- ASWESOME ICON-->
    <link rel="stylesheet" href="font-awesome-4.5.0/css/font-awesome.min.css">

    <!-- <script language="javascript" type="text/javascript">
function removeSpaces(string) {
    return string.split(' ').join("");
}
</script> -->

<script language="JavaScript"><!--
function trim(strText) {
    // this will get rid of leading spaces
    while (strText.substring(0,1) == ' ')
        strText = strText.substring(1, strText.length);

    // this will get rid of trailing spaces
    while (strText.substring(strText.length-1,strText.length) == ' ')
        strText = strText.substring(0, strText.length-1);

    return strText;
}
//--></script>

</head>
```

```

<body>
  <div id="wrapper">
    <nav class="navbar navbar-default navbar-cls-top " role="navigation" style="margin-bottom: 0;
color:#FF0">
      <div class="navbar-header" >
        <button type="button" class="navbar-toggle" data-toggle="collapse" data-target=".sidebar-
collapse">
          <span class="sr-only">Toggle navigation</span>
          <span class="icon-bar"></span>
          <span class="icon-bar"></span>
          <span class="icon-bar"></span>
        </button>
        <a class="navbar-brand" href="index.html">Expense Tracker</a>
      </div>
      <!-- dddddddddd -->
      <div style="color: white;padding: 15px 50px 5px 50px;float: right;font-size: 16px;">Expense Tracker
      &nbsp;<div class="btn-group pull-right">
        <button class="btn btn-default dropdown-toggle" data-toggle="dropdown">
          <i class="glyphicon glyphicon-user"></i><span class="hidden-sm hidden-xs"> </span>
          <span class="caret"></span>
        </button>
        <ul class="dropdown-menu">
          <li></li>
          <li>
            <a href="#"><span class="glyphicon glyphicon-log-out">
Logout</span></a></li>

          <li class="divider"></li>

          <li> <a href="#"><i class="glyphicon glyphicon-edit"> Change Password</i></a></li>
        </ul>
      </div>
    </div>
  </nav>
  <!-- /. NAV TOP -->
  <nav class="navbar-default navbar-side" role="navigation">
    <div class="sidebar-collapse">
      <ul class="nav" id="main-menu">
        <li class="text-center">
          
        </li>

        <li>
          <a href=" "><i class="fa fa-dashboard fa-3x"></i> Dashboard</a>
        </li>

        <li >
          <?php
echo" <li><a href='index.php'><i class='fa fa-keyboard-o fa-2x'></i>Expense</a></li>";
?>

        </li>
        <li >

<?php

```

```
        echo' <li><a href="expense_category.php"><i class="fa fa-cog fa-2x" aria-  
hidden="true"></i>Create Expense</a></li>';
```

```
?>
```

```
</li>
```

```
<?php
```

```
        echo' <li>  
        <a class="active-menu" href="#"><i class="fa fa-list fa-2x"></i>Expense Summery<span  
class="fa arrow"></span></a>
```

```
        <ul class="nav nav-second-level">  
<li>  
        <a href="expense_report.php"><i class="fa fa-file"></i>Expense Report</a>  
</li>  
<li>  
        <a href=" "><i class="fa fa-check-circle"></i> </a>  
  
        </li>  
  
        <a href=" "><i class="fa fa-pause"></i> </a>  
  
        </li>  
</ul>  
</li>';
```

```
?>
```

```
        </ul>  
  
        </li>  
  
        </ul>  
  
        </li>  
<!-- </ul>-->  
        </li>  
  
        </li>  
  
        </ul>  
</li>
```

```

        </ul>

    </div>

</nav>
<!-- /. NAV SIDE -->
<div id="page-wrapper" >
    <div id="page-inner">

        <div class="row">
            <div class="col-md-12">
                <!-- Advanced Tables -->
                <div class="panel panel-default">
                    <div class="panel-heading">
                        Expense Details <div class="pull-right">Filter Report using the search</div>
                    </div>
                <div class="panel-body">
                    <div class="table-responsive">
                        <table class="table table-striped table-bordered table-hover" id="dataTables-example">
                            <thead>
                                <!-- <tr> -->
                                <th>Expense Name</th>
                                <th>Amount Spent</th>
                                <th>Description</th>
                                <th>Date</th>
                                <th>Action</th>
                            </tr>
                        </thead>
                        <tbody>

<?php
            $sql = mysqli_query($con, "SELECT *FROM expense_category_tbl i LEFT JOIN expense_tbl s
ON i.expense_category_id= s.expense_category_id
WHERE (s.expense_category_id>0 )");

            while($row = mysqli_fetch_array($sql))
            {
                ?>

                <tr>
                <td><?php echo
$'row['expense_category_name'];?></td>

                <td><?php echo
$'row['amount_spent'];?></td>
                <td><?php echo $'row['expense_description'];?></td>
                <td><?php echo $'row['expense_date'];?></td>
                <td>
                <button type="button" class="btn btn-danger btn-xs" data-target="#modal_delete<?php echo
$'row['expense_id'];?>"data-toggle='modal'><span class='glyphicon glyphicon-trash'></span>
Delete</button>
                </td>

```

```

        <div class="modal fade" id="modal_delete<?php echo $row['expense_id']?>" aria-
hidden="true">
        <div class="modal-dialog modal-dialog-centered">
        <div class="modal-content">
        <div class="modal-header">
        <h3 class="modal-title">System</h3>
        </div>
        <div class="modal-body">
        <center><h4>Are you sure you want to delete this expense?</h4></center>
        </div>
        <div class="modal-footer">
        <button type="button" class="btn btn-primary" data-dismiss="modal">No</button>
        <a type="button" class="btn btn-danger" href="delete.php?expense_id=<?php echo
$row['expense_id']?>">Yes</a>
        </div>
        </div>
        </div>
        </div>
        </div>
        <?php }?>

        <?php

```

```

                                ob_flush();

        mysqli_close($con);
                                ?>

```

```

        </tbody>
    </table>

```

```

        </div>

        </div>
    </div>
    <!--End Advanced Tables -->
</div>
</div>

```

```

        <!-- /. ROW -->
        <div class="row"><!-- /. PAGE INNER -->
        </div>
        <!-- /. PAGE WRAPPER -->
        <!-- /. WRAPPER -->
        <!-- SCRIPTS -AT THE BOTTOM TO REDUCE THE LOAD TIME-->
        <!-- JQUERY SCRIPTS -->
        <script src="assets/js/jquery-1.10.2.js"></script>
        <!-- BOOTSTRAP SCRIPTS -->

```

```
<script src="assets/js/bootstrap.min.js"></script>
<!-- METISMENU SCRIPTS -->
<script src="assets/js/jquery.metisMenu.js"></script>
<!-- DATA TABLE SCRIPTS -->
<script src="assets/js/dataTables/jquery.dataTables.js"></script>
<script src="assets/js/dataTables/dataTables.bootstrap.js"></script>
<script>
    $(document).ready(function () {
        $('#dataTables-example').dataTable();
    });
</script>
<!-- CUSTOM SCRIPTS -->
<script src="assets/js/custom.js"></script>

</body>
</html>
```