

EXPENSE CATEGORY

```
<?php
session_start();
ob_start();
    require_once('db_config.php');

if(isset($_POST['submit']) && !empty($_POST['amount'])
&& !empty($_POST['expense_category_name'])){
    // echo print_r($_POST);
    $amount = mysqli_real_escape_string($con,$_POST['amount']);
    $expense_category_name = mysqli_real_escape_string($con,$_POST['expense_category_name']);
    $created_at = date('Y-m-d');

    $sql = "SELECT expense_category_name FROM expense_category_tbl WHERE
expense_category_name = '$expense_category_name' ";
    $query = mysqli_query($con, $sql);
    if($one = mysqli_num_rows($query) == 1){
        echo '
        <script type="text/javascript">
            alert("'" .ucfirst($expense_category_name).'" already exist");
        </script>';
        header('expense_category.php');
    }

    $data = mysqli_query($con, "INSERT INTO
expense_category_tbl(expense_category_name, created_at, amount)
VALUES('".$expense_category_name."','".$created_at."','".$amount."')");
    }

    //if data inserted successfully
    if(@$data === TRUE)
    {
        echo '
        <script type="text/javascript">
            alert("Success!");
        </script>';
    }

else{
    $message = "All fields are required";
}
?>
```

```
<!DOCTYPE html>
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
    <meta charset="utf-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>Item Category</title>
    <!-- BOOTSTRAP STYLES-->
    <link href="assets/css/bootstrap.css" rel="stylesheet" />
    <!-- FONTAWESOME STYLES-->
```

EXPENSE CATEGORY

```
<link href="assets/css/font-awesome.css" rel="stylesheet" />
<!-- MORRIS CHART STYLES-->

<!-- CUSTOM STYLES-->
<link href="assets/css/custom.css" rel="stylesheet" />
<!-- GOOGLE FONTS-->
<link href='http://fonts.googleapis.com/css?family=Open+Sans' rel='stylesheet' type='text/css' />
<!-- TABLE STYLES-->
<link href="assets/js/dataTables/dataTables.bootstrap.css" rel="stylesheet" />

<!-- ASWESOME ICON-->
<link rel="stylesheet" href="font-awesome-4.5.0/css/font-awesome.min.css">

<!-- <script language="javascript" type="text/javascript">
function removeSpaces(string) {
    return string.split(' ').join("");
}
</script> -->

<script language="JavaScript"><!--
function trim(strText) {
    // this will get rid of leading spaces
    while (strText.substring(0,1) == ' ')
        strText = strText.substring(1, strText.length);

    // this will get rid of trailing spaces
    while (strText.substring(strText.length-1,strText.length) == ' ')
        strText = strText.substring(0, strText.length-1);

    return strText;
}
//--></script>

</head>
<body>
    <div id="wrapper">
        <nav class="navbar navbar-default navbar-cls-top " role="navigation" style="margin-bottom: 0; color:#FF0">
            <div class="navbar-header" >
                <button type="button" class="navbar-toggle" data-toggle="collapse" data-target=".sidebar-collapse">
                    <span class="sr-only">Toggle navigation</span>
                    <span class="icon-bar"></span>
                    <span class="icon-bar"></span>
                    <span class="icon-bar"></span>
                </button>
                <a class="navbar-brand" href="index.html">Expense Tracker</a>
            </div>
            <!-- dddddd -->
            <div style="color: white;padding: 15px 50px 5px 50px;float: right;font-size: 16px;">Expense Tracker
            &nbsp;   <div class="btn-group pull-right">
                <button class="btn btn-default dropdown-toggle" data-toggle="dropdown">
```

EXPENSE CATEGORY

```

        <i class="glyphicon glyphicon-user"></i><span class="hidden-sm hidden-xs"> </span>
        <span class="caret"></span>
    </button>
    <ul class="dropdown-menu">
        <li></li>
        <li>
            <a href="#"><span class="glyphicon glyphicon-log-out">
Logout</span></a></li>

    <li class="divider"></li>

    <li> <a href="#"><i class="glyphicon glyphicon-edit"> Change Password</i></a></li>
    </ul>
</div>
</div>
</nav>
<!-- /. NAV TOP -->
<nav class="navbar-default navbar-side" role="navigation">
<div class="sidebar-collapse">
    <ul class="nav" id="main-menu">
        <li class="text-center">
            
        </li>

        <li>
            <a href="#"><i class="fa fa-dashboard fa-2x"></i> Dashboard</a>
        </li>

        <li >
            <?php
            echo' <li><a href='index.php'><i class='fa fa-keyboard-o fa-2x'></i>Expense</a></li>';
            ?>

        </li>
        <li>

        <?php

            echo' <li><a class="active-menu" href="expense_category.php"><i class="fa fa-cog
fa-2x" aria-hidden="true"></i>Create Expense</a></li>';

        ?>

    </li>

    <?php

        echo' <li>
            <a href="#"><i class="fa fa-list fa-2x"></i>Expense Summery<span class="fa
arrow"></span></a>

```

EXPENSE CATEGORY

```
<ul class="nav nav-second-level">
<li>
    <a href="expense_report.php"><i class="fa fa-file"></i>Expense Report</a>
</li>
<li>
    <a href=""><i class="fa fa-check-list"></i></a>

    </li>

    <a href=" "><i class="fa fa-pause"></i> </a>

    </li>
</ul>
</li>;

?>

</ul>

</li>

</ul>

</li>

<!-- </ul>-->
</li>

</li>

</ul>

</div>

</nav>
<!-- /. NAV SIDE -->
<div id="page-wrapper" >
    <div id="page-inner">
        <!-- <div class="row">
            <div class="col-md-12">
```

EXPENSE CATEGORY

<h2>Create Category Here</h2>

```
</div>
</div> -->
<!-- /. ROW -->
<!-- <hr />
-->

<!-- Modals-->
<div class="panel panel-default">
  <!-- <div class="panel-heading">
    Modals Example
  </div> -->
  <div class="panel-body">
    <button class="btn btn-primary btn-sm" data-toggle="modal" data-
target="#myModal">
      <i class="fa fa-plus-circle fa-2x"></i> Expense Category
    </button>
    <div class="modal fade" id="myModal" tabindex="-1" role="dialog" aria-
labelledby="myModalLabel" aria-hidden="true">
      <div class="modal-dialog">
        <div class="modal-content">
          <div class="modal-header">
            <button type="button" class="close" data-dismiss="modal" aria-
hidden="true">&times;</button>
            <h4 class="modal-title" id="myModalLabel">Add Expense Category</h4>
          </div>
          <div class="modal-body">
            <div class="header" >
              <!--<h3 >Add New Department</h3>-->
            </div>
            <div class="content">
              <!-- <div> -->
              <form action="expense_category.php" method="POST" enctype="multipart/form-data">
                <!-- <div style=" margin-left:100px;"> -->

                <div class="row" >
                  <div class="form-group col-md-12" >
                    <label>Expense Name : </label>
                    <input type="text" name="expense_category_name" id="expense_category_name" class="form-
control" placeholder="Please Enter Expense Name" required>
                  </div>

                  <br>

                  <div class="form-group col-md-12">
                    <label> Enter Amount : </label>
                    <input type="text" name="amount" id="amount" class="form-control"placeholder="Please
Enter Expense Name : " onBlur="this.value=trim(this.value);" required>
                  </div>
                </div>
                <?php if(isset($message)){echo "<font color='FF0000'><h5>$message</font></h5>";} ?>
              </form>
            </div>
          </div>
        </div>
      </div>
    </div>
  </div>
</div>
```

EXPENSE CATEGORY

```

<!-- </div> -->
    <!-- </div> -->
    <div class="modal-footer">

        <input type="submit" id="submit" name="submit" value="Add" class="btn btn-primary"
style=""/>
        <input type="reset" id="rest" value="Cancel / Reset" class="btn btn-danger" style=""/>
    </div>
</div>
</form>

    </div>
</div>
</div>
</div>
</div>
</div>
<!-- End Modals-->

<div class="row">
    <div class="col-md-12">
        <!-- Advanced Tables -->
        <div class="panel panel-default">
            <div class="panel-heading">
                Category List
            </div>
            <div class="panel-body">
                <div class="table-responsive">
                    <table class="table table-striped table-bordered table-hover" id="dataTables-example">
                        <thead>

                            <th>Expense Name</th>
                            <th>Amount </th>
                            <th>Date Created</th>
                            <th>Actions</th>
                        </tr>
                    </thead>
                    <tbody>

                        <?php
                            $sql = mysqli_query($con, "SELECT * FROM
expense_category_tbl order by expense_category_name ASC");
                            while($row = mysqli_fetch_array($sql))
                                {
                                    ?>

                                    <tr>
                                    <td><?php echo
$row['expense_category_name']?></td>

                                    <td><?php echo
number_format((float)$row['amount'], 2, '.', '')?></td>

```

EXPENSE CATEGORY

```
 <td><?php echo $date=DATE_FORMAT(new DateTime($row['created_at']),'d-M-Y') ?></td> <td>     <button type="button" class="btn btn-info btn-xs" data-target="#modal_update<?php echo $row['expense_category_id']?>"data-toggle='modal'><span class='glyphicon glyphicon-pencil'></span> Edit</button> </td>      <div class="modal fade" id="modal_update<?php echo $row['expense_category_id']?>" aria- hidden="true">     <div class="modal-dialog modal-dialog-centered">     <div class="modal-content">     <div class="modal-header">     <h3 class="modal-title">Update Expense</h3>     </div>     <form action="update_expense.php" method="POST" enctype="multipart/form-data">     <div class="modal-body">      <!-- <center><h4>Are you sure you want to delete this expense?</h4></center> -->     <!-- hidden fields -->     <input type="hidden" id="getID" name="getID" value="<?php echo $row['expense_category_id']?>">      <div class="row">     <div class="form-group col-md-12">     <label>Expense Name</label>     <input type="text" name="expense_name" id="expense_name" class="form-control" value="<?php echo $row['expense_category_name']?>" required="">     </div>     </div>      <div class="row">     <div class="form-group col-md-12">     <label>Expense Amount</label>     <input type="text" name="amount" id="amount" class="form-control" value="<?php echo $row['amount']?>" required="">     </div>     </div>     </div>      <!-- <div class="row" >     <div class="form-group"> -->     <div class="modal-footer">     <button type="button" class="btn btn-primary" data-dismiss="modal">No</button>     <input type="submit" id="submit" name="submit" value="Yes" class="btn btn-danger" />     </div>     <!-- </div>     </div> -->     </form>     </div>     </div>     </div>      <?php }      ob_flush(); ?> |
```

EXPENSE CATEGORY

```
</tbody>
</table>

</div>

</div>
</div>
<!--End Advanced Tables -->
</div>
</div>
    <!-- /. ROW -->
    <div class="row"><!-- /. PAGE INNER -->
    </div>
    <!-- /. PAGE WRAPPER -->
    <!-- /. WRAPPER -->
    <!-- SCRIPTS -AT THE BOTOM TO REDUCE THE LOAD TIME-->
    <!-- JQUERY SCRIPTS -->
    <script src="assets/js/jquery-1.10.2.js"></script>
    <!-- BOOTSTRAP SCRIPTS -->
    <script src="assets/js/bootstrap.min.js"></script>
    <!-- METISMENU SCRIPTS -->
    <script src="assets/js/jquery.metisMenu.js"></script>
    <!-- DATA TABLE SCRIPTS -->
    <script src="assets/js/dataTables/jquery.dataTables.js"></script>
    <script src="assets/js/dataTables/dataTables.bootstrap.js"></script>
    <script>
        $(document).ready(function () {
            $('#dataTables-example').dataTable();
        });
    </script>
    <!-- CUSTOM SCRIPTS -->
    <script src="assets/js/custom.js"></script>

</body>
</html>
```